



## Hi-Traction Lug R-1

### T99 Stubble Guard Compound

Designed to provide superior traction and side hill slip resistance. Combines long and medium bar traction for excellent cleanability, a smooth ride, and more power to the ground.

### Approximate Equivalents

43.3	-	1100	14.9	-	380
35.5	-	900	13.6	-	340
30.5	-	800	12.4	-	320
28.0	-	710	11.2	-	290
24.5	-	650	9.5	-	250
23.1	-	580	9.0	-	230

### Conventional Comparable Metric

14.9R28	380/85R28
16.9R28	420/85R28
14.9R30	380/85R30
16.9R30	420/90R30
14.9R34	380/85R34
18.4R34	480/85R34
18.4R38	480/80R38
20.8R38	520/85R38
18.4R42	480/80R42
20.8R42	520/85R42
18.4R42	480/80R42
20.8R42	520/85R42
NONE	420/80R46
18.4R46	480/80R46



## Hi-Traction Lug R-1

### Bias

Exclusive long bar/medium bar tread pattern is easily recognized in the Hi-Traction Lug. This patented design follows a symmetrical lug pattern to eliminate side to side rocking and promote even tread wear.



### Titan Hi-Traction Lug Radial R-1 With T99 Stubble Guard Compound

SIZE	TYPE	PLY	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAXIMUM LOAD	SECTION WIDTH	TIRE DIAMETER	RETAIL
12.4R24	TL	122A8/B	4RD414	136	11	44	3300	13.3	46.1	\$624.67
14.9R24	TL	120A8/B	4RD434	148	13	47	3080	17.0	49.9	\$704.94
13.6R24	TL	128A8/B	4RD422	141	12	46	3200	14.3	48.3	\$641.47
12.4R28	TL	121A8/B	4RD412	136	11	44	3200	12.7	49.6	\$997.17
13.6R28	TL	3*	48E324	194	12	50	3740	14.2	52.5	\$1029.11
16.9R26	TL	2*	48E246	224	15	52	4800	18.1	54.4	\$1205.29
16.9R38	TL	2*	48E220	298	15	52	5680	18	66.6	\$1380.58
18.4R26	TL	2*	48E256	269	16	53	5520	19.4	57.1	\$1401.06
18.4R26	TL	150A8	48E456	308	16	53	7850	19.4	57.1	\$1672.46
18.4R30	TL	143A8/B	4RD450	273	16	50	6000	19.4	61.7	\$1126.97
18.4R34	TL	1*	48E154	316	16	53	5360	18.8	65.1	\$1224.66
24.5R32	TL	1*	48E199	493	21	56	8520	25.3	70.6	\$2414.42
24.5R32	TL	5*	48E599	568	21	59	12800	25.3	70.6	\$2756.62
320/85R24	TL	142A8/B	4RDH14	148	13	47	5840	15.4	50.4	\$795.18
380/85R28	TL	133A8/B	48E438	206	13	50	4540	16.0	54.2	\$1264.19
380/85R30	TL	135A8/B	48E430	220	13	50	4800	16.0	56.2	\$1282.03
380/85R34	TL	137A8/B	48E435	232	13	52	5080	16.0	60.2	\$1322.62
380/85R34	TL	148A8/B	48E79A	253	13	52	6950	16.0	60.2	\$1388.73
380/90R46	TL	144A8/B	48EA32	311	13	50	6150	15.7	72.3	\$1391.18
380/90R46	TL	149A8/B	48ED32	328	13	50	7150	15.7	72.3	\$1703.07
380/90R46	TL	156A8/B	48EH32	259	13	50	8800	15.7	72.3	\$1862.90
380/90R46	TL	168A8/B	48E032	409	13	50	12300	15.7	72.3	\$2135.85
420/85R28	TL	139A8/B	48E448	259	15	52	5360	18.1	56.5	\$1292.04
420/90R30	TL	142A8/B	48E479	255	15	56	5840	17.8	58.9	\$1386.15
480/80R38	TL	149A8/B	48E477	348	16	53	8550	18.8	77.1	\$1374.76
480/80R38	TL	152A8/B	48E677	361	16	53	7850	19.8	69.1	\$1681.29
480/80R42	TL	151A8/B	48E442	379	16	53	7600	19.3	73.1	\$1670.45
480/80R42	TL	154A8/B	48E542	366	16	53	8250	19.3	73.1	\$1701.19
480/80R42	TL	162A8/B	48E842	397	16	53	10500	19.3	73.1	\$1903.32
480/80R42	TL	166A8/B	48E942	411	16	53	11700	19.3	73.1	\$2097.07
480/80R46	TL	155A8/B	48E447	386	16	53	8550	18.8	77.1	\$1814.09
480/80R46	TL	158A8/B	48E547	388	16	53	9350	18.8	77.1	\$2039.09
520/85R38	TL	148A8/B	48E489	425	18	55	6950	21.3	72.9	\$1657.70
520/85R38	TL	158A8/B	48E689	453	18	55	9100	21.3	76.9	\$1739.66
520/85R42	TL	157A8/B	48E452	485	18	55	9100	21.3	96.9	\$1847.00

### Titan High Traction Lug Bias R-1

7-14	TL	6	48D665	26.0	6	33.0	990	6.7	27.5	\$132.24
7-16	TL	6	48D666	27.0	6	34.0	1100	7.3	29.3	\$149.62
8-16	TL	6	48D667	34.1	6	31.0	1360	8.0	30.5	\$188.11
8.3-24	TL	6	48D684	52.0	7	37.0	1360	8.3	39.1	\$252.75
9.5-16	TL	6	48D695	48.3	8	40.0	1390	9.5	33.3	\$301.46
9.5-20	TL	6	48D663	54.8	8	41.0	1650	9.2	37.7	\$307.88
9.5-24	TL	6	48D694	70.0	8	41.0	1870	9.5	41.2	\$294.71
11.2-24	TL	4	48D404	75.0	10	43.0	1650	11.8	43.6	\$315.38
11.2-24	TL	6	48D604	90.0	10	43.0	2090	11.8	43.6	\$350.68
11.2-24	TT	8	47D804	91.1	10	36.0	2540	11.8	43.6	\$351.33
11.2-24	TL	8	48D804	98.9	10	36.0	2540	11.8	43.6	\$419.82
11.2-28	TL	4	48D410	95.0	10	43.0	1760	11.8	47.6	\$401.50
12.4-24	TL	4	48D414	100.0	11	44.0	1870	13.0	46.7	\$398.13
12.4-24	TL	6	48D614	111.2	11	44.0	2400	13.0	46.7	\$506.56
12.4-24	TL	8	48D814	100.0	11	44.0	2830	13.0	46.7	\$523.39
12.4-28	TL	4	48D412	106.7	11	44.0	1980	13.0	49.8	\$423.20
12.4-28	TL	6	48D612	113.0	11	44.0	2540	13.0	49.8	\$461.20
12.4-28	TL	8	48Y812	119.8	11	44.0	3000	13.0	49.8	\$510.65

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

**Titan High Traction Lug Bias R-1 (continued)**

12.4-42	TT	6	47D619	156	11	32.0	3080	12	64	\$773.21
12.4-42	TL	10	48D019	188	11	44.0	4180	12	64	\$941.10
12.4-42	TL	12	48D119	180	11	48.0	4680	12	64	\$987.71
13.6-24	TL	4	48D422	128	12	46.0	2040	14	47.9	\$536.12
13.6-24	TL	6	48D622	123	12	46.0	2680	14	47.9	\$573.24
13.6-24	TL	8	48D822	137	12	46.0	3080	14	47.9	\$673.62
13.6-28	TT	4	47D424	126	12	46.0	3080	14	51.9	\$475.47
13.6-28	TL	4	48D424	134	12	46.0	2200	14	51.9	\$556.76
13.6-28	TT	6	47D624	132	12	46.0	2830	14	51.9	\$496.77
13.6-28	TL	6	48D624	127	12	46.0	2830	14	51.9	\$549.67
13.6-28	TL	10	48D024	148	12	46.0	3740	14	51.9	\$712.83
14.9-24	TL	4	48D434	125	13	47.0	2200	15.4	50.4	\$539.93
14.9-24	TT	6	47D634	130	13	47.0	3000	15.4	50.4	\$472.05
14.9-24	TL	6	48D634	140	13	47.0	3000	15.4	50.4	\$526.89
14.9-24	TL	8	48D834	131	13	47.0	3520	15.4	50.4	\$561.45
14.9-28	TT	6	47D638	132	13	47.0	3200	15.4	54.1	\$492.12
14.9-28	TL	6	48D638	132	13	47.0	3200	15.7	54.1	\$513.28
14.9-28	TL	10	48D038	161	13	47.0	4180	15.7	54.1	\$881.95
14.9-30	TL	10	48D030	175	13	47.0	4300	15.7	56.1	\$1041.50
15-38	TT	6	47D674	188	14	46.0	3520	15.9	62.7	\$691.04
15-38	TT	8	47D874	184	14	46.0	4080	15.9	62.7	\$700.76
16.9-24	TL	6	48D645	156	15	48.0	3420	17.8	53.0	\$606.81
16.9-24	TL	8	48D845	169	15	48.0	4080	17.8	53.0	\$638.59
16.9-26	TL	6	48D646	166	15	48.0	3520	17.7	55.0	\$788.57
16.9-26	TL	10	48D046	183	15	48.0	4540	17.7	55.0	\$1125.16
16.9-28	TL	6	48D648	170	15	48.0	3640	17.8	57.0	\$673.16
16.9-28	TT	8	47D848	168	15	48.0	4300	17.8	57.0	\$737.67
16.9-28	TL	10	48D048	188	15	48.0	4680	17.8	57.0	\$1137.05
16.9-30	TT	6	47D679	201	15	48.0	3740	17.8	59.0	\$692.39
16.9-30	TL	6	48D679	196	15	48.0	3740	17.8	59.0	\$759.02
16.9-30	TT	8	47D879	184	15	48.0	3740	17.8	59.0	\$725.37
16.9-34	TT	6	47D644	194	15	48.0	3960	17.8	63.0	\$734.79
16.9-34	TT	8	47D844	190	15	48.0	3740	17.8	63.0	\$813.50
16.9-38	TT	6	47D620	202	15	48.0	4180	17.8	67.0	\$762.28
16.9-38	TT	8	47D820	205	15	48.0	4940	17.8	67.0	\$961.27
18.4-16.1	TL	8	48D890	166	16	50.0	2910	17.8	44.7	\$699.45
18.4-26	TL	6	48D656	188	16	50.0	3960	186.6	57.7	\$925.32
18.4-26	TL	10	48D056	206	16	50.0	5200	19.4	57.7	\$1003.27
18.4-26	TL	12	48D156	207	16	50.0	5840	19.4	57.7	\$1069.58
18.4-30	TL	6	48D650	219	16	50.0	4180	19.4	61.7	\$772.25
18.4-30	TT	8	47D850	208	16	50.0	4800	19.4	61.7	\$807.40
18.4-30	TT	10	48D050	257	16	50.0	5520	19.4	61.7	\$995.65
18.4-34	TT	6	47D654	213	16	50.0	4400	19.4	65.7	\$888.82
18.4-34	TT	8	47D854	219	16	50.0	5080	19.4	65.7	\$881.81
18.4-34	TL	10	48D054	262	16	50.0	6000	19.4	65.7	\$981.49
18.4-38	TT	6	47D677	238	16	50.0	4680	19.4	69.7	\$819.46
18.4-38	TT	8	47D877	244	16	50.0	5360	19.4	69.7	\$889.25
18.4-38	TT	10	47D077	269	16	50.0	6400	19.4	69.7	\$1039.90
20.8-34	TT	8	47D801	276	18	51.0	5840	21.7	68.9	\$1381.11
20.8-38	TT	8	47D889	302	18	51.0	6150	21.7	72.9	\$1207.72
23.1-26	TL	8	48D886	307	20	52.0	5680	24.1	64.3	\$1551.43
23.1-26	TL	10	48D086	328	20	52.0	6400	24.1	64.3	\$1660.41
23.1-26	TL	12	48D186	338	20	52.0	7150	24.1	64.3	\$1777.54
23.1-26	TL	14	48D386	338	20	52.0	7850	24.1	TBA	\$1761.93
23.1-26	TL	16	48D586	337	20	52.0	8800	24.1	57.7	\$1938.12
23.1-34	TT	8	47D888	311	20	52.0	6400	24.1	72.3	\$1675.89
24.5-32	TL	10	48D099	390	21	53.0	7850	25.5	72.2	\$1800.45
24.5-32	TL	12	48D199	421	21	53.0	8800	25.5	72.2	\$1929.05
24.5-32	TL	14	48D399	422	21	53.0	9650	25.5	72.2	\$1979.44
30.5L-32	TL	12	48D196	517	27	54.0	9350	31.9	71.8	\$2601.76
30.5L-32	TL	16	48D596	550	27	54.0	11000	31.9	71.8	\$2883.03



## Hi-Traction Lug Bias R-1

Exclusive long bar/medium bar tread pattern is easily recognized in the Hi-Traction Lug. This patented design follows a symmetrical lug pattern to eliminate side to side rocking and promote even tread wear.



**TRACTOR TIRES**



## Hi Power Lug R-1

Designed to deliver power to the ground, single curved bar length is designed to offer maximum cleaning performance and side hill slip resistance.



### Titan Hi Power Lug R-1

SIZE	TYPE	PLY	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAXIMUM LOAD	SECTION WIDTH	TIRE DIAMETER	RETAIL
11.2-24	TT	4	473404	80	10	42	1650	11.6	43.5	\$281.17
11.2-24	TL	4	483404	88	10	42	1650	11.6	43.5	\$317.86
11.2-38	TT	4	473408	112	10	42	2090	11.6	57.5	\$472.09
11.2-38	TL	4	483408	119	10	42	2090	11.6	57.5	\$495.63
11.2-38	TL	6	483608	122	10	42	2540	11.6	TBA	\$522.44
12.4-38	TT	4	473418	140	11	44	2340	12.9	59.6	\$505.25
12.4-38	TL	8	483818	159	11	44	3520	12.9	59.6	\$789.40
12.4-38	TL	12	483118	176	11	44	4400	12.9	59.6	\$990.23
13.6-28	TT	6	473624	126	12	46	2830	14.1	51.6	\$463.06
13.6-38	TT	6	473628	153	12	46	3300	14.1	61.6	\$587.96
14.9-24	TT	4	473434	132	13	47	2200	15.1	49.8	\$411.60
14.9-24	TL	4	483434	146	13	47	2200	15.1	49.8	\$455.87
14.9-24	TT	6	473634	143	13	47	3000	15.1	49.8	\$455.87
14.9-24	TL	6	483634	153	13	47	3000	15.1	49.8	\$486.80
14.9-26	TT	6	473631	158	13	47	3080	15.1	51.8	\$531.33
14.9-26	TL	10	483031	188	13	47	4080	15.1	51.8	\$878.12
14.9-26	TL	12	483131	196	13	47	4400	15.1	51.8	\$915.34
14.9-28	TL	6	483638	133	13	47	3200	15.1	54.9	\$566.96
14.9-28	TL	8	483838	146	13	47	3740	15.1	54.9	\$577.53
14.9-28	TL	10	483038	161	13	47	4180	15.1	54.9	\$881.95
14.9-38	TT	6	473673	189	13	47	3740	15.1	63.8	\$747.54
15.5-38	TT	6	473674	183	12	46	3520	14.1	61.8	\$670.91
16.9-30	TT	6	473679	180	15	48	3740	17.6	58.5	\$659.67
18.4-28	TT	6	473658	181	16	50	4080	19.1	59.1	\$853.33
18.4-30	TT	6	473650	203	16	50	4180	19.1	61.1	\$745.08
18.4-34	TT	6	473654	213	16	50	4400	19.1	65.1	\$874.62
18.4-38	TT	6	473677	238	16	50	4680	19.1	69.1	\$890.71
18.4-38	TT	8	473877	244	16	50	5360	19.1	69.1	\$958.39
20.8-38	TT	8	473889	302	18	51	6150	21.6	72.2	\$1261.23
23.1-26	TL	10	483086	339	20	52	6400	24.0	62.5	\$1612.05
23.1-30	TT	8	473882	339	20	52	6000	24.0	66.5	\$1423.72
23.1-30	TL	10	483082	367	20	52	6800	24.0	66.5	\$1621.93



## Farm Tractor R-1 Bias

Best at handling heavy loads on hard-packed surfaces. Steers easily and offers excellent load distribution and floatation.

### Titan Farm Tractor R-1 Bias

9.5-36	TT	6	470697	85	8	38	2270	9.7	52.7	\$554.65
11.2-34	TT	4	470402	96	10	42	1980	11.6	53.4	\$569.63
11.2-36	TT	4	470406	89	10	44	2040	11.2	55.4	\$432.69
12.4-36	TT	6	470616	129	11	44	2830	12.6	57.1	\$697.98
13.9-36	TT	6	470693	126	12	44	3200	14.2	58.7	\$660.85

**PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.**



**TRACTOR TIRES**

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

**Titan Tru-Trac Multi Rib F2M Four Rib Front**

7.50-16SL	TL	6	466383	35	5.5	21	1480	8.6	31.3	\$151.39
9.5L-15SL	TL	6	466343	45	7.0	27	1520	9.9	31.5	\$199.79
10.00-16SL	TL	6	466394	53	8.0	28	1930	11.2	35.5	\$243.11
10.00-16SL	TT	8	466298	54	8.0	28	2340	11.2	35.5	\$206.94
10.00-16SL	TL	8	466398	60	8.0	28	2340	11.2	35.5	\$244.53
11L-15SL	TL	8	466318	64	8.0	27	2090	10.9	31.8	\$238.44
11.00-16SL	TT	8	466295	70	10.0	28	2600	12.7	38.1	\$260.21
11.00-16SL	TL	8	466395	72	10.0	28	2600	12.7	38.1	\$279.29
11.00-16SL	TL	12	466396	79	10.0	28	3420	12.7	38.1	\$430.58
11.00-20SL	TL	12	466347	98	10.0	28	3860	12.4	41.5	\$474.45
11.00-24SL	TL	8	466348	99	10.0	28	3420	12.4	45.5	\$481.74
14L-16.1SL	TL	10	466389	103	11.0	32	3420	14.4	38.4	\$443.59
16.5L-16.1SL	TL	10	466352	150	14.0	36	4080	17.3	42.2	\$643.12

**Titan Tru-Trac F-2 Three Rib Front**

4.00-12	TT	4	461229	10	3.0	15	495	5.	21.3	\$66.29
4.00-15	TT	4	461230	9	3.0	14	585	4.6	24.6	\$73.05
4.00-19	TT	4	461233	13	3.0	14	715	4.6	28.8	\$93.04
5.00-15	TT	4	462235	14	3.0	15	715	5.5	26.0	\$85.78
5.50-16	TT	6	462239	19	4.0	17	1050	6.3	27.9	\$104.50
6.00-16	TT	4	462274	17	4.0	18	910	6.7	29.0	\$95.78
6.00-16	TT	6	462275	20	4.0	18	1140	6.7	29.0	\$97.29
6.50-16	TT	6	462281	22	4.5	20	1230	7.3	29.8	\$105.77
7.50-16	TT	6	462283	30	5.5	23	1480	8.6	31.6	\$129.86
7.50-18	TT	6	462278	31	5.5	23	1610	8.6	33.9	\$146.96
7.50-20	TL	6	462393	39	5.5	23	1710	8.6	35.8	\$227.43
10.00-16	TT	6	462294	55	8.0	30	1930	1.8	35.6	\$216.12
10.00-16	TL	8	462398	55	8.0	30	2340	1.8	35.6	\$228.89
11.00-16	TT	8	462295	56	10.0	33	2600	12.3	38.3	\$256.64
7.5L-15	TT	6	462290	26	6.0	24	1430	8.1	29.3	\$115.42
9.5L-15	TT	8	462244	38	7.0	27	1870	9.9	31.5	\$168.40
11L-15	TT	8	462218	49	8.0	31	2090	1.8	32.1	\$206.90
14L-16.1	TT	8	462287	98	10.0	33	3000	14.8	40.0	\$414.19

**PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.**

## Tru-Trac Multi Rib F-2M Four Rib Front

Best at handling heavy loads on hard-packed surfaces. Steers easily and offers excellent load distribution and floatation.



## Tru-Trac F-2 Three Rib Front

Penetrates deep into the soil to give maximum steering control and minimal lateral side slipping with its high center rib.


**TRACTOR TIRES**



## Hi-Flotation Rib Implement I-1

Maximum flotation and great towing and handling, this features a wide tread design, large footprint, deep grooves and a low section height design.



## Traction Implement I-3

Designed for low horsepower traction requirements. Offers good roadability and excellent durability.



**TRACTOR TIRES**



### Titan Hi-Flotation Rib Implement

SIZE	TYPE	PLY	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAXIMUM LOAD	SECTION WIDTH	TIRE DIAMETER	RETAIL
26X12.00-12SL	TL	4	410361	28	8	12	1780	11.7	25.5	\$133.19
8.5L-14SL	TT	6	410289	24	6	11	1870	8.6	28.6	\$121.24
8.5L-14SL	TL	6	410389	27	6	11	1870	8.6	28.6	\$133.53
9.5L-14SL	TL	6	410398	27	7	11	1930	9.8	29.2	\$128.45
9.5L-14SL	TT	8	410299	26	7	11	2400	9.8	29.2	\$124.73
9.5L-14SL	TL	8	410399	29	7	11	2400	9.8	29.2	\$134.29
9.5L-15SL	TT	8	410244	30	7	11	2470	9.8	30.2	\$134.11
9.5L-15SL	TL	8	410344	34	7	11	2470	9.8	30.2	\$142.77
9.5L-15SL	TT	12	4102D7	37	7	11	3200	9.8	30.2	\$191.20
11L-14SL	TL	6	410364	31	8	11	2040	10.7	30.0	\$142.76
11L-15SL	TT	8	410218	35	8	11	2540	10.8	31.0	\$132.79
11L-15SL	TL	8	410318	37	8	11	2540	10.8	31.0	\$159.20
11L-15SL	TL	10	410319	43	8	11	2910	10.8	31.0	\$188.56
11L-15SL	TL	12	410317	50	8	11	3200	10.8	31.0	\$223.75
11L-15SL*	TL	18	41L315	56	8	11	4180	10.8	31.0	\$313.84
11L-16SL	TT	8	410222	39	8	11	2680	10.7	32.0	\$149.64
12.5L-15SL	TL	8	410340	46	8	11	3000	10.7	32.1	\$177.22
12.5L-15SL	TT	10	410241	46	10	11	3420	12.1	32.1	\$193.91
12.5L-15SL	TL	10	410341	50	10	11	3420	12.1	32.1	\$219.79
12.5L-15SL	TL	12	410305	52	10	11	3860	12.1	32.1	\$223.33
12.5L-15SL*	TL	12	41L305	52	10	11	3860	12.1	32.1	\$235.66
12.5L-15SL*	TL	20	41L327	67	10	11	5080	12.1	32.1	\$344.73
12.5L-16SL	TT	14	410253	51	10	11	4180	11.9	31.9	\$239.56
12.5L-16SL*	TL	14	41L353	55	10	11	4180	11.9	31.9	\$272.11
14L-16.1SL	TL	8	410368	71	11	12	3860	14.8	37.4	\$354.75
14L-16.1SL*	TL	8	41L368	71	11	12	3860	14.8	37.4	\$362.82
14L-16.1SL	TT	12	410262	75	11	12	4680	14.8	37.4	\$372.98
16.5L-16.1SL	TL	10	410350	102	14	14	5200	17.1	40.9	\$446.52
16.5L-16.1SL*	TL	10	41L350	101	14	14	5200	17.1	40.9	\$449.51
16.5L-16.1SL	TL	14	4103L1	115	14	14	6400	17.1	40.9	\$533.54
19L-16.1SL	TL	10	4103H7	130	16	17	6000	19.1	43.6	\$494.30
19L-16.1SL	TL	12	4105H7	141	16	17	6600	19.1	43.6	\$592.33
21.5L-16.1SL	TL	10	410349	166	18	17	6600	21.4	45.0	\$724.31
21.5L-16.1SL	TL	14	4103J1	174	18	17	7850	21.4	45.0	\$821.28
21.5L-16.1SL	TL	18	4103Q4	180	18	17	8800	21.4	45.0	\$900.92

### Titan Traction Implement I-3

7.50-20	TL	4	422303	36	5.5	17	1760	8.10	38.9	\$214.06
7.50-24	TL	4	422204	32	7	17	1870	8.70	38.9	\$178.16
13.50-16.1	TL	6	499505	81	11	23	3520	13.50	40.8	\$437.74

**PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.**

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

**Titan Industrial Contractor F-3**

11L-15SL	TL	8	465318	50	8	15	2090	11.00	31.30	\$208.07
11L-15SL	TL	10	465310	52	8	15	2340	11.00	31.30	\$214.98
11L-16SL	TL	10	465315	55	8	15	2470	11.00	32.30	\$222.41
11L-16SL	TL	12	465317	60	8	15	2760	11.00	32.30	\$256.23
14.5/75-16.1SL	TL	10	465388	74	11	18	3200	13.70	35.50	\$524.10

**American Farmer Multi Rib Implement (I1) - Tubeless**

9.5L-14SL	TL	D/8	FC1A5	26	7.0	11	2400	9.7	29.6	\$107.91
11L-14SL	TL	D/8	FA3V5	29	8.0	11	2800	10.5	30.0	\$127.82
9.5L-15SL	TL	C/6	FC1C3	27	7.0	11	2320	9.7	30.5	\$97.91
9.5L-15SL	TL	D/8	FC1C5	27	7.0	11	2470	9.7	30.5	\$111.66
9.5L-15SL	TL	F/12	FA3C9	32	7.0	11	3200	9.7	30.5	\$144.39
11L-15SL	TL	D/8	FC1D5	30	8.0	10	2540	10.5	31.4	\$119.49
11L-15SL	TL	E/10	FC1D7	34	8.0	10	2910	10.5	31.4	\$148.61
11L-15SL	TL	F/12	FC1D9	37	8.0	10	3200	10.5	31.4	\$171.31
12.5L-15SL	TL	D/8	FC1E5	38	10.0	12	3000	12.2	33.0	\$139.96
12.5L-15SL	TL	E/10	FC1E7	40	10.0	12	3420	12.2	33.0	\$152.25
12.5L-15SL	TL	F/12	FC1E9	42	10.0	12	3860	12.2	33.0	\$193.21
12.5L-15SL*	TL	H/16	FC1ED	49	10.0	12	4200	12.2	33.0	\$227.46
12.5L-15SL	TL	L/20	FC1CT	52	10.0	12	4515	12.2	33.0	\$253.27
11L-16SL	TL	D/8	FC1F5	31	8.0	10	2680	10.2	31.4	\$129.90
12.5L-16SL	TL	F/12	FC1H9	45	10.0	12	3960	11.4	33.4	\$199.58
12.5L-16SL	TL	G/14	FC1HB	45	10.0	12	4180	11.4	33.4	\$208.40
9.00-10SL	TL	E/10	FC157	25	TBA	TBA	TBA	TBA	TBA	\$110.38
7.50-14SL *	TL	B/4	FB1Y1	18	5.5	10	1360	7.6	26.8	\$80.17
4.00-15SL	TL	B/4	FA3EA	10	3.0	6	785	4.0	23.5	\$68.24
5.00-15SL	TL	B/4	FA3J1	13	3.0	7	965	5.1	24.9	\$77.47
6.70-15SL	TL	B/4	FC1X1	19	4.5	8	1280	7.3	28.0	\$75.54
7.60-15SL	TL	C/6	FC113	22	5.5	10	1760	7.6	28.5	\$96.24
7.60-15SL	TL	D/8	FC115	22	5.5	10	2090	7.6	28.5	\$105.13
10.00-15SL	TL	D/8	FA395	41	8.0	13	3000	11.0	33.7	\$165.91
10.00-15SL	TL	F/12	FA399	48	8.0	13	3960	11.0	33.7	\$197.76
7.50-16SL *	TL	D/8	FA3N5	26	5.5	13	2200	7.9	29.9	\$127.08
7.50-20SL	TL	E/10	FA3BF	33	5.5	11	2600	7.6	35.0	\$179.17
20.5X8-10 NHS	TL	D/8	DE3M1	16	TBA	TBA	TBA	TBA	TBA	\$86.63
20.5X8-10 NHS	TL	E/10	DE3M2	17	TBA	TBA	TBA	TBA	TBA	\$92.71
20.5X8-10 NHS	TL	F/12	DE3M7	19	6.0	10	2275	8.2	20.2	\$114.53
26/12-12 NHS	TL	B/4	FA3DW	29	10.5	12	1550	12.0	26.2	\$111.43
26/12-12 NHS	TL	F/12	FA3DY	35	10.5	12	2750	12.0	26.2	\$190.60
14L-16.1SL	TL	D/8	FA3Z5	51	11.0	12	3860	13.7	37.0	\$231.89
14L-16.1SL	TL	F/12	FA3Z9	57	11.0	12	4680	13.7	37.0	\$283.41
16.5L-16.1SL	TL	E/10	FA337	80	14.0	15	5200	16.6	40.5	\$352.65
16.5L-16.1SL	TL	G/14	FA33B	88	14.0	15	6400	16.6	40.5	\$402.79
16.5L-16.1SL	TL	H/16	FA33D	95	14.0	15	7003	16.6	40.5	\$449.68
19L-16.1SL	TL	E/10	FA347	96	16.0	16	6000	19.0	42.4	\$427.42
21.5L-16.1SL	TL	E/10	FA3AB	107	18.0	18	6600	21.5	44.5	\$468.15
21.5L-16.1SL	TL	G/14	FA3AC	133	18.0	18	7850	21.5	44.5	\$585.68
31/13.50-15	TL	D/8	FB3BN	52	13.0	12	2760	13.5	32.4	\$263.91

PLEASE CALL FOR OTHER SIZES &amp; STYLES &amp; SPECIALS.


**Industrial  
Contractor F-3**

**Farm Specialists  
I-1  
Rib Implement**

**TRACTOR TIRES**



## Mult Rib Implement I1



## Industrial Rib F3

SIZE	TYPE	PLY	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAXIMUM LOAD	SECTION WIDTH	TIRE DIAMETER	RETAIL
------	------	-----	-----------	-------------	-----------	-------------	--------------	---------------	---------------	--------

### American Farmer Multi Rib Implement (I1) - Tube Type

5.90-15SL	TT	B/4	FA3AH	15	4.50	9	1140	6.30	26.60	\$81.96
6.40-15SL	TT	B/4	FA3BE	18	4.50	8	1170	6.40	26.90	\$88.65
6.70-15SL	TT	B/4	FC1X2	16	4.50	8	1280	7.30	28.00	\$72.87
6.70-15SL	TT	C/6	FC1X4	19	4.50	8	1610	7.30	28.00	\$86.15
7.60-15SL	TT	C/6	FC114	19	5.50	10	1760	7.60	28.50	\$88.62
7.60-15SL	TT	D/8	FC116	20	5.50	10	2090	7.60	28.50	\$90.32
6.00-16SL	TT	C/6	FA3L6	18	4.00	7	1520	6.10	28.50	\$92.78
6.50-16SL	TT	C/6	FA3M4	18	4.50	11	1710	7.10	28.80	\$99.76
7.50-16SL *	TT	D/8	FA3N6	23	5.50	14	2710	7.50	30.00	\$116.68
9.00-16SL	TT	E/10	FA3AW	35	6.00	11	3300	9.20	33.40	\$180.05
4.00-18SL	TT	B/4	FA3AX	10	3.00	6	880	4.40	26.40	\$67.88
7.50-18SL	TT	C/6	FA3W4	21	5.50	10	2040	8.00	32.90	\$136.30
4.00-19SL	TT	B/4	FA3AE	12	3.00	18	940	4.50	29.00	\$80.64
7.50-20SL	TT	C/6	FA3AM	26	5.50	11	2410	7.60	35.00	\$144.27
9.5L-14SL	TT	D/8	FC1A6	23	7.00	11	2400	9.70	29.60	\$94.16
11L-14SL	TT	D/8	FA3V6	25	8.00	11	2800	10.50	30.00	\$114.60
11L-14SL	TT	E/10	FA3V8	29	8.00	11	3170	10.50	30.00	\$130.49
9.5L-15SL	TT	D/8	FC1C6	24	7.00	11	2470	9.70	30.50	\$94.36
9.5L-15SL	TT	E/10	FC1C8	25	7.00	11	3180	9.70	30.50	\$113.60
9.5L-15SL	TT	F/12	FC1CA	28	7.00	11	3280	9.70	30.50	\$123.51
11L-15SL	TT	D/8	FC1D6	26	8.00	10	2540	10.50	31.40	\$95.71
11L-15SL	TT	F/12	FC1DA	33	8.00	10	3200	10.50	31.40	\$153.16
12.5L-15SL	TT	E/10	FC1E8	36	10.00	12	3420	12.20	33.00	\$143.48
12.5L-15SL	TT	G/14	FC1EC	38	10.00	12	4060	12.20	33.00	\$186.67
11L-16SL	TT	D/8	FC1F6	27	8.00	10	2680	10.20	31.40	\$116.03
11L-16SL	TT	F/12	FC1FA	34	8.00	10	3850	10.20	31.40	\$151.28
12.5L-16SL	TT	F/12	FC1HA	41	10.00	12	3960	11.40	33.40	\$171.87
12.5L-16SL	TT	G/14	FC1HC	41	10.00	12	4180	11.40	33.40	\$192.54

### American Farmer Multi Rib Implement (I1) - Tubeless (highway speed rated)

9.5L-15FI	TL	TBA	FA3DB	32	7.00	9	2670	9.70	30.50	\$156.41
11L-15FI	TL	TBA	FA3DC	35	8.00	8	3120	10.50	31.40	\$184.71
11L-15FI	TL	TBA	FA3D9	42	TBA	TBA	TBA	TBA	TBA	\$207.46
12.5L-15FI	TL	TBA	FA3DE	48	10.00	11	3740	12.20	33.00	\$241.22
12.5L-15FI	TL	TBA	FA3DF	51	10.00	11	4680	12.20	33.00	\$250.86

### American Farmer Industrial Rib ( F3 ) - Tube Type

9.00-10SL	TT	D/8	FA956	22	6.00	11	1570	9.20	26.30	\$157.03
9.00-10SL	TT	E/10	FA958	25	6.00	11	1820	9.20	26.30	\$171.98

### American Farmer Industrial Rib ( F3 ) - Tubeless

11L-15	TL	E/10	FA9D7	40	8.00	16	2340	11.00	31.80	\$176.50
11L-15	TL	G/14	FA9DB	49	8.00	16	2710	11.00	31.80	\$231.39
11L-16SL	TL	E/10	FA4F7	44	8.00	16	2470	11.00	33.00	\$172.10
11L-16SL	TL	G/14	FA4FB	51	8.00	16	2930	11.00	33.00	\$231.63
11.00-16	TL	F/12	FA9T9	68	10.00	15	3420	12.40	38.10	\$285.14
14.5/75-16.1SL	TL	E/10	FA46W	67	11.00	16	3200	15.50	36.80	\$342.58

**PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.**



**TRACTOR TIRES**

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

**American Farmer Flotation Diamond Tread Implement ( I-2 ) - Tubeless**

13.50-16.1SL	TL	E/10	FA327	78	11	19	4940	14.00	40.00	\$352.53
13.50-16.1SL	TL	F/12	FA329	78	11	19	5200	14.00	40.00	\$356.25
16.5L-16.1SL	TL	C/6	FA833	81	14	18	3960	16.40	42.25	\$332.50
16.5L-16.1SL	TL	E/10	FA837	87	14	18	5200	16.40	42.25	\$377.78

**American Farmer Traction Implement I-3 - Tubeless**

5.00-15SL	TL	B/4	FA5J1	16	3	15	965	5.60	25.20	\$93.62
7.60-15SL	TL	C/6	FA5I3	27	5.5	17	1930	7.90	30.00	\$137.88
12.5L-15SL	TL	C/6	FA5E3	46	10	20	2540	12.30	34.30	\$212.51
12.5L-15SL	TL	F/12	FA5E9	56	10	20	3860	12.30	34.30	\$284.26
16.5L-16.1SL	TL	C/6	FA533	104	14	23	3960	16.10	41.50	\$422.49
16.5L-16.1SL	TL	E/10	FA537	109	14	23	5200	16.10	41.50	\$468.39
21.5L-16.1SL	TL	E/10	FA5AB	149	18	33	6600	21.50	45.25	\$651.14
21.5L-16.1SL	TL	G/14	FA5AC	173	18	33	7850	21.50	45.25	\$785.06

**American Farmer Turf Traction ( R3 ) - Tubeless**

21.5L-16.1SL	TL	C/6	FA7BK	147	18	30	2760	20.69	44.16	\$641.48
21.5L-16.1SL	TL	E/10	FA7AB	157	18	30	3900	20.69	44.16	\$710.51

**American Farmer Farm Front ( F2M Four Rib ) - Tube Type**

11L-15SL	TT	D/8	FA6D6	43	8	29	2090	10.90	31.80	\$164.77
10.00-16SL	TT	D/8	FA6P6	48	8.8	28	2340	11.30	34.90	\$179.68
11.00-16SL	TT	D/8	FA6T6	66	10	31	2600	12.00	37.60	\$232.51
14L-16.1SL	TT	C/6	FA3Z4	68	11	32	2540	13.90	38.40	\$281.42

**American Farmer Farm Front ( F2M Four Rib ) - Tubeless**

11L-15SL	TL	D/8	FA6D5	48	8	29	2090	10.90	31.80	\$190.63
10.00-16SL	TL	D/8	FA6P5	53	8	28	2340	11.30	34.90	\$207.52
11.00-16SL	TL	D/8	FA6T5	72	10	31	2600	12.00	37.60	\$263.47
14L-16.1SL	TL	C/6	FA3Z3	74	11	32	2540	13.90	38.40	\$308.40
14L-16.1SL	TL	E/10	FA3Z7	81	11	32	3420	13.90	38.40	\$351.62

PLEASE CALL FOR OTHER SIZES &amp; STYLES &amp; SPECIALS.



**Flotation  
Implement  
Diamond Tread  
I2**



**Traction  
Implement I3**



**Turf Traction R3**



**Farm Front  
F2M Four Rib**



## Farm Front F2 Triple Rib



## Tractor R1



## Farm Front F1 Single Rib



## TRACTOR TIRES

SIZE TYPE PLY ITEM CODE TIRE WEIGHT RIM WIDTH TREAD DEPTH MAXIMUM LOAD SECTION WIDTH TIRE DIAMETER RETAIL

### American Farmer Farm Front ( F2 Triple Rib ) - Tube Type

9.00-10SL	TT	F/12	FA45A	34	6.00	17	2695	9.20	27.40	\$253.27
4.00-12SL	TT	B/4	FA482	8	3.00	14	495	4.60	21.30	\$50.91
4.00-15SL	TT	B/4	FA4AK	9	3.00	6	585	4.80	24.20	\$57.91
5.00-15SL	TT	B/4	FC2J2	13	3.00	13	715	5.20	26.20	\$64.92
7.5L-15SL	TT	C/6	FC2B4	30	6.00	24	1430	8.00	29.90	\$115.10
9.5L-15SL	TT	D/8	FA4C6	37	7.00	30	1870	9.50	31.20	\$141.96
11L-15SL	TT	D/8	FC2D6	44	8.00	30	2090	10.40	33.40	\$172.80
5.50-16SL	TT	B/4	FC2K2	17	4.00	17	855	6.10	28.50	\$78.21
5.50-16SL	TT	C/6	FC2K4	19	4.00	17	1050	6.10	28.50	\$83.07
6.00-16SL	TT	B/4	FC2L2	19	4.00	15	910	6.50	29.10	\$77.88
6.00-16SL	TT	C/6	FC2L4	20	4.00	15	1140	6.50	29.10	\$87.12
6.50-16SL	TT	C/6	FC2M4	24	4.50	21	1230	7.00	30.30	\$99.55
7.50-16SL	TT	C/6	FC2N4	33	5.50	23	1480	7.90	32.10	\$128.03
7.50-16SL	TT	D/8	FC2N6	36	5.50	23	1710	7.90	32.10	\$130.78
10.00-16SL	TT	D/8	FC2P6	48	8.00	29	2340	10.30	35.20	\$191.75
11.00-16SL	TT	D/8	FC2T6	63	10.00	33	2600	12.20	38.40	\$248.43
7.50-18SL	TT	C/6	FC2W4	37	5.50	25	1610	7.90	33.90	\$142.72
4.00-19SL	TT	B/4	FA4AE	12	3.00	9	715	4.40	28.30	\$77.03
7.50-20SL	TT	C/6	FA4AM	43	5.50	23	1710	7.90	36.80	\$174.12

### American Farmer Farm Front ( F2 Triple Rib ) - Tubeless

7.5L-15SL	TL	C/6	FA4B3	34	6.00	24	1430	8.00	29.90	\$136.62
9.5L-15SL	TL	D/8	FA4C5	46	7.00	30	1870	9.50	31.20	\$157.70
6.50-16SL	TL	C/6	FA4M3	27	4.50	21	1230	7.00	30.30	\$118.67
7.50-16SL	TL	C/6	FA4N3	39	5.50	23	1480	7.90	32.10	\$150.40
10.00-16SL	TL	D/8	FA4P5	54	8.00	29	2340	10.30	35.20	\$202.71
11.00-16SL	TL	D/8	FA4T5	73	10.00	33	2600	12.20	38.40	\$254.94

### American Farmer ( R1 ) -Tube Type

7-16	TT	C/6	FA1BW	24	6.00	28	1135	7.01	29.20	\$105.89
7-16 (TUBE-	TT	C/6	FA1EW	27	6.00	28	1135	7.01	29.20	\$119.41
18.4-16.1 SL	TT	C/6	FA1DA	115	16.00	40	2810	18.40	44.80	\$605.68
18.4-16.1 SL	TT	D/8	FA1AL	126	16.00	40	2910	18.40	44.80	\$687.29

### American Farmer Farm Front ( F1 Single Rib ) - Tube Type

7.50-16SL	TT	D/8	FA2N4	27	5.50	32	1710	8.15	32.00	\$180.87
10.00-16SL	TT	D/8	FA2P6	34	8.00	24	2340	11.20	35.15	\$276.02
7.50-18SL	TT	C/6	FA2W4	35	5.50	32	1610	7.81	34.30	\$222.68
7.50-20 SL	TT	C/6	FA2AM	40	5.50	32	1710	8.48	37.50	\$225.57
7.50-20 SL	TT	F/12	FA2DJ	52	5.50	32	2280	8.34	37.50	\$372.18

### American Farmer Farm Front ( F1 Single Rib ) - Tubeless

11.00-16SL	TL	D/8	FA2T5	43	10.00	27	2600	13.24	38.41	\$363.41
------------	----	-----	-------	----	-------	----	------	-------	-------	----------

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.

SIZE

BOLT PATTERN

TYPE

ITEM CODE

RETAIL

**Carlisle Farm Specialist Implement Wheels**

Size	Bolt Pattern	Weight	Offset	Item Code	Retail Price
15X5	4 ON 5	01250	-.25"	IM84851	\$38.60
15X5	5 ON 5.5	02000	-.25"	IM1519289038	\$38.60
15X6	5 ON 5.5	02000	-.25"	IM84856	\$59.52
15X8	5 ON 5.5	02000	-.25"	IM1519291038	\$67.63
14X7	6 ON 6	02500	+1.12"	IM84871	\$59.32
15X6	6 ON 6	02800	+1.12"	IM84858	\$53.99
15X8	6 ON 6	03000	+1.12"	IM1519294038	\$61.34
15X10	6 ON 6	03800	+1.12"	IM1519300038	\$71.02
16X6	6 ON 6	03000	+1.12"	IM1619296038	\$64.24
16X8	6 ON 6	03800	+1.12"	IM1619297038	\$67.47
16X10	6 ON 6	03800	+1.12"	IM1619298038	\$76.43
15X8	8 ON 8	05000	-1.50"	IM1519299038	\$64.06
15X10	8 ON 8	05000	-1.50"	IM1519300038	\$71.02
16X8	8 ON 8	05000	-1.50"	IM1619301038	\$70.13
16X10	8 ON 8	06000	-1.50"	IM1619302038	\$77.09

\*ADD \$2.50 FOR VALVE GUARD, AND ADD "V" TO THE END OF THE COMPUTER CODE

**Carlisle Wheels for Skid Steer Tires**

16.5 X 8.25	8 ON 8	6.00"	+ .625	9819307014	\$109.24
16.5 X 9.75	8 ON 8	6.00"	+1.400	9819308014	\$116.48



**Farm Specialist  
Implement  
Wheels**



## TACOMA A/P Tractor R-1



## TACOMA Front Tractor 3R F-2



## TACOMA Front Tractor 4R F-2



## TACOMA Implement



## TRACTOR TIRES

SIZE

ITEM CODE

RETAIL

### Tacoma A/P Tractor R-1

8.3-24-6PR TT	APT-0001	\$131.86
9.5-24-6PR TT	APT-0002	\$164.40
11.2-24-6PR TT	APT-0003	\$232.90
12.4-24-8PR TT	APT-0004	\$262.01
13.6-24-8PR TT	APT-0005	\$340.79
14.9-24-8PR TT	APT-0006	\$366.48
11.2-28-6PR TT	APT-0007	\$272.29
12.4-28-8PR TT	APT-0008	\$320.24
13.6-28-8PR TT	APT-0009	\$354.49
14.9-28-8PR TT	APT-0010	\$412.71
16.9-28-8PR TT	APT-0011	\$515.46
16.9-30-10PR TT	APT-0012	\$536.01
18.4-30-10PR TT	APT-0013	\$657.60
18.4-34-10PR TT	APT-0014	\$750.08
11.2-38-8PR TT	APT-0015	\$371.61
18.4-38-10PR TT	APT-0019	\$899.06
20.8-38-10PR TT	APT-0020	\$1053.19

### Tacoma Front Tractor 3R F-2

400-12-4PR TT	FTF-0001	\$29.17
400-12-4PR TL	FTF-0002	\$34.64
500-15-4PR TT	FTF-0003	\$38.29
500-15-4PR TL	FTF-0004	\$47.40
7.5L-15-8PR TT	FTF-0005	\$80.22
7.5L-15-8PR TL	FTF-0006	\$85.69
9.5L-15-8PR TT	FTF-0007	\$103.92
11L-15-8PR TT	FTF-0008	\$116.68
550-16-8PR TT	FTF-0009	\$52.87
550-16-8PR TL	FTF-0010	\$58.34
600-16-8PR TT	FTF-0011	\$65.63
600-16-8PR TL	FTF-0012	\$72.92
650-16-8PR TT	FTF-0013	\$65.63
650-16-8PR TL	FTF-0014	\$74.75
750-16-8PR TT	FTF-0015	\$96.62
750-16-10PR TL	FTF-0016	\$107.56
750-18-8PR TT	FTF-0017	\$100.27
750-18-8PR TL	FTF-0018	\$111.21
400-19-4PR TT	FTF-0019	\$45.58
400-19-4PR TL	FTF-0020	\$49.22
750-20-8PR TT	FTF-0021	\$123.97
750-20-8PR TL	FTF-0022	\$133.09
10.00-16-10PR TT 3R	FTF-0023	\$144.02
10.00-16-10PR TL 3R	FTF-0024	\$162.26
11.00-16-10PR TT 3R	FTF-0025	\$215.13
11.00-16-12PR TL 3R	FTF-0026	\$227.89

### Front Tractor 4R F-2

10.00-16-10PR TT 4R	FTF-0027	\$147.67
10.00-16-10PR TL 4R	FTF-0028	\$165.90
11.00-16-10PR TT 4R	FTF-0029	\$220.60
11.00-16-12PR TL 4R	FTF-0030	\$233.36

SIZE

ITEM CODE

RETAIL

### Tacoma implement I-1

9.5L-14-8PR TT	IMP-0001	\$78.39
9.5L-14-8PR TL	IMP-0002	\$89.33
11L-14-8PR TT	IMP-0003	\$85.69
11L-14-8PR TL	IMP-0004	\$94.80
9.5L-15-8PR TT	IMP-0005	\$82.04
9.5L-15-8PR TL	IMP-0006	\$92.98
11L-15-8PR TT	IMP-0007	\$89.33
11L-15-8PR TL	IMP-0008	\$100.27
11L-15-12PR TT	IMP-0009	\$100.27
11L-15-12PR TL	IMP-0010	\$105.74
760L-15-8PR TT	IMP-0011	\$67.45
760L-15-8PR TL	IMP-0012	\$80.22
12.5L-15-12PR	IMP-0013	\$123.97
12.5L-15-12PR	IMP-0014	\$134.91
11L-16-8PR TT	IMP-0015	\$100.27
11L-16-8PR TL	IMP-0016	\$114.86

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

**Solideal SKS Natural Rubber H.D. Trac Loaders and SKS Gripper\* and Xtra Wall\*\***

5.70-12	TL	6	104111321	45.0	TBA	TBA	TBA	TBA	TBA	\$64.94
23X8.5-12	TL	4	104111941	23.0	TBA	TBA	TBA	TBA	TBA	\$72.26
23X8.5-12	TL	6	104111341	23.0	TBA	TBA	TBA	TBA	TBA	\$87.69
27X10-12	TL	14	104111081	TBA	TBA	TBA	TBA	TBA	TBA	\$211.88
700X15	TL	6	104110311	45.0	TBA	TBA	TBA	TBA	TBA	\$161.06
27X8.5-15	TL	6	104111381	30.0	TBA	TBA	TBA	TBA	TBA	\$103.67
27X8.5-15	TL	8	104111401	TBA	TBA	TBA	TBA	TBA	TBA	\$112.24
10X16.5	TL	8	104111461	49.0	TBA	TBA	TBA	TBA	TBA	\$149.53
10X16.5	TL	10	104111481	TBA	TBA	TBA	TBA	TBA	TBA	\$156.98
31X15.5-15	TL	10	104111431	TBA	TBA	TBA	TBA	TBA	TBA	\$287.59
12X16.5	TL	8	104111521	63.0	TBA	TBA	TBA	TBA	TBA	\$192.51
12X16.5	TL	10	104111541	TBA	TBA	TBA	TBA	TBA	TBA	\$216.33
14X17.5	TL	10	104111581	107.0	TBA	TBA	TBA	TBA	TBA	\$384.90
14X17.5	TL	12	104111591	109.0	TBA	TBA	TBA	TBA	TBA	\$442.45
10X16.5*	TL	8	10G111461	49	TBA	TBA	TBA	TBA	TBA	\$126.69
12X16.5*	TL	10	10G111541	64	TBA	TBA	TBA	TBA	TBA	\$185.54
23X8.5-12**	TL	6	10X111341	26.0	TBA	TBA	TBA	TBA	TBA	\$94.74
26X12-12**	TL	8	10X111371	TBA	TBA	TBA	TBA	TBA	TBA	\$164.41
26X12-12**	TL	10	10X111361	48.0	TBA	TBA	TBA	TBA	TBA	\$170.45
27X8.5-15**	TL	6	10X111381	30.0	TBA	TBA	TBA	TBA	TBA	\$112.04
27X8.5-15**	TL	8	10X111401	TBA	TBA	TBA	TBA	TBA	TBA	\$121.27
10X16.5**	TL	10	10X111481	TBA	TBA	TBA	TBA	TBA	TBA	\$167.06
10X16.5**	TL	12	10X111491	55.0	TBA	TBA	TBA	TBA	TBA	\$193.88
12X16.5**	TL	10	10X111541	64.0	TBA	TBA	TBA	TBA	TBA	\$232.22
12X16.5**	TL	12	10X111551	TBA	TBA	TBA	TBA	TBA	TBA	\$274.04
14X17.5**	TL	10	10X111581	TBA	TBA	TBA	TBA	TBA	TBA	\$421.31
14X17.5**	TL	12	10X111591	118.0	TBA	TBA	TBA	TBA	TBA	\$443.47

**Solideal SKS Hauler**

23X8.5-12	TL	6	304111341	31.0	TBA	TBA	TBA	TBA	TBA	\$116.35
23X8.5-12	TL	10	304111331	31.5	TBA	TBA	TBA	TBA	TBA	\$139.82
27X8.5-15	TL	6	304111381	36.0	TBA	TBA	TBA	TBA	TBA	\$137.42
27X9.5-15	TL	6	304111391	TBA	TBA	TBA	TBA	TBA	TBA	\$224.21
27X10.50-15	TL	8	304111401	TBA	TBA	TBA	TBA	TBA	TBA	\$285.41
27X10.50-15	TL	10	304115401	TBA	TBA	TBA	TBA	TBA	TBA	\$301.93
31X15.5-15	TL	8	304111421	86.0	TBA	TBA	TBA	TBA	TBA	\$363.09
31X15.5-15	TL	10	304111431	85.0	TBA	TBA	TBA	TBA	TBA	\$381.27
10X16.5 (788)	TL	8	304111461-788	54.0	TBA	TBA	TBA	TBA	TBA	\$198.23
10X16.5 (788)	TL	10	304111481-788	57.0	TBA	TBA	TBA	TBA	TBA	\$208.13
10X16.5 (788)	TL	12	304111491-788	59.0	TBA	TBA	TBA	TBA	TBA	\$216.46
31.5X13-16.5	TL	10	304111501	70.0	TBA	TBA	TBA	TBA	TBA	\$310.78
12X16.5	TL	10	304111541	75.0	TBA	TBA	TBA	TBA	TBA	\$286.83
12X16.5	TL	12	304111551	78.0	TBA	TBA	TBA	TBA	TBA	\$301.15
33X15.5-16.5	TL	12	304111561	TBA	TBA	TBA	TBA	TBA	TBA	\$453.75
33X15.5-16.5	TL	14	304111571	TBA	TBA	TBA	TBA	TBA	TBA	\$506.32
14X17.5	TL	10	304111581	114.0	TBA	TBA	TBA	TBA	TBA	\$471.41
14X17.5	TL	12	304111591	TBA	TBA	TBA	TBA	TBA	TBA	\$541.92
14X17.5	TL	14	304111601	117.5	TBA	TBA	TBA	TBA	TBA	\$569.03
15X19.5	TL	12	304111661	123.0	TBA	TBA	TBA	TBA	TBA	\$574.21
15X19.5	TL	14	304111681	124.0	TBA	TBA	TBA	TBA	TBA	\$596.39



**SOLIDEAL®**  
**SKS H.D Trac**  
**Loader Gripper**  
**& Xtra Wall**



**SOLIDEAL®**  
**SKS Hauler**



**TRACTOR TIRES**



**SOLIDEAL®  
Extra Deep  
Industrial  
Pneumatics**



**SOLIDEAL®  
Heavy Duty  
Compactor**



**SOLIDEAL®  
Pneumatic  
Grader &  
Backhoe**



**TRACTOR TIRES**

SIZE TYPE PLY ITEM CODE TIRE WEIGHT RIM WIDTH TREAD DEPTH MAXIMUM LOAD SECTION WIDTH TIRE DIAMETER RETAIL

**Solideal Extra Deep Industrial Pneumatics**

4.00-8	TL	10	102110041	TBA	TBA	TBA	TBA	TBA	TBA	\$44.12
5.00-8	TL	8	102110061	14.0	3.0-3.25	9	2725	5.60	18.70	\$54.20
5.00-8	TL	10	102110081	TBA	TBA	TBA	TBA	TBA	TBA	\$59.61
6.00-9	TL	10	102110101	20.0	4	10	3790	6.80	21.70	\$74.94
6.00-9	TL	12	102110121	TBA	TBA	TBA	TBA	TBA	TBA	\$81.65
6.50-10	TL	10	102110141	26.0	5.0-5.5	12	4305	7.50	23.60	\$88.34
6.50-10	TL	12	102110161	TBA	TBA	TBA	TBA	TBA	TBA	\$113.33
7.00-12	TL	12	102110221	36.0	5	11	5910	8.10	27.00	\$122.95
7.00-12	TL	14	102110241	TBA	TBA	TBA	TBA	TBA	TBA	\$138.11
7.00-15	TL	12	102110301	48.0	5.5	11	6768	8.40	30	\$138.11
7.50-10	TL	12	102110201	38.0	5.50F	13	5908	7.50	TBA	\$160.54
7.50-10	TL	16	102110211	TBA	TBA	TBA	TBA	TBA	TBA	\$177.01
7.50-15	TL	12	102110361	TBA	TBA	TBA	TBA	TBA	TBA	\$166.47
7.50-15	TL	14	102110381	51	6	25	8025	TBA	31	\$184.19
8.25-15	TL	12	102110441	71.0	6.5	23	8598	10.00	34	\$212.66
8.25-15	TL	14	102110461	75.5	6.5	25	9314	TBA	33	\$223.39

**Solideal Heavy Duty Compactor**

7.50-15	TL	6	10111033	41.9	6	0	3053	8.5	32.8	\$224.26
7.50-15	TL	10	10111038	44.8	6	0	4021	8.5	32.8	\$251.10
7.5-15	TL	14	10111038	45.6	6	0	5000	8.5	32.8	\$251.10

**Solideal Pneumatic Grader & Backhoe**

1300X24 TG	TL	12	104111801	163.0	TBA	TBA	TBA	TBA	TBA	\$555.33
1300X24 TG	TL	14	104111821	165.0	TBA	TBA	TBA	TBA	TBA	\$583.08
1300X24 TG	TL	16	104111831	167.0	TBA	TBA	TBA	TBA	TBA	\$666.39
1400X24 TG	TL	12	104111841	184.0	TBA	TBA	TBA	TBA	TBA	\$650.68
1400X24 TG	TL	14	104111851	190.0	TBA	TBA	TBA	TBA	TBA	\$684.36
1400X24 TG	TL	16	104111861	198.0	TBA	TBA	TBA	TBA	TBA	\$771.07
1300X24 TG	TL	12	10411180R1	162.8	TBA	TBA	TBA	TBA	TBA	\$610.87
1400X24 TG	TL	12	10411184R1	162.8	TBA	TBA	TBA	TBA	TBA	\$715.75
14.9-24 IND	TL	8	104112101	147.0	TBA	TBA	TBA	TBA	TBA	\$574.68
16.9-24 IND	TL	10	104112201	191.0	TBA	TBA	TBA	TBA	TBA	\$798.98
16.9-24 IND	TL	12	104152251	TBA	TBA	TBA	TBA	TBA	TBA	\$621.66
17.5L-24 IND	TL	10	104112401	191.0	TBA	TBA	TBA	TBA	TBA	\$796.83
17.5L-24 IND	TL	10	104152401	TBA	TBA	TBA	TBA	TBA	TBA	\$583.10
19.5L-24 IND	TL	10	104112451	193.0	TBA	TBA	TBA	TBA	TBA	\$767.92
19.5L-24 IND	TL	10	104152451	TBA	TBA	TBA	TBA	TBA	TBA	\$586.14
19.5L-24 IND	TL	12	104112501	196.0	TBA	TBA	TBA	TBA	TBA	\$793.32
19.5L-24 IND	TL	12	104152501	TBA	TBA	TBA	TBA	TBA	TBA	\$591.53
21L-24 IND	TL	10	104112551	270.0	TBA	TBA	TBA	TBA	TBA	\$958.09
21L-24 IND	TL	10	104152551	TBA	TBA	TBA	TBA	TBA	TBA	\$713.07
21L-24 IND	TL	12	104112601	232.0	TBA	TBA	TBA	TBA	TBA	\$966.40
21L-24 IND	TL	12	104152601	TBA	TBA	TBA	TBA	TBA	TBA	\$724.07
18.4-26 IND	TL	12	104112651	TBA	TBA	TBA	TBA	TBA	TBA	\$1003.00
16.9-28 IND	TL	12	104112801	214.0	TBA	TBA	TBA	TBA	TBA	\$744.59
18.4-28 IND	TL	12	104112901	242.0	TBA	TBA	TBA	TBA	TBA	\$1012.49

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

**Solideal SKZ Lifemaster Hauler**

31X15.5-15	TL	8	30Z111421	TBA	TBA	TBA	TBA	TBA	TBA	\$406.27
31X15.5-15	TL	10	30Z111431	TBA	TBA	TBA	TBA	TBA	TBA	\$438.79
10X16.5	TL	10	30Z111481	73.0	TBA	TBA	TBA	TBA	TBA	\$249.72
12X16.5	TL	10	30Z111541	91.5	TBA	TBA	TBA	TBA	TBA	\$340.05
12X16.5	TL	12	30Z111551	79.0	TBA	TBA	TBA	TBA	TBA	\$357.09
33X15.5-16.5	TL	14	30Z111571	112.0	TBA	TBA	TBA	TBA	TBA	\$566.50
14X17.5	TL	10	30Z111581	115.0	TBA	TBA	TBA	TBA	TBA	\$605.27
14X17.5	TL	14	30Z111601	117.0	TBA	TBA	TBA	TBA	TBA	\$697.06
10X16.5	TL	10	30411148XD1	84.0	TBA	TBA	TBA	TBA	TBA	\$308.49
12X16.5	TL	12	30411155XD1	113.0	TBA	TBA	TBA	TBA	TBA	\$446.37



**SOLIDEAL®**  
**SKZ Lifemaster**  
**Hauler**

**Solideal Loader L-2 and L-3**

15.5X25	L-2	12	10411400L1	164.0	TBA	TBA	TBA	TBA	TBA	\$628.62
15.5X25	L-2	16	10411405L1	170.0	TBA	TBA	TBA	TBA	TBA	\$683.18
17.5X25	L-2	12	10411410L1	192.0	TBA	TBA	TBA	TBA	TBA	\$746.31
17.5X25	L-2	16	10411415L1	170.0	TBA	TBA	TBA	TBA	TBA	\$838.19
20.5X25	L-2	12	10411420L1	TBA	TBA	TBA	TBA	TBA	TBA	\$918.55
20.5X25	L-2	16	10411425L1	296.0	TBA	TBA	TBA	TBA	TBA	\$1019.01
20.5X25	L-2	20	10411430L1	TBA	TBA	TBA	TBA	TBA	TBA	\$1234.29
15.5X25	L-3	12	10411400R1	163.0	TBA	TBA	TBA	TBA	TBA	\$660.20
15.5X25	L-3	16	10411405R1	TBA	TBA	TBA	TBA	TBA	TBA	\$746.31
17.5X25	L-3	12	10411410R1	261.0	TBA	TBA	TBA	TBA	TBA	\$889.86
17.5X25	L-3	16	10411415R1	284.0	TBA	TBA	TBA	TBA	TBA	\$932.91
17.5X25	L-3	20	10411530R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1076.42
20.5X25	L-3	16	10411425R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1225.69
20.5X25	L-3	20	10411430R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1277.36
23.5X25	L-3	16	10411435R1	523.0	TBA	TBA	TBA	TBA	TBA	\$1664.88
23.5X25	L-3	20	10411438R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1765.34
23.5X25	L-3	24	10411439R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1923.20
26.5X25	L-3	20	10411520R1	609.0	TBA	TBA	TBA	TBA	TBA	\$2497.30
23.5R25	L3/E3	*/**	104162351	TBA	TBA	TBA	TBA	TBA	TBA	\$4187.54
26.5R25	L3/E3	*/**	104162651	TBA	TBA	TBA	TBA	TBA	TBA	\$6192.98
29.5R25	L3/E3	*/**	104162951	TBA	TBA	TBA	TBA	TBA	TBA	\$7815.61



**SOLIDEAL®**  
**Loader**  
**L-2 and L-3**



**TRACTOR TIRES**