



Hi-Traction Lug R-1

T99 Stubble Guard Compound

Designed to provide superior traction and side hill slip resistance. Combines long and medium bar traction for excellent cleanability, a smooth ride, and more power to the ground.

Approximate Equivalents

43.3	-	1100	14.9	-	380
35.5	-	900	13.6	-	340
30.5	-	800	12.4	-	320
28.0	-	710	11.2	-	290
24.5	-	650	9.5	-	250
23.1	-	580	9.0	-	230

Conventional Comparable Metric

14.9R28	380/85R28
16.9R28	420/85R28
14.9R30	380/85R30
16.9R30	420/90R30
14.9R34	380/85R34
18.4R34	480/85R34
18.4R38	480/80R38
20.8R38	520/85R38
18.4R42	480/80R42
20.8R42	520/85R42
18.4R42	480/80R42
20.8R42	520/85R42
NONE	420/80R46
18.4R46	480/80R46



Hi-Traction Lug R-1

Bias

Exclusive long bar/medium bar tread pattern is easily recognized in the Hi-Traction Lug. This patented design follows a symmetrical lug pattern to eliminate side to side rocking and promote even tread wear.



Titan Hi-Traction Lug Radial R-1 With T99 Stubble Guard Compound

SIZE	TYPE	PLY	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAXIMUM LOAD	SECTION WIDTH	TIRE DIAMETER	RETAIL
12.4R24	TL	122A8/B	4RD414	136	11	44	3300	13.3	46.1	\$624.67
14.9R24	TL	120A8/B	4RD434	148	13	47	3080	17.0	49.9	\$704.94
13.6R24	TL	128A8/B	4RD422	141	12	46	3200	14.3	48.3	\$641.47
12.4R28	TL	121A8/B	4RD412	136	11	44	3200	12.7	49.6	\$997.17
13.6R28	TL	3*	48E324	194	12	50	3740	14.2	52.5	\$1029.11
16.9R26	TL	2*	48E246	224	15	52	4800	18.1	54.4	\$1205.29
16.9R38	TL	2*	48E220	298	15	52	5680	18	66.6	\$1380.58
18.4R26	TL	2*	48E256	269	16	53	5520	19.4	57.1	\$1401.06
18.4R26	TL	150A8	48E456	308	16	53	7850	19.4	57.1	\$1672.46
18.4R30	TL	143A8/B	4RD450	273	16	50	6000	19.4	61.7	\$1126.97
18.4R34	TL	1*	48E154	316	16	53	5360	18.8	65.1	\$1224.66
24.5R32	TL	1*	48E199	493	21	56	8520	25.3	70.6	\$2414.42
24.5R32	TL	5*	48E599	568	21	59	12800	25.3	70.6	\$2756.62
320/85R24	TL	142A8/B	4RDH14	148	13	47	5840	15.4	50.4	\$795.18
380/85R28	TL	133A8/B	48E438	206	13	50	4540	16.0	54.2	\$1264.19
380/85R30	TL	135A8/B	48E430	220	13	50	4800	16.0	56.2	\$1282.03
380/85R34	TL	137A8/B	48E435	232	13	52	5080	16.0	60.2	\$1322.62
380/85R34	TL	148A8/B	48E79A	253	13	52	6950	16.0	60.2	\$1388.73
380/90R46	TL	144A8/B	48EA32	311	13	50	6150	15.7	72.3	\$1391.18
380/90R46	TL	149A8/B	48ED32	328	13	50	7150	15.7	72.3	\$1703.07
380/90R46	TL	156A8/B	48EH32	259	13	50	8800	15.7	72.3	\$1862.90
380/90R46	TL	168A8/B	48E032	409	13	50	12300	15.7	72.3	\$2135.85
420/85R28	TL	139A8/B	48E448	259	15	52	5360	18.1	56.5	\$1292.04
420/90R30	TL	142A8/B	48E479	255	15	56	5840	17.8	58.9	\$1386.15
480/80R38	TL	149A8/B	48E477	348	16	53	8550	18.8	77.1	\$1374.76
480/80R38	TL	152A8/B	48E677	361	16	53	7850	19.8	69.1	\$1681.29
480/80R42	TL	151A8/B	48E442	379	16	53	7600	19.3	73.1	\$1670.45
480/80R42	TL	154A8/B	48E542	366	16	53	8250	19.3	73.1	\$1701.19
480/80R42	TL	162A8/B	48E842	397	16	53	10500	19.3	73.1	\$1903.32
480/80R42	TL	166A8/B	48E942	411	16	53	11700	19.3	73.1	\$2097.07
480/80R46	TL	155A8/B	48E447	386	16	53	8550	18.8	77.1	\$1814.09
480/80R46	TL	158A8/B	48E547	388	16	53	9350	18.8	77.1	\$2039.09
520/85R38	TL	148A8/B	48E489	425	18	55	6950	21.3	72.9	\$1657.70
520/85R38	TL	158A8/B	48E689	453	18	55	9100	21.3	76.9	\$1739.66
520/85R42	TL	157A8/B	48E452	485	18	55	9100	21.3	96.9	\$1847.00

Titan High Traction Lug Bias R-1

7-14	TL	6	48D665	26.0	6	33.0	990	6.7	27.5	\$132.24
7-16	TL	6	48D666	27.0	6	34.0	1100	7.3	29.3	\$149.62
8-16	TL	6	48D667	34.1	6	31.0	1360	8.0	30.5	\$188.11
8.3-24	TL	6	48D684	52.0	7	37.0	1360	8.3	39.1	\$252.75
9.5-16	TL	6	48D695	48.3	8	40.0	1390	9.5	33.3	\$301.46
9.5-20	TL	6	48D663	54.8	8	41.0	1650	9.2	37.7	\$307.88
9.5-24	TL	6	48D694	70.0	8	41.0	1870	9.5	41.2	\$294.71
11.2-24	TL	4	48D404	75.0	10	43.0	1650	11.8	43.6	\$315.38
11.2-24	TL	6	48D604	90.0	10	43.0	2090	11.8	43.6	\$350.68
11.2-24	TT	8	47D804	91.1	10	36.0	2540	11.8	43.6	\$351.33
11.2-24	TL	8	48D804	98.9	10	36.0	2540	11.8	43.6	\$419.82
11.2-28	TL	4	48D410	95.0	10	43.0	1760	11.8	47.6	\$401.50
12.4-24	TL	4	48D414	100.0	11	44.0	1870	13.0	46.7	\$398.13
12.4-24	TL	6	48D614	111.2	11	44.0	2400	13.0	46.7	\$506.56
12.4-24	TL	8	48D814	100.0	11	44.0	2830	13.0	46.7	\$523.39
12.4-28	TL	4	48D412	106.7	11	44.0	1980	13.0	49.8	\$423.20
12.4-28	TL	6	48D612	113.0	11	44.0	2540	13.0	49.8	\$461.20
12.4-28	TL	8	48Y812	119.8	11	44.0	3000	13.0	49.8	\$510.65

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

Titan High Traction Lug Bias R-1 (continued)

12.4-42	TT	6	47D619	156	11	32.0	3080	12	64	\$773.21
12.4-42	TL	10	48D019	188	11	44.0	4180	12	64	\$941.10
12.4-42	TL	12	48D119	180	11	48.0	4680	12	64	\$987.71
13.6-24	TL	4	48D422	128	12	46.0	2040	14	47.9	\$536.12
13.6-24	TL	6	48D622	123	12	46.0	2680	14	47.9	\$573.24
13.6-24	TL	8	48D822	137	12	46.0	3080	14	47.9	\$673.62
13.6-28	TT	4	47D424	126	12	46.0	3080	14	51.9	\$475.47
13.6-28	TL	4	48D424	134	12	46.0	2200	14	51.9	\$556.76
13.6-28	TT	6	47D624	132	12	46.0	2830	14	51.9	\$496.77
13.6-28	TL	6	48D624	127	12	46.0	2830	14	51.9	\$549.67
13.6-28	TL	10	48D024	148	12	46.0	3740	14	51.9	\$712.83
14.9-24	TL	4	48D434	125	13	47.0	2200	15.4	50.4	\$539.93
14.9-24	TT	6	47D634	130	13	47.0	3000	15.4	50.4	\$472.05
14.9-24	TL	6	48D634	140	13	47.0	3000	15.4	50.4	\$526.89
14.9-24	TL	8	48D834	131	13	47.0	3520	15.4	50.4	\$561.45
14.9-28	TT	6	47D638	132	13	47.0	3200	15.4	54.1	\$492.12
14.9-28	TL	6	48D638	132	13	47.0	3200	15.7	54.1	\$513.28
14.9-28	TL	10	48D038	161	13	47.0	4180	15.7	54.1	\$881.95
14.9-30	TL	10	48D030	175	13	47.0	4300	15.7	56.1	\$1041.50
15-38	TT	6	47D674	188	14	46.0	3520	15.9	62.7	\$691.04
15-38	TT	8	47D874	184	14	46.0	4080	15.9	62.7	\$700.76
16.9-24	TL	6	48D645	156	15	48.0	3420	17.8	53.0	\$606.81
16.9-24	TL	8	48D845	169	15	48.0	4080	17.8	53.0	\$638.59
16.9-26	TL	6	48D646	166	15	48.0	3520	17.7	55.0	\$788.57
16.9-26	TL	10	48D046	183	15	48.0	4540	17.7	55.0	\$1125.16
16.9-28	TL	6	48D648	170	15	48.0	3640	17.8	57.0	\$673.16
16.9-28	TT	8	47D848	168	15	48.0	4300	17.8	57.0	\$737.67
16.9-28	TL	10	48D048	188	15	48.0	4680	17.8	57.0	\$1137.05
16.9-30	TT	6	47D679	201	15	48.0	3740	17.8	59.0	\$692.39
16.9-30	TL	6	48D679	196	15	48.0	3740	17.8	59.0	\$759.02
16.9-30	TT	8	47D879	184	15	48.0	3740	17.8	59.0	\$725.37
16.9-34	TT	6	47D644	194	15	48.0	3960	17.8	63.0	\$734.79
16.9-34	TT	8	47D844	190	15	48.0	3740	17.8	63.0	\$813.50
16.9-38	TT	6	47D620	202	15	48.0	4180	17.8	67.0	\$762.28
16.9-38	TT	8	47D820	205	15	48.0	4940	17.8	67.0	\$961.27
18.4-16.1	TL	8	48D890	166	16	50.0	2910	17.8	44.7	\$699.45
18.4-26	TL	6	48D656	188	16	50.0	3960	186.6	57.7	\$925.32
18.4-26	TL	10	48D056	206	16	50.0	5200	19.4	57.7	\$1003.27
18.4-26	TL	12	48D156	207	16	50.0	5840	19.4	57.7	\$1069.58
18.4-30	TL	6	48D650	219	16	50.0	4180	19.4	61.7	\$772.25
18.4-30	TT	8	47D850	208	16	50.0	4800	19.4	61.7	\$807.40
18.4-30	TT	10	48D050	257	16	50.0	5520	19.4	61.7	\$995.65
18.4-34	TT	6	47D654	213	16	50.0	4400	19.4	65.7	\$888.82
18.4-34	TT	8	47D854	219	16	50.0	5080	19.4	65.7	\$881.81
18.4-34	TL	10	48D054	262	16	50.0	6000	19.4	65.7	\$981.49
18.4-38	TT	6	47D677	238	16	50.0	4680	19.4	69.7	\$819.46
18.4-38	TT	8	47D877	244	16	50.0	5360	19.4	69.7	\$889.25
18.4-38	TT	10	47D077	269	16	50.0	6400	19.4	69.7	\$1039.90
20.8-34	TT	8	47D801	276	18	51.0	5840	21.7	68.9	\$1381.11
20.8-38	TT	8	47D889	302	18	51.0	6150	21.7	72.9	\$1207.72
23.1-26	TL	8	48D886	307	20	52.0	5680	24.1	64.3	\$1551.43
23.1-26	TL	10	48D086	328	20	52.0	6400	24.1	64.3	\$1660.41
23.1-26	TL	12	48D186	338	20	52.0	7150	24.1	64.3	\$1777.54
23.1-26	TL	14	48D386	338	20	52.0	7850	24.1	TBA	\$1761.93
23.1-26	TL	16	48D586	337	20	52.0	8800	24.1	57.7	\$1938.12
23.1-34	TT	8	47D888	311	20	52.0	6400	24.1	72.3	\$1675.89
24.5-32	TL	10	48D099	390	21	53.0	7850	25.5	72.2	\$1800.45
24.5-32	TL	12	48D199	421	21	53.0	8800	25.5	72.2	\$1929.05
24.5-32	TL	14	48D399	422	21	53.0	9650	25.5	72.2	\$1979.44
30.5L-32	TL	12	48D196	517	27	54.0	9350	31.9	71.8	\$2601.76
30.5L-32	TL	16	48D596	550	27	54.0	11000	31.9	71.8	\$2883.03



Hi-Traction Lug Bias R-1

Exclusive long bar/medium bar tread pattern is easily recognized in the Hi-Traction Lug. This patented design follows a symmetrical lug pattern to eliminate side to side rocking and promote even tread wear.



TRACTOR TIRES



Hi Power Lug R-1

Designed to deliver power to the ground, single curved bar length is designed to offer maximum cleaning performance and side hill slip resistance.



Titan Hi Power Lug R-1

SIZE	TYPE	PLY	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAXIMUM LOAD	SECTION WIDTH	TIRE DIAMETER	RETAIL
11.2-24	TT	4	473404	80	10	42	1650	11.6	43.5	\$281.17
11.2-24	TL	4	483404	88	10	42	1650	11.6	43.5	\$317.86
11.2-38	TT	4	473408	112	10	42	2090	11.6	57.5	\$472.09
11.2-38	TL	4	483408	119	10	42	2090	11.6	57.5	\$495.63
11.2-38	TL	6	483608	122	10	42	2540	11.6	TBA	\$522.44
12.4-38	TT	4	473418	140	11	44	2340	12.9	59.6	\$505.25
12.4-38	TL	8	483818	159	11	44	3520	12.9	59.6	\$789.40
12.4-38	TL	12	483118	176	11	44	4400	12.9	59.6	\$990.23
13.6-28	TT	6	473624	126	12	46	2830	14.1	51.6	\$463.06
13.6-38	TT	6	473628	153	12	46	3300	14.1	61.6	\$587.96
14.9-24	TT	4	473434	132	13	47	2200	15.1	49.8	\$411.60
14.9-24	TL	4	483434	146	13	47	2200	15.1	49.8	\$455.87
14.9-24	TT	6	473634	143	13	47	3000	15.1	49.8	\$455.87
14.9-24	TL	6	483634	153	13	47	3000	15.1	49.8	\$486.80
14.9-26	TT	6	473631	158	13	47	3080	15.1	51.8	\$531.33
14.9-26	TL	10	483031	188	13	47	4080	15.1	51.8	\$878.12
14.9-26	TL	12	483131	196	13	47	4400	15.1	51.8	\$915.34
14.9-28	TL	6	483638	133	13	47	3200	15.1	54.9	\$566.96
14.9-28	TL	8	483838	146	13	47	3740	15.1	54.9	\$577.53
14.9-28	TL	10	483038	161	13	47	4180	15.1	54.9	\$881.95
14.9-38	TT	6	473673	189	13	47	3740	15.1	63.8	\$747.54
15.5-38	TT	6	473674	183	12	46	3520	14.1	61.8	\$670.91
16.9-30	TT	6	473679	180	15	48	3740	17.6	58.5	\$659.67
18.4-28	TT	6	473658	181	16	50	4080	19.1	59.1	\$853.33
18.4-30	TT	6	473650	203	16	50	4180	19.1	61.1	\$745.08
18.4-34	TT	6	473654	213	16	50	4400	19.1	65.1	\$874.62
18.4-38	TT	6	473677	238	16	50	4680	19.1	69.1	\$890.71
18.4-38	TT	8	473877	244	16	50	5360	19.1	69.1	\$958.39
20.8-38	TT	8	473889	302	18	51	6150	21.6	72.2	\$1261.23
23.1-26	TL	10	483086	339	20	52	6400	24.0	62.5	\$1612.05
23.1-30	TT	8	473882	339	20	52	6000	24.0	66.5	\$1423.72
23.1-30	TL	10	483082	367	20	52	6800	24.0	66.5	\$1621.93



Farm Tractor R-1 Bias

Best at handling heavy loads on hard-packed surfaces. Steers easily and offers excellent load distribution and floatation.

Titan Farm Tractor R-1 Bias

9.5-36	TT	6	470697	85	8	38	2270	9.7	52.7	\$554.65
11.2-34	TT	4	470402	96	10	42	1980	11.6	53.4	\$569.63
11.2-36	TT	4	470406	89	10	44	2040	11.2	55.4	\$432.69
12.4-36	TT	6	470616	129	11	44	2830	12.6	57.1	\$697.98
13.9-36	TT	6	470693	126	12	44	3200	14.2	58.7	\$660.85

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.



TRACTOR TIRES

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

Titan Tru-Trac Multi Rib F2M Four Rib Front

7.50-16SL	TL	6	466383	35	5.5	21	1480	8.6	31.3	\$151.39
9.5L-15SL	TL	6	466343	45	7.0	27	1520	9.9	31.5	\$199.79
10.00-16SL	TL	6	466394	53	8.0	28	1930	11.2	35.5	\$243.11
10.00-16SL	TT	8	466298	54	8.0	28	2340	11.2	35.5	\$206.94
10.00-16SL	TL	8	466398	60	8.0	28	2340	11.2	35.5	\$244.53
11L-15SL	TL	8	466318	64	8.0	27	2090	10.9	31.8	\$238.44
11.00-16SL	TT	8	466295	70	10.0	28	2600	12.7	38.1	\$260.21
11.00-16SL	TL	8	466395	72	10.0	28	2600	12.7	38.1	\$279.29
11.00-16SL	TL	12	466396	79	10.0	28	3420	12.7	38.1	\$430.58
11.00-20SL	TL	12	466347	98	10.0	28	3860	12.4	41.5	\$474.45
11.00-24SL	TL	8	466348	99	10.0	28	3420	12.4	45.5	\$481.74
14L-16.1SL	TL	10	466389	103	11.0	32	3420	14.4	38.4	\$443.59
16.5L-16.1SL	TL	10	466352	150	14.0	36	4080	17.3	42.2	\$643.12

Titan Tru-Trac F-2 Three Rib Front

4.00-12	TT	4	461229	10	3.0	15	495	5.	21.3	\$66.29
4.00-15	TT	4	461230	9	3.0	14	585	4.6	24.6	\$73.05
4.00-19	TT	4	461233	13	3.0	14	715	4.6	28.8	\$93.04
5.00-15	TT	4	462235	14	3.0	15	715	5.5	26.0	\$85.78
5.50-16	TT	6	462239	19	4.0	17	1050	6.3	27.9	\$104.50
6.00-16	TT	4	462274	17	4.0	18	910	6.7	29.0	\$95.78
6.00-16	TT	6	462275	20	4.0	18	1140	6.7	29.0	\$97.29
6.50-16	TT	6	462281	22	4.5	20	1230	7.3	29.8	\$105.77
7.50-16	TT	6	462283	30	5.5	23	1480	8.6	31.6	\$129.86
7.50-18	TT	6	462278	31	5.5	23	1610	8.6	33.9	\$146.96
7.50-20	TL	6	462393	39	5.5	23	1710	8.6	35.8	\$227.43
10.00-16	TT	6	462294	55	8.0	30	1930	1.8	35.6	\$216.12
10.00-16	TL	8	462398	55	8.0	30	2340	1.8	35.6	\$228.89
11.00-16	TT	8	462295	56	10.0	33	2600	12.3	38.3	\$256.64
7.5L-15	TT	6	462290	26	6.0	24	1430	8.1	29.3	\$115.42
9.5L-15	TT	8	462244	38	7.0	27	1870	9.9	31.5	\$168.40
11L-15	TT	8	462218	49	8.0	31	2090	1.8	32.1	\$206.90
14L-16.1	TT	8	462287	98	10.0	33	3000	14.8	40.0	\$414.19

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.

Tru-Trac Multi Rib F-2M Four Rib Front

Best at handling heavy loads on hard-packed surfaces. Steers easily and offers excellent load distribution and floatation.



Tru-Trac F-2 Three Rib Front

Penetrates deep into the soil to give maximum steering control and minimal lateral side slipping with it's high center rib.

**TRACTOR TIRES**



Hi-Flotation Rib Implement I-1

Maximum flotation and great towing and handling, this features a wide tread design, large footprint, deep grooves and a low section height design.



Traction Implement I-3

Designed for low horsepower traction requirements. Offers good roadability and excellent durability.



TRACTOR TIRES



Titan Hi-Flotation Rib Implement

SIZE	TYPE	PLY	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAXIMUM LOAD	SECTION WIDTH	TIRE DIAMETER	RETAIL
26X12.00-12SL	TL	4	410361	28	8	12	1780	11.7	25.5	\$133.19
8.5L-14SL	TT	6	410289	24	6	11	1870	8.6	28.6	\$121.24
8.5L-14SL	TL	6	410389	27	6	11	1870	8.6	28.6	\$133.53
9.5L-14SL	TL	6	410398	27	7	11	1930	9.8	29.2	\$128.45
9.5L-14SL	TT	8	410299	26	7	11	2400	9.8	29.2	\$124.73
9.5L-14SL	TL	8	410399	29	7	11	2400	9.8	29.2	\$134.29
9.5L-15SL	TT	8	410244	30	7	11	2470	9.8	30.2	\$134.11
9.5L-15SL	TL	8	410344	34	7	11	2470	9.8	30.2	\$142.77
9.5L-15SL	TT	12	4102D7	37	7	11	3200	9.8	30.2	\$191.20
11L-14SL	TL	6	410364	31	8	11	2040	10.7	30.0	\$142.76
11L-15SL	TT	8	410218	35	8	11	2540	10.8	31.0	\$132.79
11L-15SL	TL	8	410318	37	8	11	2540	10.8	31.0	\$159.20
11L-15SL	TL	10	410319	43	8	11	2910	10.8	31.0	\$188.56
11L-15SL	TL	12	410317	50	8	11	3200	10.8	31.0	\$223.75
11L-15SL*	TL	18	41L315	56	8	11	4180	10.8	31.0	\$313.84
11L-16SL	TT	8	410222	39	8	11	2680	10.7	32.0	\$149.64
12.5L-15SL	TL	8	410340	46	8	11	3000	10.7	32.1	\$177.22
12.5L-15SL	TT	10	410241	46	10	11	3420	12.1	32.1	\$193.91
12.5L-15SL	TL	10	410341	50	10	11	3420	12.1	32.1	\$219.79
12.5L-15SL	TL	12	410305	52	10	11	3860	12.1	32.1	\$223.33
12.5L-15SL*	TL	12	41L305	52	10	11	3860	12.1	32.1	\$235.66
12.5L-15SL*	TL	20	41L327	67	10	11	5080	12.1	32.1	\$344.73
12.5L-16SL	TT	14	410253	51	10	11	4180	11.9	31.9	\$239.56
12.5L-16SL*	TL	14	41L353	55	10	11	4180	11.9	31.9	\$272.11
14L-16.1SL	TL	8	410368	71	11	12	3860	14.8	37.4	\$354.75
14L-16.1SL*	TL	8	41L368	71	11	12	3860	14.8	37.4	\$362.82
14L-16.1SL	TT	12	410262	75	11	12	4680	14.8	37.4	\$372.98
16.5L-16.1SL	TL	10	410350	102	14	14	5200	17.1	40.9	\$446.52
16.5L-16.1SL*	TL	10	41L350	101	14	14	5200	17.1	40.9	\$449.51
16.5L-16.1SL	TL	14	4103L1	115	14	14	6400	17.1	40.9	\$533.54
19L-16.1SL	TL	10	4103H7	130	16	17	6000	19.1	43.6	\$494.30
19L-16.1SL	TL	12	4105H7	141	16	17	6600	19.1	43.6	\$592.33
21.5L-16.1SL	TL	10	410349	166	18	17	6600	21.4	45.0	\$724.31
21.5L-16.1SL	TL	14	4103J1	174	18	17	7850	21.4	45.0	\$821.28
21.5L-16.1SL	TL	18	4103Q4	180	18	17	8800	21.4	45.0	\$900.92

Titan Traction Implement I-3

7.50-20	TL	4	422303	36	5.5	17	1760	8.10	38.9	\$214.06
7.50-24	TL	4	422204	32	7	17	1870	8.70	38.9	\$178.16
13.50-16.1	TL	6	499505	81	11	23	3520	13.50	40.8	\$437.74

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

Titan Industrial Contractor F-3

11L-15SL	TL	8	465318	50	8	15	2090	11.00	31.30	\$208.07
11L-15SL	TL	10	465310	52	8	15	2340	11.00	31.30	\$214.98
11L-16SL	TL	10	465315	55	8	15	2470	11.00	32.30	\$222.41
11L-16SL	TL	12	465317	60	8	15	2760	11.00	32.30	\$256.23
14.5/75-16.1SL	TL	10	465388	74	11	18	3200	13.70	35.50	\$524.10

American Farmer Multi Rib Implement (I1) - Tubeless

9.5L-14SL	TL	D/8	FC1A5	26	7.0	11	2400	9.7	29.6	\$107.91
11L-14SL	TL	D/8	FA3V5	29	8.0	11	2800	10.5	30.0	\$127.82
9.5L-15SL	TL	C/6	FC1C3	27	7.0	11	2320	9.7	30.5	\$97.91
9.5L-15SL	TL	D/8	FC1C5	27	7.0	11	2470	9.7	30.5	\$111.66
9.5L-15SL	TL	F/12	FA3C9	32	7.0	11	3200	9.7	30.5	\$144.39
11L-15SL	TL	D/8	FC1D5	30	8.0	10	2540	10.5	31.4	\$119.49
11L-15SL	TL	E/10	FC1D7	34	8.0	10	2910	10.5	31.4	\$148.61
11L-15SL	TL	F/12	FC1D9	37	8.0	10	3200	10.5	31.4	\$171.31
12.5L-15SL	TL	D/8	FC1E5	38	10.0	12	3000	12.2	33.0	\$139.96
12.5L-15SL	TL	E/10	FC1E7	40	10.0	12	3420	12.2	33.0	\$152.25
12.5L-15SL	TL	F/12	FC1E9	42	10.0	12	3860	12.2	33.0	\$193.21
12.5L-15SL*	TL	H/16	FC1ED	49	10.0	12	4200	12.2	33.0	\$227.46
12.5L-15SL	TL	L/20	FC1CT	52	10.0	12	4515	12.2	33.0	\$253.27
11L-16SL	TL	D/8	FC1F5	31	8.0	10	2680	10.2	31.4	\$129.90
12.5L-16SL	TL	F/12	FC1H9	45	10.0	12	3960	11.4	33.4	\$199.58
12.5L-16SL	TL	G/14	FC1HB	45	10.0	12	4180	11.4	33.4	\$208.40
9.00-10SL	TL	E/10	FC157	25	TBA	TBA	TBA	TBA	TBA	\$110.38
7.50-14SL *	TL	B/4	FB1Y1	18	5.5	10	1360	7.6	26.8	\$80.17
4.00-15SL	TL	B/4	FA3EA	10	3.0	6	785	4.0	23.5	\$68.24
5.00-15SL	TL	B/4	FA3J1	13	3.0	7	965	5.1	24.9	\$77.47
6.70-15SL	TL	B/4	FC1X1	19	4.5	8	1280	7.3	28.0	\$75.54
7.60-15SL	TL	C/6	FC113	22	5.5	10	1760	7.6	28.5	\$96.24
7.60-15SL	TL	D/8	FC115	22	5.5	10	2090	7.6	28.5	\$105.13
10.00-15SL	TL	D/8	FA395	41	8.0	13	3000	11.0	33.7	\$165.91
10.00-15SL	TL	F/12	FA399	48	8.0	13	3960	11.0	33.7	\$197.76
7.50-16SL *	TL	D/8	FA3N5	26	5.5	13	2200	7.9	29.9	\$127.08
7.50-20SL	TL	E/10	FA3BF	33	5.5	11	2600	7.6	35.0	\$179.17
20.5X8-10 NHS	TL	D/8	DE3M1	16	TBA	TBA	TBA	TBA	TBA	\$86.63
20.5X8-10 NHS	TL	E/10	DE3M2	17	TBA	TBA	TBA	TBA	TBA	\$92.71
20.5X8-10 NHS	TL	F/12	DE3M7	19	6.0	10	2275	8.2	20.2	\$114.53
26/12-12 NHS	TL	B/4	FA3DW	29	10.5	12	1550	12.0	26.2	\$111.43
26/12-12 NHS	TL	F/12	FA3DY	35	10.5	12	2750	12.0	26.2	\$190.60
14L-16.1SL	TL	D/8	FA3Z5	51	11.0	12	3860	13.7	37.0	\$231.89
14L-16.1SL	TL	F/12	FA3Z9	57	11.0	12	4680	13.7	37.0	\$283.41
16.5L-16.1SL	TL	E/10	FA337	80	14.0	15	5200	16.6	40.5	\$352.65
16.5L-16.1SL	TL	G/14	FA33B	88	14.0	15	6400	16.6	40.5	\$402.79
16.5L-16.1SL	TL	H/16	FA33D	95	14.0	15	7003	16.6	40.5	\$449.68
19L-16.1SL	TL	E/10	FA347	96	16.0	16	6000	19.0	42.4	\$427.42
21.5L-16.1SL	TL	E/10	FA3AB	107	18.0	18	6600	21.5	44.5	\$468.15
21.5L-16.1SL	TL	G/14	FA3AC	133	18.0	18	7850	21.5	44.5	\$585.68
31/13.50-15	TL	D/8	FB3BN	52	13.0	12	2760	13.5	32.4	\$263.91

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.



**Industrial
Contractor F-3**



**Farm Specialists
I-1
Rib Implement**



TRACTOR TIRES



Mult Rib Implement I1



Industrial Rib F3

SIZE	TYPE	PLY	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAXIMUM LOAD	SECTION WIDTH	TIRE DIAMETER	RETAIL
------	------	-----	-----------	-------------	-----------	-------------	--------------	---------------	---------------	--------

American Farmer Multi Rib Implement (I1) - Tube Type

5.90-15SL	TT	B/4	FA3AH	15	4.50	9	1140	6.30	26.60	\$81.96
6.40-15SL	TT	B/4	FA3BE	18	4.50	8	1170	6.40	26.90	\$88.65
6.70-15SL	TT	B/4	FC1X2	16	4.50	8	1280	7.30	28.00	\$72.87
6.70-15SL	TT	C/6	FC1X4	19	4.50	8	1610	7.30	28.00	\$86.15
7.60-15SL	TT	C/6	FC114	19	5.50	10	1760	7.60	28.50	\$88.62
7.60-15SL	TT	D/8	FC116	20	5.50	10	2090	7.60	28.50	\$90.32
6.00-16SL	TT	C/6	FA3L6	18	4.00	7	1520	6.10	28.50	\$92.78
6.50-16SL	TT	C/6	FA3M4	18	4.50	11	1710	7.10	28.80	\$99.76
7.50-16SL *	TT	D/8	FA3N6	23	5.50	14	2710	7.50	30.00	\$116.68
9.00-16SL	TT	E/10	FA3AW	35	6.00	11	3300	9.20	33.40	\$180.05
4.00-18SL	TT	B/4	FA3AX	10	3.00	6	880	4.40	26.40	\$67.88
7.50-18SL	TT	C/6	FA3W4	21	5.50	10	2040	8.00	32.90	\$136.30
4.00-19SL	TT	B/4	FA3AE	12	3.00	18	940	4.50	29.00	\$80.64
7.50-20SL	TT	C/6	FA3AM	26	5.50	11	2410	7.60	35.00	\$144.27
9.5L-14SL	TT	D/8	FC1A6	23	7.00	11	2400	9.70	29.60	\$94.16
11L-14SL	TT	D/8	FA3V6	25	8.00	11	2800	10.50	30.00	\$114.60
11L-14SL	TT	E/10	FA3V8	29	8.00	11	3170	10.50	30.00	\$130.49
9.5L-15SL	TT	D/8	FC1C6	24	7.00	11	2470	9.70	30.50	\$94.36
9.5L-15SL	TT	E/10	FC1C8	25	7.00	11	3180	9.70	30.50	\$113.60
9.5L-15SL	TT	F/12	FC1CA	28	7.00	11	3280	9.70	30.50	\$123.51
11L-15SL	TT	D/8	FC1D6	26	8.00	10	2540	10.50	31.40	\$95.71
11L-15SL	TT	F/12	FC1DA	33	8.00	10	3200	10.50	31.40	\$153.16
12.5L-15SL	TT	E/10	FC1E8	36	10.00	12	3420	12.20	33.00	\$143.48
12.5L-15SL	TT	G/14	FC1EC	38	10.00	12	4060	12.20	33.00	\$186.67
11L-16SL	TT	D/8	FC1F6	27	8.00	10	2680	10.20	31.40	\$116.03
11L-16SL	TT	F/12	FC1FA	34	8.00	10	3850	10.20	31.40	\$151.28
12.5L-16SL	TT	F/12	FC1HA	41	10.00	12	3960	11.40	33.40	\$171.87
12.5L-16SL	TT	G/14	FC1HC	41	10.00	12	4180	11.40	33.40	\$192.54

American Farmer Multi Rib Implement (I1) - Tubeless (highway speed rated)

9.5L-15FI	TL	TBA	FA3DB	32	7.00	9	2670	9.70	30.50	\$156.41
11L-15FI	TL	TBA	FA3DC	35	8.00	8	3120	10.50	31.40	\$184.71
11L-15FI	TL	TBA	FA3D9	42	TBA	TBA	TBA	TBA	TBA	\$207.46
12.5L-15FI	TL	TBA	FA3DE	48	10.00	11	3740	12.20	33.00	\$241.22
12.5L-15FI	TL	TBA	FA3DF	51	10.00	11	4680	12.20	33.00	\$250.86

American Farmer Industrial Rib (F3) - Tube Type

9.00-10SL	TT	D/8	FA956	22	6.00	11	1570	9.20	26.30	\$157.03
9.00-10SL	TT	E/10	FA958	25	6.00	11	1820	9.20	26.30	\$171.98

American Farmer Industrial Rib (F3) - Tubeless

11L-15	TL	E/10	FA9D7	40	8.00	16	2340	11.00	31.80	\$176.50
11L-15	TL	G/14	FA9DB	49	8.00	16	2710	11.00	31.80	\$231.39
11L-16SL	TL	E/10	FA4F7	44	8.00	16	2470	11.00	33.00	\$172.10
11L-16SL	TL	G/14	FA4FB	51	8.00	16	2930	11.00	33.00	\$231.63
11.00-16	TL	F/12	FA9T9	68	10.00	15	3420	12.40	38.10	\$285.14
14.5/75-16.1SL	TL	E/10	FA46W	67	11.00	16	3200	15.50	36.80	\$342.58

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.



TRACTOR TIRES

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

American Farmer Flotation Diamond Tread Implement (I-2) - Tubeless

13.50-16.1SL	TL	E/10	FA327	78	11	19	4940	14.00	40.00	\$352.53
13.50-16.1SL	TL	F/12	FA329	78	11	19	5200	14.00	40.00	\$356.25
16.5L-16.1SL	TL	C/6	FA833	81	14	18	3960	16.40	42.25	\$332.50
16.5L-16.1SL	TL	E/10	FA837	87	14	18	5200	16.40	42.25	\$377.78

American Farmer Traction Implement I-3 - Tubeless

5.00-15SL	TL	B/4	FA5J1	16	3	15	965	5.60	25.20	\$93.62
7.60-15SL	TL	C/6	FA5I3	27	5.5	17	1930	7.90	30.00	\$137.88
12.5L-15SL	TL	C/6	FA5E3	46	10	20	2540	12.30	34.30	\$212.51
12.5L-15SL	TL	F/12	FA5E9	56	10	20	3860	12.30	34.30	\$284.26
16.5L-16.1SL	TL	C/6	FA533	104	14	23	3960	16.10	41.50	\$422.49
16.5L-16.1SL	TL	E/10	FA537	109	14	23	5200	16.10	41.50	\$468.39
21.5L-16.1SL	TL	E/10	FA5AB	149	18	33	6600	21.50	45.25	\$651.14
21.5L-16.1SL	TL	G/14	FA5AC	173	18	33	7850	21.50	45.25	\$785.06

American Farmer Turf Traction (R3) - Tubeless

21.5L-16.1SL	TL	C/6	FA7BK	147	18	30	2760	20.69	44.16	\$641.48
21.5L-16.1SL	TL	E/10	FA7AB	157	18	30	3900	20.69	44.16	\$710.51

American Farmer Farm Front (F2M Four Rib) - Tube Type

11L-15SL	TT	D/8	FA6D6	43	8	29	2090	10.90	31.80	\$164.77
10.00-16SL	TT	D/8	FA6P6	48	8.8	28	2340	11.30	34.90	\$179.68
11.00-16SL	TT	D/8	FA6T6	66	10	31	2600	12.00	37.60	\$232.51
14L-16.1SL	TT	C/6	FA3Z4	68	11	32	2540	13.90	38.40	\$281.42

American Farmer Farm Front (F2M Four Rib) - Tubeless

11L-15SL	TL	D/8	FA6D5	48	8	29	2090	10.90	31.80	\$190.63
10.00-16SL	TL	D/8	FA6P5	53	8	28	2340	11.30	34.90	\$207.52
11.00-16SL	TL	D/8	FA6T5	72	10	31	2600	12.00	37.60	\$263.47
14L-16.1SL	TL	C/6	FA3Z3	74	11	32	2540	13.90	38.40	\$308.40
14L-16.1SL	TL	E/10	FA3Z7	81	11	32	3420	13.90	38.40	\$351.62

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.



**Flotation
Implement
Diamond Tread
I2**



**Traction
Implement I3**



Turf Traction R3



**Farm Front
F2M Four Rib**



Farm Front F2 Triple Rib



Tractor R1



Farm Front F1 Single Rib



TRACTOR TIRES

SIZE TYPE PLY ITEM CODE TIRE WEIGHT RIM WIDTH TREAD DEPTH MAXIMUM LOAD SECTION WIDTH TIRE DIAMETER RETAIL

American Farmer Farm Front (F2 Triple Rib) - Tube Type

9.00-10SL	TT	F/12	FA45A	34	6.00	17	2695	9.20	27.40	\$253.27
4.00-12SL	TT	B/4	FA482	8	3.00	14	495	4.60	21.30	\$50.91
4.00-15SL	TT	B/4	FA4AK	9	3.00	6	585	4.80	24.20	\$57.91
5.00-15SL	TT	B/4	FC2J2	13	3.00	13	715	5.20	26.20	\$64.92
7.5L-15SL	TT	C/6	FC2B4	30	6.00	24	1430	8.00	29.90	\$115.10
9.5L-15SL	TT	D/8	FA4C6	37	7.00	30	1870	9.50	31.20	\$141.96
11L-15SL	TT	D/8	FC2D6	44	8.00	30	2090	10.40	33.40	\$172.80
5.50-16SL	TT	B/4	FC2K2	17	4.00	17	855	6.10	28.50	\$78.21
5.50-16SL	TT	C/6	FC2K4	19	4.00	17	1050	6.10	28.50	\$83.07
6.00-16SL	TT	B/4	FC2L2	19	4.00	15	910	6.50	29.10	\$77.88
6.00-16SL	TT	C/6	FC2L4	20	4.00	15	1140	6.50	29.10	\$87.12
6.50-16SL	TT	C/6	FC2M4	24	4.50	21	1230	7.00	30.30	\$99.55
7.50-16SL	TT	C/6	FC2N4	33	5.50	23	1480	7.90	32.10	\$128.03
7.50-16SL	TT	D/8	FC2N6	36	5.50	23	1710	7.90	32.10	\$130.78
10.00-16SL	TT	D/8	FC2P6	48	8.00	29	2340	10.30	35.20	\$191.75
11.00-16SL	TT	D/8	FC2T6	63	10.00	33	2600	12.20	38.40	\$248.43
7.50-18SL	TT	C/6	FC2W4	37	5.50	25	1610	7.90	33.90	\$142.72
4.00-19SL	TT	B/4	FA4AE	12	3.00	9	715	4.40	28.30	\$77.03
7.50-20SL	TT	C/6	FA4AM	43	5.50	23	1710	7.90	36.80	\$174.12

American Farmer Farm Front (F2 Triple Rib) - Tubeless

7.5L-15SL	TL	C/6	FA4B3	34	6.00	24	1430	8.00	29.90	\$136.62
9.5L-15SL	TL	D/8	FA4C5	46	7.00	30	1870	9.50	31.20	\$157.70
6.50-16SL	TL	C/6	FA4M3	27	4.50	21	1230	7.00	30.30	\$118.67
7.50-16SL	TL	C/6	FA4N3	39	5.50	23	1480	7.90	32.10	\$150.40
10.00-16SL	TL	D/8	FA4P5	54	8.00	29	2340	10.30	35.20	\$202.71
11.00-16SL	TL	D/8	FA4T5	73	10.00	33	2600	12.20	38.40	\$254.94

American Farmer (R1) -Tube Type

7-16	TT	C/6	FA1BW	24	6.00	28	1135	7.01	29.20	\$105.89
7-16 (TUBE-	TT	C/6	FA1EW	27	6.00	28	1135	7.01	29.20	\$119.41
18.4-16.1 SL	TT	C/6	FA1DA	115	16.00	40	2810	18.40	44.80	\$605.68
18.4-16.1 SL	TT	D/8	FA1AL	126	16.00	40	2910	18.40	44.80	\$687.29

American Farmer Farm Front (F1 Single Rib) - Tube Type

7.50-16SL	TT	D/8	FA2N4	27	5.50	32	1710	8.15	32.00	\$180.87
10.00-16SL	TT	D/8	FA2P6	34	8.00	24	2340	11.20	35.15	\$276.02
7.50-18SL	TT	C/6	FA2W4	35	5.50	32	1610	7.81	34.30	\$222.68
7.50-20 SL	TT	C/6	FA2AM	40	5.50	32	1710	8.48	37.50	\$225.57
7.50-20 SL	TT	F/12	FA2DJ	52	5.50	32	2280	8.34	37.50	\$372.18

American Farmer Farm Front (F1 Single Rib) - Tubeless

11.00-16SL	TL	D/8	FA2T5	43	10.00	27	2600	13.24	38.41	\$363.41
------------	----	-----	-------	----	-------	----	------	-------	-------	----------

PLEASE CALL FOR OTHER SIZES & STYLES & SPECIALS.

SIZE

BOLT PATTERN

TYPE

ITEM CODE

RETAIL

Carlisle Farm Specialist Implement Wheels

Size	Bolt Pattern	Weight	Offset	Item Code	Retail Price
15X5	4 ON 5	01250	-.25"	IM84851	\$38.60
15X5	5 ON 5.5	02000	-.25"	IM1519289038	\$38.60
15X6	5 ON 5.5	02000	-.25"	IM84856	\$59.52
15X8	5 ON 5.5	02000	-.25"	IM1519291038	\$67.63
14X7	6 ON 6	02500	+1.12"	IM84871	\$59.32
15X6	6 ON 6	02800	+1.12"	IM84858	\$53.99
15X8	6 ON 6	03000	+1.12"	IM1519294038	\$61.34
15X10	6 ON 6	03800	+1.12"	IM1519300038	\$71.02
16X6	6 ON 6	03000	+1.12"	IM1619296038	\$64.24
16X8	6 ON 6	03800	+1.12"	IM1619297038	\$67.47
16X10	6 ON 6	03800	+1.12"	IM1619298038	\$76.43
15X8	8 ON 8	05000	-1.50"	IM1519299038	\$64.06
15X10	8 ON 8	05000	-1.50"	IM1519300038	\$71.02
16X8	8 ON 8	05000	-1.50"	IM1619301038	\$70.13
16X10	8 ON 8	06000	-1.50"	IM1619302038	\$77.09

*ADD \$2.50 FOR VALVE GUARD, AND ADD "V" TO THE END OF THE COMPUTER CODE

Carlisle Wheels for Skid Steer Tires

16.5 X 8.25	8 ON 8	6.00"	+ .625	9819307014	\$109.24
16.5 X 9.75	8 ON 8	6.00"	+1.400	9819308014	\$116.48



**Farm Specialist
Implement
Wheels**



TACOMA A/P Tractor R-1



TACOMA Front Tractor 3R F-2



TACOMA Front Tractor 4R F-2



TACOMA Implement



TRACTOR TIRES

SIZE

ITEM CODE

RETAIL

Tacoma A/P Tractor R-1

8.3-24-6PR TT	APT-0001	\$131.86
9.5-24-6PR TT	APT-0002	\$164.40
11.2-24-6PR TT	APT-0003	\$232.90
12.4-24-8PR TT	APT-0004	\$262.01
13.6-24-8PR TT	APT-0005	\$340.79
14.9-24-8PR TT	APT-0006	\$366.48
11.2-28-6PR TT	APT-0007	\$272.29
12.4-28-8PR TT	APT-0008	\$320.24
13.6-28-8PR TT	APT-0009	\$354.49
14.9-28-8PR TT	APT-0010	\$412.71
16.9-28-8PR TT	APT-0011	\$515.46
16.9-30-10PR TT	APT-0012	\$536.01
18.4-30-10PR TT	APT-0013	\$657.60
18.4-34-10PR TT	APT-0014	\$750.08
11.2-38-8PR TT	APT-0015	\$371.61
18.4-38-10PR TT	APT-0019	\$899.06
20.8-38-10PR TT	APT-0020	\$1053.19

Tacoma Front Tractor 3R F-2

400-12-4PR TT	FTF-0001	\$29.17
400-12-4PR TL	FTF-0002	\$34.64
500-15-4PR TT	FTF-0003	\$38.29
500-15-4PR TL	FTF-0004	\$47.40
7.5L-15-8PR TT	FTF-0005	\$80.22
7.5L-15-8PR TL	FTF-0006	\$85.69
9.5L-15-8PR TT	FTF-0007	\$103.92
11L-15-8PR TT	FTF-0008	\$116.68
550-16-8PR TT	FTF-0009	\$52.87
550-16-8PR TL	FTF-0010	\$58.34
600-16-8PR TT	FTF-0011	\$65.63
600-16-8PR TL	FTF-0012	\$72.92
650-16-8PR TT	FTF-0013	\$65.63
650-16-8PR TL	FTF-0014	\$74.75
750-16-8PR TT	FTF-0015	\$96.62
750-16-10PR TL	FTF-0016	\$107.56
750-18-8PR TT	FTF-0017	\$100.27
750-18-8PR TL	FTF-0018	\$111.21
400-19-4PR TT	FTF-0019	\$45.58
400-19-4PR TL	FTF-0020	\$49.22
750-20-8PR TT	FTF-0021	\$123.97
750-20-8PR TL	FTF-0022	\$133.09
10.00-16-10PR TT 3R	FTF-0023	\$144.02
10.00-16-10PR TL 3R	FTF-0024	\$162.26
11.00-16-10PR TT 3R	FTF-0025	\$215.13
11.00-16-12PR TL 3R	FTF-0026	\$227.89

Front Tractor 4R F-2

10.00-16-10PR TT 4R	FTF-0027	\$147.67
10.00-16-10PR TL 4R	FTF-0028	\$165.90
11.00-16-10PR TT 4R	FTF-0029	\$220.60
11.00-16-12PR TL 4R	FTF-0030	\$233.36

SIZE

ITEM CODE

RETAIL

Tacoma implement I-1

9.5L-14-8PR TT	IMP-0001	\$78.39
9.5L-14-8PR TL	IMP-0002	\$89.33
11L-14-8PR TT	IMP-0003	\$85.69
11L-14-8PR TL	IMP-0004	\$94.80
9.5L-15-8PR TT	IMP-0005	\$82.04
9.5L-15-8PR TL	IMP-0006	\$92.98
11L-15-8PR TT	IMP-0007	\$89.33
11L-15-8PR TL	IMP-0008	\$100.27
11L-15-12PR TT	IMP-0009	\$100.27
11L-15-12PR TL	IMP-0010	\$105.74
760L-15-8PR TT	IMP-0011	\$67.45
760L-15-8PR TL	IMP-0012	\$80.22
12.5L-15-12PR	IMP-0013	\$123.97
12.5L-15-12PR	IMP-0014	\$134.91
11L-16-8PR TT	IMP-0015	\$100.27
11L-16-8PR TL	IMP-0016	\$114.86

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

Solideal SKS Natural Rubber H.D. Trac Loaders and SKS Gripper* and Xtra Wall**

5.70-12	TL	6	104111321	45.0	TBA	TBA	TBA	TBA	TBA	\$64.94
23X8.5-12	TL	4	104111941	23.0	TBA	TBA	TBA	TBA	TBA	\$72.26
23X8.5-12	TL	6	104111341	23.0	TBA	TBA	TBA	TBA	TBA	\$87.69
27X10-12	TL	14	104111081	TBA	TBA	TBA	TBA	TBA	TBA	\$211.88
700X15	TL	6	104110311	45.0	TBA	TBA	TBA	TBA	TBA	\$161.06
27X8.5-15	TL	6	104111381	30.0	TBA	TBA	TBA	TBA	TBA	\$103.67
27X8.5-15	TL	8	104111401	TBA	TBA	TBA	TBA	TBA	TBA	\$112.24
10X16.5	TL	8	104111461	49.0	TBA	TBA	TBA	TBA	TBA	\$149.53
10X16.5	TL	10	104111481	TBA	TBA	TBA	TBA	TBA	TBA	\$156.98
31X15.5-15	TL	10	104111431	TBA	TBA	TBA	TBA	TBA	TBA	\$287.59
12X16.5	TL	8	104111521	63.0	TBA	TBA	TBA	TBA	TBA	\$192.51
12X16.5	TL	10	104111541	TBA	TBA	TBA	TBA	TBA	TBA	\$216.33
14X17.5	TL	10	104111581	107.0	TBA	TBA	TBA	TBA	TBA	\$384.90
14X17.5	TL	12	104111591	109.0	TBA	TBA	TBA	TBA	TBA	\$442.45
10X16.5*	TL	8	10G111461	49	TBA	TBA	TBA	TBA	TBA	\$126.69
12X16.5*	TL	10	10G111541	64	TBA	TBA	TBA	TBA	TBA	\$185.54
23X8.5-12**	TL	6	10X111341	26.0	TBA	TBA	TBA	TBA	TBA	\$94.74
26X12-12**	TL	8	10X111371	TBA	TBA	TBA	TBA	TBA	TBA	\$164.41
26X12-12**	TL	10	10X111361	48.0	TBA	TBA	TBA	TBA	TBA	\$170.45
27X8.5-15**	TL	6	10X111381	30.0	TBA	TBA	TBA	TBA	TBA	\$112.04
27X8.5-15**	TL	8	10X111401	TBA	TBA	TBA	TBA	TBA	TBA	\$121.27
10X16.5**	TL	10	10X111481	TBA	TBA	TBA	TBA	TBA	TBA	\$167.06
10X16.5**	TL	12	10X111491	55.0	TBA	TBA	TBA	TBA	TBA	\$193.88
12X16.5**	TL	10	10X111541	64.0	TBA	TBA	TBA	TBA	TBA	\$232.22
12X16.5**	TL	12	10X111551	TBA	TBA	TBA	TBA	TBA	TBA	\$274.04
14X17.5**	TL	10	10X111581	TBA	TBA	TBA	TBA	TBA	TBA	\$421.31
14X17.5**	TL	12	10X111591	118.0	TBA	TBA	TBA	TBA	TBA	\$443.47

Solideal SKS Hauler

23X8.5-12	TL	6	304111341	31.0	TBA	TBA	TBA	TBA	TBA	\$116.35
23X8.5-12	TL	10	304111331	31.5	TBA	TBA	TBA	TBA	TBA	\$139.82
27X8.5-15	TL	6	304111381	36.0	TBA	TBA	TBA	TBA	TBA	\$137.42
27X9.5-15	TL	6	304111391	TBA	TBA	TBA	TBA	TBA	TBA	\$224.21
27X10.50-15	TL	8	304111401	TBA	TBA	TBA	TBA	TBA	TBA	\$285.41
27X10.50-15	TL	10	304115401	TBA	TBA	TBA	TBA	TBA	TBA	\$301.93
31X15.5-15	TL	8	304111421	86.0	TBA	TBA	TBA	TBA	TBA	\$363.09
31X15.5-15	TL	10	304111431	85.0	TBA	TBA	TBA	TBA	TBA	\$381.27
10X16.5 (788)	TL	8	304111461-788	54.0	TBA	TBA	TBA	TBA	TBA	\$198.23
10X16.5 (788)	TL	10	304111481-788	57.0	TBA	TBA	TBA	TBA	TBA	\$208.13
10X16.5 (788)	TL	12	304111491-788	59.0	TBA	TBA	TBA	TBA	TBA	\$216.46
31.5X13-16.5	TL	10	304111501	70.0	TBA	TBA	TBA	TBA	TBA	\$310.78
12X16.5	TL	10	304111541	75.0	TBA	TBA	TBA	TBA	TBA	\$286.83
12X16.5	TL	12	304111551	78.0	TBA	TBA	TBA	TBA	TBA	\$301.15
33X15.5-16.5	TL	12	304111561	TBA	TBA	TBA	TBA	TBA	TBA	\$453.75
33X15.5-16.5	TL	14	304111571	TBA	TBA	TBA	TBA	TBA	TBA	\$506.32
14X17.5	TL	10	304111581	114.0	TBA	TBA	TBA	TBA	TBA	\$471.41
14X17.5	TL	12	304111591	TBA	TBA	TBA	TBA	TBA	TBA	\$541.92
14X17.5	TL	14	304111601	117.5	TBA	TBA	TBA	TBA	TBA	\$569.03
15X19.5	TL	12	304111661	123.0	TBA	TBA	TBA	TBA	TBA	\$574.21
15X19.5	TL	14	304111681	124.0	TBA	TBA	TBA	TBA	TBA	\$596.39



SOLIDEAL®
SKS H.D Trac
Loader Gripper
& Xtra Wall



SOLIDEAL®
SKS Hauler



TRACTOR TIRES



**SOLIDEAL®
Extra Deep
Industrial
Pneumatics**



**SOLIDEAL®
Heavy Duty
Compactor**



**SOLIDEAL®
Pneumatic
Grader &
Backhoe**



TRACTOR TIRES

SIZE TYPE PLY ITEM CODE TIRE WEIGHT RIM WIDTH TREAD DEPTH MAXIMUM LOAD SECTION WIDTH TIRE DIAMETER RETAIL

Solideal Extra Deep Industrial Pneumatics

4.00-8	TL	10	102110041	TBA	TBA	TBA	TBA	TBA	TBA	\$44.12
5.00-8	TL	8	102110061	14.0	3.0-3.25	9	2725	5.60	18.70	\$54.20
5.00-8	TL	10	102110081	TBA	TBA	TBA	TBA	TBA	TBA	\$59.61
6.00-9	TL	10	102110101	20.0	4	10	3790	6.80	21.70	\$74.94
6.00-9	TL	12	102110121	TBA	TBA	TBA	TBA	TBA	TBA	\$81.65
6.50-10	TL	10	102110141	26.0	5.0-5.5	12	4305	7.50	23.60	\$88.34
6.50-10	TL	12	102110161	TBA	TBA	TBA	TBA	TBA	TBA	\$113.33
7.00-12	TL	12	102110221	36.0	5	11	5910	8.10	27.00	\$122.95
7.00-12	TL	14	102110241	TBA	TBA	TBA	TBA	TBA	TBA	\$138.11
7.00-15	TL	12	102110301	48.0	5.5	11	6768	8.40	30	\$138.11
7.50-10	TL	12	102110201	38.0	5.50F	13	5908	7.50	TBA	\$160.54
7.50-10	TL	16	102110211	TBA	TBA	TBA	TBA	TBA	TBA	\$177.01
7.50-15	TL	12	102110361	TBA	TBA	TBA	TBA	TBA	TBA	\$166.47
7.50-15	TL	14	102110381	51	6	25	8025	TBA	31	\$184.19
8.25-15	TL	12	102110441	71.0	6.5	23	8598	10.00	34	\$212.66
8.25-15	TL	14	102110461	75.5	6.5	25	9314	TBA	33	\$223.39

Solideal Heavy Duty Compactor

7.50-15	TL	6	10111033	41.9	6	0	3053	8.5	32.8	\$224.26
7.50-15	TL	10	10111038	44.8	6	0	4021	8.5	32.8	\$251.10
7.5-15	TL	14	10111038	45.6	6	0	5000	8.5	32.8	\$251.10

Solideal Pneumatic Grader & Backhoe

1300X24 TG	TL	12	104111801	163.0	TBA	TBA	TBA	TBA	TBA	\$555.33
1300X24 TG	TL	14	104111821	165.0	TBA	TBA	TBA	TBA	TBA	\$583.08
1300X24 TG	TL	16	104111831	167.0	TBA	TBA	TBA	TBA	TBA	\$666.39
1400X24 TG	TL	12	104111841	184.0	TBA	TBA	TBA	TBA	TBA	\$650.68
1400X24 TG	TL	14	104111851	190.0	TBA	TBA	TBA	TBA	TBA	\$684.36
1400X24 TG	TL	16	104111861	198.0	TBA	TBA	TBA	TBA	TBA	\$771.07
1300X24 TG	TL	12	10411180R1	162.8	TBA	TBA	TBA	TBA	TBA	\$610.87
1400X24 TG	TL	12	10411184R1	162.8	TBA	TBA	TBA	TBA	TBA	\$715.75
14.9-24 IND	TL	8	104112101	147.0	TBA	TBA	TBA	TBA	TBA	\$574.68
16.9-24 IND	TL	10	104112201	191.0	TBA	TBA	TBA	TBA	TBA	\$798.98
16.9-24 IND	TL	12	104152251	TBA	TBA	TBA	TBA	TBA	TBA	\$621.66
17.5L-24 IND	TL	10	104112401	191.0	TBA	TBA	TBA	TBA	TBA	\$796.83
17.5L-24 IND	TL	10	104152401	TBA	TBA	TBA	TBA	TBA	TBA	\$583.10
19.5L-24 IND	TL	10	104112451	193.0	TBA	TBA	TBA	TBA	TBA	\$767.92
19.5L-24 IND	TL	10	104152451	TBA	TBA	TBA	TBA	TBA	TBA	\$586.14
19.5L-24 IND	TL	12	104112501	196.0	TBA	TBA	TBA	TBA	TBA	\$793.32
19.5L-24 IND	TL	12	104152501	TBA	TBA	TBA	TBA	TBA	TBA	\$591.53
21L-24 IND	TL	10	104112551	270.0	TBA	TBA	TBA	TBA	TBA	\$958.09
21L-24 IND	TL	10	104152551	TBA	TBA	TBA	TBA	TBA	TBA	\$713.07
21L-24 IND	TL	12	104112601	232.0	TBA	TBA	TBA	TBA	TBA	\$966.40
21L-24 IND	TL	12	104152601	TBA	TBA	TBA	TBA	TBA	TBA	\$724.07
18.4-26 IND	TL	12	104112651	TBA	TBA	TBA	TBA	TBA	TBA	\$1003.00
16.9-28 IND	TL	12	104112801	214.0	TBA	TBA	TBA	TBA	TBA	\$744.59
18.4-28 IND	TL	12	104112901	242.0	TBA	TBA	TBA	TBA	TBA	\$1012.49

SIZE

TYPE

PLY

ITEM CODE

TIRE WEIGHT

RIM WIDTH

TREAD DEPTH

MAXIMUM LOAD

SECTION WIDTH

TIRE DIAMETER

RETAIL

Solideal SKZ Lifemaster Hauler

31X15.5-15	TL	8	30Z111421	TBA	TBA	TBA	TBA	TBA	TBA	\$406.27
31X15.5-15	TL	10	30Z111431	TBA	TBA	TBA	TBA	TBA	TBA	\$438.79
10X16.5	TL	10	30Z111481	73.0	TBA	TBA	TBA	TBA	TBA	\$249.72
12X16.5	TL	10	30Z111541	91.5	TBA	TBA	TBA	TBA	TBA	\$340.05
12X16.5	TL	12	30Z111551	79.0	TBA	TBA	TBA	TBA	TBA	\$357.09
33X15.5-16.5	TL	14	30Z111571	112.0	TBA	TBA	TBA	TBA	TBA	\$566.50
14X17.5	TL	10	30Z111581	115.0	TBA	TBA	TBA	TBA	TBA	\$605.27
14X17.5	TL	14	30Z111601	117.0	TBA	TBA	TBA	TBA	TBA	\$697.06
10X16.5	TL	10	30411148XD1	84.0	TBA	TBA	TBA	TBA	TBA	\$308.49
12X16.5	TL	12	30411155XD1	113.0	TBA	TBA	TBA	TBA	TBA	\$446.37



SOLIDEAL®
SKZ Lifemaster
Hauler

Solideal Loader L-2 and L-3

15.5X25	L-2	12	10411400L1	164.0	TBA	TBA	TBA	TBA	TBA	\$628.62
15.5X25	L-2	16	10411405L1	170.0	TBA	TBA	TBA	TBA	TBA	\$683.18
17.5X25	L-2	12	10411410L1	192.0	TBA	TBA	TBA	TBA	TBA	\$746.31
17.5X25	L-2	16	10411415L1	170.0	TBA	TBA	TBA	TBA	TBA	\$838.19
20.5X25	L-2	12	10411420L1	TBA	TBA	TBA	TBA	TBA	TBA	\$918.55
20.5X25	L-2	16	10411425L1	296.0	TBA	TBA	TBA	TBA	TBA	\$1019.01
20.5X25	L-2	20	10411430L1	TBA	TBA	TBA	TBA	TBA	TBA	\$1234.29
15.5X25	L-3	12	10411400R1	163.0	TBA	TBA	TBA	TBA	TBA	\$660.20
15.5X25	L-3	16	10411405R1	TBA	TBA	TBA	TBA	TBA	TBA	\$746.31
17.5X25	L-3	12	10411410R1	261.0	TBA	TBA	TBA	TBA	TBA	\$889.86
17.5X25	L-3	16	10411415R1	284.0	TBA	TBA	TBA	TBA	TBA	\$932.91
17.5X25	L-3	20	10411530R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1076.42
20.5X25	L-3	16	10411425R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1225.69
20.5X25	L-3	20	10411430R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1277.36
23.5X25	L-3	16	10411435R1	523.0	TBA	TBA	TBA	TBA	TBA	\$1664.88
23.5X25	L-3	20	10411438R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1765.34
23.5X25	L-3	24	10411439R1	TBA	TBA	TBA	TBA	TBA	TBA	\$1923.20
26.5X25	L-3	20	10411520R1	609.0	TBA	TBA	TBA	TBA	TBA	\$2497.30
23.5R25	L3/E3	*/**	104162351	TBA	TBA	TBA	TBA	TBA	TBA	\$4187.54
26.5R25	L3/E3	*/**	104162651	TBA	TBA	TBA	TBA	TBA	TBA	\$6192.98
29.5R25	L3/E3	*/**	104162951	TBA	TBA	TBA	TBA	TBA	TBA	\$7815.61



SOLIDEAL®
Loader
L-2 and L-3



TRACTOR TIRES