



TRAIL WOLF



TRAIL WOLF SPORT



MUD WOLF



BLACK ROCK



TIRE SIZE	ITEM CODE	TIRE WEIGHT	RIM WIDTH	MAX LOAD	SECTION WIDTH	DIAMETER
-----------	-----------	-------------	-----------	----------	---------------	----------

CARLISLE TRAIL WOLF ATV TIRE

19X7.00-8/2		5370371	8	5.5	175	6.8	19.00
19X8.00-8/2		537038	8.3	5.5	200	7.1	19.10
20X7.00-8/2		5370391	8.5	5.5	157	7.2	19.20
20X11.00-8/3*		537033	13.8	9	440	10.5	20.20
20X11.00-9/3*		537034	14.8	9	340	10.3	20.40
22X10.00-9/4		537055	18	9	355	10	21.80
25X12.00-9/4		537082	25.9	10	430	12.5	24.70
20X11.00-10/3*		537035	16.2	10	280	11.9	19.90
21X7.00-10/4		537084	12	5.5	205	6.8	21.40
22X7.00-10/2		537048	12	5.5	180	6.8	22.10
22X10.00-10/2		537049	17.7	8	245	9.6	22.90
25X12.00-10/4		537085	21.1	10	430	11.6	25.30
22X7.00-11/4		537054	13	6.5	245	6.8	22.20
23X8.00-11/4		537090	15	6.5	255	7.6	23.10
24X9.00-11/4		537091	17	7	316	8.4	24.40
25X8.00-12/2		537062	16.4	6.5	340	7.5	25.30
25X10.00-12/2		537061	21.4	8	340	9.1	25.40
25X11.00-12/2		537065	20.6	8	455	9.1	25.70
20X10-9/6	SPORT	560496	14	8	300	9.9	19.60
22X11-9/6	SPORT	560498	18	8	395	10.4	22.20
21X7-10/6	SPORT	560510	12	9	235	6.7	20.90
22X7-10/6	SPORT	560511	12	6	255	7.1	21.80

CARLISLE MUD WOLF

25X8-12/6		537125	28	6.5	340	8.3	25.00
25X11-12/6		537126	30	9	455	11.6	25.00
26X9-12/6		537127	28	7	410	9.2	26.00
26X12-12/6		537128	35	8	520	11.5	26.00
27X9-12/6		537129	32	7	440	9	27.00
27X12-12/6		537130	36	9.5	550	12	27.00
26X9-14/6 XL		537131	20	7	395	8	26.50
26X11-14/6 XL		537132	27	8	465	10	26.90

CARLISLE BLACK ROCK

24 X 9-11/6		560530	17	7	365	9	24.00
24 X 9-12/6		560534	16	7	355	9.9	24.00
25 X 8-12/6		560538	18	6.5	340	8	25.00
26 X 9-12/6		560539	19	7	410	9	26.00
25 X 10-12/6		560540	20	8	420	10	25.30
26 X 11-12/6		560541	23	9	480	11	26.30

CARLISLE STRYKER

22/11.00-8	BELTED	531073	21.0	9.00	340	11.1	22.60
22/11.00-9	BELTED	531065	22.3	10.00	340	11.2	22.60
25/12.00-9	BELTED	531075	28.0	10.00	430	12.2	25.20
22/11.00-10	2	531095	20.8	8.30	330	10.1	22.90



489 ATV



KNOBBY



STRYKER



BADLANDS



BADLANDS
XTR

TIRE SIZE	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
-----------	-----------	-------------	-----------	-------------	----------	---------------	----------

CARLISLE AT 489 ATV

22X10-10/3*	5370461	17.9	8	TBA	355	9.9	21.70
22X7-12/3*	5370521	12.6	6	TBA	240	6.7	22.40
22X10-12/3*	5370531	17	8	TBA	340	9.3	22.30
22X11-10/2*	5893HF	15.6	9	TBA	330	10.6	22.20
23X7-10/3*	5893M0	12.4	5.5	TBA	240	6.5	22.70
23X8-10/3*	589326	13.8	6.5	19	300	7.9	23.20
23X10-10/3*	589327	17.7	8	19	375	9.5	23.40
24X11-10/3*	589305	17.9	9	19	440	9.7	24.00
24X11.5-10/3*	589338	19.4	9	19	455	11.4	24.20
25X11-10/3*	589308	20.3	9	19	455	10.6	25.10
23X8-11/3*	589304	14.3	6.5	19	290	7.5	23.70
24X8-11/3*	589332	18.1	6.5	19	320	8.4	24.50
24X9-11/3*	5893A9	18	7	19	365	8.6	24.50
24X10-11/3*	589328	19.2	8	19	395	9.6	24.40
23X8-12/3*	589329	13.6	6.5	19	280	7.4	23.10
23X10-12/3*	589330	17.8	8	19	365	9	23.10
23X10-12	579330	17.2	8	19	365	9	23.10
24X8-12/3*	589337	14.9	6.5	19	455	8	23.80
24X9-12/3*	589342	16.5	8	19	265	8.9	23.80
24X11-12/3*	589344	20.1	9	19	430	10.1	24.40
25X10-12/3*	589321	19.2	8	19	420	9.1	25.20
25X11-12/3*	589336	21.1	8	19	455	10.6	25.40
25X8-12/3*	560490	15.2	7.5	23	340	7.5	25.20
26X10-12/2*	589336	19.6	8	19	385	9.8	25.70
25X8-12/6	560490	15.1	7	23	410	8.7	26.10
25X11-12/6	560491	20.9	8	23	480	10.8	26.20
26X8-12/6	560480	17.3	6.5	23	375	7.8	26.00
26X9-12/6	560460	18.8	7	19	440	9.1	27.00
26X11-12/6	560461	24.3	8	23	495	10.8	27.30
27X9-12/6	560470	18.9	6.5	23	340	7.4	25.20
27X11-12/6	560471	24.7	8	23	455	10.4	25.50

CARLISLE KNOBBY ATV TIRE

145/70-6/2	5150021	4.9	4.5		80	5.3	14.30
16/8.00-7/2	5150031	7.1	5		180	6.6	16.50
18/9.50-8/2	537005	10.6	7		625	8.8	18.30
22/11.00-8/2	537050	14.4	9		495	10.7	21.60
25/12.00-9/2	537081	18.8	10		430	11.8	24.60

CARLISLE BADLANDS ATV

205/85R12/3*	A/R	530009	18.1	6.5	TBA	375	7.7	25.50
255/70R12/3*	A/R	530008	25	8	TBA	440	9.4	26.10
205/80R12/4	XTR	537068	14.7	6.5	16	340	7.6	25.20
270/60R12/6	XTR	537069	20.2	8	19	455	10.5	25.00
255/65R12/4	XTR	537067	19.7	8	19	420	9.4	25.20



HD FIELD TRAX



A.C.T.
ALL CONDITIONS



A.C.T. X/LR
ALL CONDITIONS



ALL TRAIL
ALL TRAIL II



ALL TRAIL
ALL TRAIL II



TIRE SIZE	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
-----------	-----------	-------------	-----------	-------------	----------	---------------	----------

CARLISLE HD FIELD TRAX

22X12-8/3*	588389	20.8	9.5	20	430	11.7	21.30
22.5X10-8/3*	5883B9	20.5	7	20	365	10.2	22.50
24X12.00-12/2	560366	24.7	9.5	TBA	1135	11.6	24.00
25X13-9/3*	588394	27.1	10.5	20	535	12.4	24.80
18X8.50-10/4	5883U1	11	7	TBA	830	7.4	18.20
26X12.00-12/2	560467	25.9	9.5	TBA	1185	11.8	24.70

CARLISLE A.C.T. ALL CONDITIONS

23/7.00R12/3*	560408	14	5.5	23	260	7	23.20
23/10.00R12/3*	560409	18	8	23	365	10	23.50
25/8.00R12/3*	560425	17	7	23	340	7.9	25.20
26/8.00R12/3*	560441	17.3	7	23	375	7.7	25.80
25/11.00R12/3*	560426	24.8	8	23	455	10.5	25.50
26/10.00R12/3*	560442	24.6	8	23	440	10.4	26.20
26X8R14/3*	560518	17.5	7	TBA	355	8.0	26.00
26X11R14/3*	560519	22.9	8	TBA	465	11.1	26.00

CARLISLE A.C.T. X/LR ALL CONDITIONS

25/8.00R12/6	560481	20	6.5	32	340	8	25.30
25/11.00R12/6	560482	26.5	9	32	455	11.1	25.40
26/9.00R12/6	560465	25.3	7	32	455	11.1	26.20
26/11.00R12/6	560466	22.6	9	32	410	8.9	26.60
27/9.00R12/6	560472	28.4	7	32	480	11.1	27.50
27/11.00R12/6	560473	25.5	9	32	440	8.9	27.70

CARLISLE ALL TRAIL / ALL TRAIL II

22X11.00-10/4	ALL TRAIL	510016	19.5	8	1475	10.2	21.9
23X8.00-12/4	ALL TRAIL	511506	21.1	6.5	1125	8.4	23.2
23X10.50-12/4	ALL TRAIL	511505	22.3	7	1340	9.9	23.1
25X8.00-12/4	ALL TRAIL	511507	19.7	7	1305	8.3	25
25X10.50-12/4	ALL TRAIL	511508	26.6	7	1570	10.2	24.7
22X9.50-10/4	ALL TRAIL II	55A3N1	14.8	7.75	1280	9.5	22
24X9.50-10/4	ALL TRAIL II	55A3P2	16.3	7.5	1410	9.7	24
24X10.50-10/4	ALL TRAIL II	55A3N9	17.8	8	1490	10.8	24.5
20X10.00-84	ALL TRAIL II	510043	14.1	7	1190	9.3	20.2
20X10.00-10/4	ALL TRAIL II	510045	15.1	6	1160	8.9	20.1
22X10.00-84	ALL TRAIL II	510044	17.1	7	1350	10.1	22

CARLISLE TURF TAMER

12/418X9.50-8/3*	55U346	10.7	7.5	245	9	18.1
22.5X10.00-8/4	55U3C7	14.0	8	1390	9.2	22.8
12/425X12.00-9/3*	55U373	16.9	9.5	495	11.2	25.3
12/420X11.00-10/3*	55U3F2	15.2	9	330	10.7	20



**MUDBUG
M961/M962**



**MUDZILLA
M966**



**BIGHORN
FRONT 917**

TIRE SIZE	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
MAXXIS MUDBUG M961/M962							
25X12.00-9/6	TM08506000	27.9	9X8	34	430	11.6	25.20
23X11.00-10/6	TM16200000	22.5	10X8	34	370	10.5	23.20
25X11.00-10/6	TM16263100	25.4	10X8	34	415	10.6	25.20
25X12.00-10/6	TM16212100	26.7	10X8	34	475	11.5	25.20
26X12.00-10/6	TM16264000	34.3	10X8	34	500	11.6	26.20
23X8.00-11/6	TM16452000	23.2	11X7	34	255	8.3	23.20
24X9.00-11/6	TM16593100	24.2	11X7	34	305	8.7	24.20
25X10.00-11/6	TM16111000	23.8	11X8	34	380	9.2	25.20
25X12.00-11/6	TM16114000	29.5	11X8	34	470	11.6	25.20
26X12.00-11/6	TM16611600	29.9	11X8	34	495	11.6	26.20
25X8.00-12/6	TM16639400	20.0	12X7	34	290	8.3	25.20
25X10.00-12/6	TM16730400	23.1	12X8	34	430	9.2	25.20
26X10.00-12/6	TM16675000	24.7	12X7	34	460	9.1	26.00
26X12.00-12/6	TM16676000	28.4	12X7	34	560	10.4	26.00
27X8.00-12/6	TM16677200	21.6	12X7	34	330	8.3	27.20
27X10.00-12/6	TM16680000	27.0	12X7	34	490	9.1	27.00
27X12.00-12/6	TM16683000	27.0	12X7	34	660	9.8	27.00
28X10.00-12/6	TM16685200	28.2	12X7	34	450	9.5	28.20
28X12.00-12/6	TM16685400	30.6	12X8	34	550	11.5	28.20

MAXXIS MUDZILLA M966

25X8.00-12/6	TM16614000	24.7	12X6	34	290	8.0	25.40
25X10.00-12/6	TM16630400	29.5	12X7	34	365	10.0	25.40
26X9.00-12/6	TM16676300	28.0	12X7	35	350	9.0	26.40
26X12.00-12/6	TM16676400	34.2	12X7	35	515	11.0	26.40
27X9.00-12/6	TM16677300	28.7	12X7	36	375	9.0	27.40
27X12.00-12/6	TM16677400	38.4	12X7	36	545	11.0	27.40
28X8.00-12/6	TM16684100	29.0	12X6	37	375	8.2	28.00
28X10.00-12/6	TM16684200	35.6	12X7	37	455	9.8	28.00
28X12.00-12/6	TM16684300	41.6	12X7	37	550	10.8	28.00

MAXXIS BIGHORN RADIAL FRONT 917 / REAR 918

25X8.00R12/6	FRONT 917	TM16613100	22.4	12X6.5	28	8.0	25.40
26X9.00R12/6	FRONT 917	TM16678000	25.7	12X7.0	25	9.0	25.70
27X9.00R12/6	FRONT 917	TM16679000	26.2	12X7.0	25	9.0	27.40
27X12.00R12/6	FRONT 917	TM16683800	32.8	12X7.0	25	12.0	27.40
25X10R12/6	REAR 918	TM16630700		12X8.0	25.4	9.8	28
26X12R12/6	REAR 918	TM16676700		12X9.5	26.4	11.7	25
27X12R12/6	REAR 918	TM16683800		12X9.5	27.7	11.7	25