



## TURANZA SERENITY™

45-70,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- 3D Sipes enhances dry performance while maintaining snow, ice and wet traction.
- Mid-End Grooves improves noise and helps prevent irregular treadwear.
- CSC (Consistent Surface Contact) improves dry and wet handling, reduces irregular wear.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
-----------	--------------	-----------	-----------	-------------	-----------	-------------	---------------	----------	------------------

### BRIDGESTONE TURANZA SERENITY - 45-70,000 MILE LIMITED WARRANTY

P195/65R15	91H	BW	080-130	23	6.0	12	7.9	25.0	70,000
P205/65R15	94H	BW	080-283	24	6.0	12	8.2	25.5	70,000
P215/65R17	98H	BW	080-249	29	6.5	12	8.7	28.1	70,000
P205/60R16	92H	BW	080-368	24	6.0	12	8.2	25.7	70,000
P225/60R16	98H	BW	080-113	29	6.5	12	9.0	26.7	70,000
P235/60R16	100H	BW	080-232	31	7.0	12	9.5	27.1	70,000
P225/60R18	99H	BW	080-266	31	6.5	12	9.0	28.7	70,000
P205/55R16	91H	BW	080-351	25	6.5	12	8.4	24.9	70,000
P215/55R16	93H	BW	080-317	27	7.0	12	8.9	25.3	70,000
P225/55R16	95H	BW	080-198	28	7.0	12	9.2	25.8	70,000
P235/55R17	99H	BW	102-485	28	7.5	12	9.7	27.2	70,000
P205/60R16	91V	BW	113-229	24	6.0	11	8.2	25.7	50,000
P215/60R16	94V	BW	113-246	27	6.5	11	8.7	26.1	50,000
P225/55R16	95V	BW	081-031	28	7.0	11	9.2	25.7	50,000
P215/55R17	94V	BW	081-048	28	7.0	11	8.9	26.3	50,000
P225/55R17	97V	BW	081-099	29	7.0	11	9.2	26.8	50,000
P235/50R17	96V	BW	081-065	29	7.5	11	9.7	26.3	50,000
P245/50R17	99V	BW	102-502	28	7.5	11	10	26.7	50,000
P215/50R17XL	95V	BW	081-082	26	7.0	11	8.9	25.5	50,000
P225/50R17	94W	BW	081-235	28	7.0	11	9.2	25.9	45,000
P235/50R18	97W	BW	081-133	30	7.5	11	9.7	27.3	45,000
P225/45R17	91W	BW	081-252	26	7.5	11	8.9	25.0	45,000
P235/45R17	94W	BW	081-116	27	8.0	11	9.3	25.4	45,000
P245/45R18	96W	BW	102-536	31	8.0	11	9.6	26.7	45,000
P255/45R18XL	103W	BW	081-150	33	8.5	11	10.0	27.1	45,000
P245/45R19	98W	BW	081-184	32	8.0	11	9.6	27.7	45,000
P235/40R18XL	95W	BW	102-553	31	8.5	11	9.5	25.4	45,000
P245/40R18	93W	BW	102-570	31	8.5	11	9.8	25.7	45,000
P255/40R19XL	100W	BW	102-587	33	9.0	11	10.2	27.0	45,000
P275/40R19XL	105W	BW	081-218	34	9.5	11	10.9	27.7	45,000



## TURANZA EL-400™

50-80,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Innovative compound increases wear resistance.
- 5° noise reduction for noise-canceling sound waves that significantly reduce tire noise on road surfaces.
- Silica improves traction in wet conditions by increasing flexibility of tread compound.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE TURANZA EL-400 - 50-80,000 MILE LIMITED WARRANTY</b>									
P205/70R15	95T	WS	045-042	24	6	12	8.2	26.3	80,000
P215/70R15	97T	WS	045-059	25	6.5	12	8.7	26.9	80,000
P185/65R15	88T	BW	043-002	19	5.5	11	7.4	24.5	80,000
P195/65R15	91H	BW	043-291	21	6	12	7.9	25	50,000
P195/65R15	89T	BW	043-019	21	6	12	7.9	25	80,000
P205/65R15	92H	BW	043-223	22	6	12	8.2	25.5	50,000
P205/65R15	92T	BW	043-053	22	6	12	8.2	25.5	80,000
P215/65R15	95T	BW	043-070	24	6.5	12	8.7	26	80,000
P215/65R16	98T	BW	043-155	26	6.5	12	8.7	27	80,000
P215/65R17	98T	BW	068-451	28	7	12	8.7	28	80,000
P225/65R17	100T	BW	112-702	27	6.5	10	9	28.5	
P195/60R15	87H	BW	043-240	20	6	12	7.9	24.2	50,000
P195/60R15	87T	BW	043-104	20	6	12	7.9	24.2	80,000
P205/60R15	90H	BW	090-041	20	6	10	8.2	24.7	
P205/60R15	90T	BW	043-121	21	6	12	8.2	24.7	80,000
P215/60R15	93T	BW	043-138	23	6.5	12	8.7	25.2	80,000
P195/60R16	89H	BW	112-294	20	6	10	7.9	25.3	
P205/60R16	91H	BW	096-501	21	6	10	8.2	25.7	
P205/60R16	91H	BW	043-359	25	6	12	8.2	25.7	50,000
P205/60R16	91V	BW	108-571	23	6	10	8.2	25.7	
P215/60R16	94T	BW	043-172	24	6.5	12	8.7	26.1	80,000
P215/60R16	94V	BW	054-001	23	6.5	10	8.7	26.2	
P225/60R16	97T	BW	043-189	26	6.5	12	9	26.6	80,000
P215/60R17	95T	BW	058-098	23	6.5	11	8.7	27.2	
P225/60R18	99H	BW	068-434	30	8.5	11	9	28.7	50,000
P195/55R16	86V	BW	093-458	20	TBA	9	7.9	TBA	
P205/55R16	89H	BW	057-911	21	6.5	10	8.4	24.7	
P205/55R16	89H	BW	112-872	21	6.5	10	8.4	25	
P205/55R16	89H	BW	043-597	21	6.5	10	8.4	25	
P205/55R16	89H	BW	053-950	20	6.5	10	8.4	25	
P205/55R16	89T	BW	043-206	23	6.5	12	8.4	24.9	
P205/55R16	91H	BW	053-916	21	6.5	11	8.4	24.9	
P205/55R16	89H	BW	133-255	21	5.5	10	8.4	25	
P215/55R16	93H	BW	043-342	25	7	12	8.9	25.3	50,000
P215/55R17	93V	BW	043-529	26	7	10	8.9	26.6	
P215/55R17	93V	BW	091-333	25	7	10	8.9	26.6	
P215/55R17	93V	BW	065-901	26	7	10	8.9	26.6	
P215/55R18	94T	BW	058-081	25	7	11	8.9	27.5	
P225/55R18	97H	BW	124-347	28	7	11	9.2	27.8	50,000
P235/55R18	99H	BW	079-059	33	7.5	10	9.7	28.2	
P215/50R17	90V	BW	108-605	24	7	10	8.9	25.5	80,000
P225/50R17	93V	BW	108-622	26	7	10	9.2	25.9	
P225/50R18	94T	BW	124-636	26	7	11	9.2	26.9	80,000
P245/50R18	99H	BW	033-108	31	7.5	11	10	27.7	
P215/45R17	87V	BW	140-106	22	7	10	8.4	24.7	
P215/45ZR17	87W	BW	057-928	21	7	10	8.4	24.7	80,000
P215/45ZR17	87Z	BW	094-512	22	7	10	8.4	24.7	
P225/40R18	88W	BW	132-677	24	8	9	9.1	25.1	
P225/40R18	88V	BW	142-520	26	8	9	9.1	25.1	
P255/40R18	95W	BW	132-694	27	8.5	9	10.2	26.1	
P255/40R18	95V	BW	142-503	30	9	9	10.2	26	



## INSIGNIA SE200™

65,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Tread rubber compound with silica Improves traction, especially in cold, wet weather.
- Wide footprint adds comfort and quiet to the ride.
- Wide flow-through grooves helps enhance wet performance.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
-----------	--------------	-----------	-----------	-------------	-----------	-------------	---------------	----------	------------------

### BRIDGESTONE INSIGNIA SE200 - 65,000 MILE LIMITED WARRANTY

P185/70R14	87S	WS	026-104	19	5.5	11	7.4	24.3	65,000
P205/70R15	95S	WS	026-206	24	6	11	8.2	26.3	65,000
P215/70R15	97S	WS	026-223	26	6.5	11	8.7	26.9	65,000
P175/70R13	82S	BW	026-053	17	5	11	7	22.7	65,000
P175/70R14	84S	BW	026-087	16	5	11	7	23.7	65,000
P195/70R14	90S	BW	026-138	20	6	11	7.9	24.8	65,000
P175/65R14	81T	BW	085-791	17	5	11	7	23	65,000
P185/65R14	85T	BW	085-655	18	5.5	11	7.4	23.5	65,000
P195/65R14	88T	BW	085-621	19	6	11	7.9	24	65,000
P185/65R15	86T	BW	085-757	19	5.5	11	7.4	24.5	65,000
P195/65R15	89T	BW	085-638	20	6	10	7.9	25	65,000
P195/65R15	89S	BW	072-497	18	6	9	7.9	25	65,000
P205/65R15	92T	BW	085-672	22	6	11	8.2	25.5	65,000
P215/65R15	95T	BW	085-740	23	6.5	11	8.7	26	65,000
P215/65R16	98T	BW	026-410	27	6.5	11	8.7	27	65,000
P225/65R16	100T	BW	123-667	27	6.5	11	9	27.5	65,000
P235/65R16	103T	BW	122-562	29	7	12	9.5	28	65,000
P215/65R17	98T	BW	071-086	26	6.5	11	8.7	28	65,000
P225/65R17	100T	BW	138-933	30	6	11	9	28.5	65,000
P225/65R17	100T	BW	138-933	30	6	11	9	28.5	65,000
P185/60R15	84T	BW	071-052	18	5.5	11	7.4	23.7	65,000
P195/60R15	87H	BW	124-568	19	6	11	7.9	24.2	65,000
P225/60R16	97T	BW	085-706	25	6.5	10	9	26.6	65,000
P225/60R16	97S	BW	053-882	24	6.5	11	9	26.6	65,000
P235/60R16	99T	BW	071-069	28	7	11	9.5	27.1	65,000
P215/60R17	95T	BW	124-585	24	6.5	11	8.7	27.2	65,000
P235/60R17	102T	BW	138-899	29	6.5	11	9.5	28.1	65,000
P235/60R17	102T	BW	138-899	29	6.5	11	9.5	28.1	65,000
P205/55R16	89T	BW	085-689	21	6.5	11	8.4	24.9	65,000
P215/55R17	93T	BW	127-101	23	7	11	8.9	26.3	65,000
P205/50R16	86H	BW	124-602	21	6.5	11	8.4	24.1	65,000
P225/50R17	93T	BW	124-619	25	7	11	9.2	25.9	65,000



## POTENZA RE960AS POLE POSITION™

40,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Arc ahape leading edge enhances snow and dry performance.
- 3D shape improves handling response.
- Hydro evacuation surface improves wet traction by reducing flow resistance of water along groove walls.

TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE POTENZA RE960AS POLE POSITION - 40,000 MILE LIMITED WARRANTY</b>									
P225/65R17	101W	BW	121-542	33	9.5	11	10.9	27.7	40,000
P215/60R15	88H	BW	049-275	22	6.0	11	7.9	24.2	40,000
P225/60R16	94H	BW	049-309	25	6.5	11	8.7	25.2	40,000
P215/60R16	95W	BW	067-754	29	9.5	11	10.9	25.6	40,000
P215/60R17	102W	BW	121-559	31	9.5	11	10.9	27.6	40,000
P215/55R16	86H	BW	049-207	20	6.0	11	7.9	23.2	40,000
P225/55R16	93W	BW	049-377	26	7.0	11	8.9	25.3	40,000
P215/55R17	101W	BW	121-865	45	9.5	11	10.7	26.3	40,000
P215/55R17	96W	BW	067-771	30	9.5	11	10.9	25.6	40,000
P215/55R18	97W	BW	049-836	30	9.5	11	10.9	26.5	40,000
P225/50R16	94H	BW	049-258	24	6.0	11	8.2	25.5	40,000
P245/50R16	94W	BW	049-547	26	8.0	11	9.3	25.4	40,000
P225/50R17	91W	BW	049-496	23	7.0	11	8.4	24.6	40,000
P215/50R17	88H	BW	049-224	21	5.5	11	7.4	24.4	40,000
P225/50R17	99W	BW	049-683	32	9.5	11	10.9	26.7	40,000
P235/50R17	91W	BW	049-615	27	7.5	11	8.9	25.9	40,000
P225/50R18	95W	BW	049-445	25	7.0	11	8.9	25.5	40,000
P245/50R18	99W	BW	049-853	32	10	11	11.4	26.8	40,000
P215/45R17	82H	BW	049-173	19	5.5	11	7.4	22.8	40,000
P225/45R17	91W	BW	049-343	24	6.5	11	8.4	24.9	40,000
P235/45R17	94W	BW	121-899	25	7.5	11	8.9	25.0	40,000
P245/45R17	98W	BW	049-326	28	6.5	11	9.0	26.6	40,000
P225/45R18	91H	BW	049-292	23	6.0	11	8.2	24.7	40,000
P245/45R18	91W	BW	049-734	25	8.5	11	9.5	25.5	40,000
P255/45R18	93W	BW	049-666	27	8.5	11	9.8	25.7	40,000
P245/45R19	95W	BW	108-044	25	8.5	11	9.5	25.4	40,000
P245/40R17	95W	BW	121-593	27	7.0	11	9.2	26.9	40,000
P255/40R17	93W	BW	049-768	27	8.5	11	9.8	25.8	40,000
P225/40R18	91H	BW	049-241	22	6.0	11	7.9	25.0	40,000
P235/40R18	89W	BW	121-627	26	8.0	11	9.1	26.1	40,000
P245/40R18	95W	BW	049-394	27	7.0	11	9.2	25.7	40,000
P255/40R18	95W	BW	049-802	28	8.5	11	9.8	26.8	40,000
P265/40R18	100W	BW	049-632	30	8.0	11	9.6	26.7	40,000
P275/40R18	95W	BW	121-882	27	9.0	11	10.2	26.0	40,000
P225/40R19	84W	BW	049-598	21	7.5	11	8.4	23.5	40,000
P255/40R19	91W	BW	108-078	28	8.5	11	9.8	24.7	40,000
P275/40R19	100W	BW	121-491	28	9.0	11	10.2	27.1	40,000
P265/35R18	95W	BW	049-564	28	8.0	11	9.6	25.7	40,000
P275/35R18	93W	BW	049-819	29	9.0	11	10.2	27.0	40,000
P235/35R19	88W	BW	049-649	25	8.0	11	9.1	25.1	40,000
P245/35R19	92W	BW	049-411	25	7.0	11	9.2	24.9	40,000
P245/35R20	94W	BW	049-462	28	7.0	11	9.2	25.9	40,000
P255/35R20	96W	BW	049-479	29	7.5	11	9.7	26.3	40,000
P275/35R20	94W	BW	108-061	27	9.0	11	10.2	25.0	40,000
P275/30R19	98W	BW	121-508	32	7.5	11	9.6	27.7	40,000
P295/30R19	93W	BW	049-717	28	9.5	11	10.7	25.3	40,000
P275/30R20	97W	BW	049-428	29	7.5	11	10.0	25.7	40,000
P285/30R20	99W	BW	121-610	27	8.5	11	10.0	27.1	40,000



## POTENZA G019 GRID™

50,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Mud and Snow rated for year-round traction.
- Silica tread additive boosts wet grip.
- Veri-pitch design minimizes road noise.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
-----------	--------------	-----------	-----------	-------------	-----------	-------------	---------------	----------	------------------

### BRIDGESTONE POTENZA G019 GRID - 50,000 MILE LIMITED WARRANTY

P185/65R15	86H	BW	074-486	22	5.5	11	7.4	24.5	50,000
P195/65R15	89H	BW	074-503	24	6.0	11	7.9	25.0	50,000
P205/65R15	92H	BW	074-520	25	6.0	11	8.2	25.5	50,000
P195/60R15	87H	BW	074-537	23	6.0	11	7.9	24.2	50,000
P205/60R15	90H	BW	074-554	24	6.0	11	8.2	24.7	50,000
P205/60R16	91V	BW	074-775	25	6.0	11	8.2	25.7	50,000
P205/60R16	91H	BW	074-588	25	6.0	11	8.2	25.7	50,000
P215/60R15	93H	BW	074-571	26	6.5	11	8.7	25.2	50,000
P215/60R16	94V	BW	074-792	27	6.5	11	8.7	26.1	50,000
P225/60R16	97V	BW	121-678	29	6.5	11	9.0	26.6	50,000
P225/60R18	99H	BW	074-758	31	6.5	11	9.0	28.6	50,000
P195/55R16	87H	BW	074-928	23	6.0	11	7.9	24.4	50,000
P205/55R16	91V	BW	074-809	25	6.5	11	8.4	24.9	50,000
P205/55R16	91H	BW	074-622	24	6.5	11	8.4	24.9	50,000
P215/55R16	93V	BW	121-644	27	8.0	11	8.9	25.4	50,000
P225/55R16	95V	BW	121-661	28	7.0	12	9.2	25.7	50,000
P215/55R17	94V	BW	074-826	28	7.0	11	8.9	26.3	50,000
P225/55R17	97V	BW	121-695	26	7.0	11	9.2	26.8	50,000
P235/55R17	99V	BW	121-729	30	6.5	11	9.7	27.2	50,000
P205/50R16	86V	BW	121-712	25	5.5	11	8.4	24.1	50,000
P215/50R16	90V	BW	121-831	23	6.0	11	8.9	24.5	50,000
P205/50R17	89V	BW	074-843	24	6.5	11	8.4	25.1	50,000
P215/50R17	95V	BW	074-860	25	7.0	11	8.9	25.5	50,000
P225/50R17	94V	BW	074-877	28	7.0	12	9.2	25.9	50,000
P235/50R17	96V	BW	074-894	25	7.5	12	9.7	26.3	50,000
P205/45R17	84V	BW	074-911	24	7.0	11	8.1	24.3	50,000
P215/45R17	91V	BW	123-344	25	7.0	11	8.4	24.7	50,000
P225/45R17	91V	BW	121-780	28	7.5	11	8.9	25.0	50,000
P235/45R17	94V	BW	121-763	27	8.0	11	9.3	25.4	50,000
P245/45R17	95H	BW	074-707	28	8.0	11	9.6	25.7	50,000
P255/45R17	98V	BW	121-814	30	8.5	11	10.0	26.1	50,000
P245/45R18	96V	BW	104-457	27	8.0	11	9.6	26.7	50,000
P205/40R17	84H	BW	074-724	21	7.5	12	8.4	23.5	50,000



## POTENZA G 009™

50,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- O-bead improves uniformity and ride comfort.
- Computer optimized component system maximizes tire performance.
- Long link carbon helps improve tread wear and resist cracking, chipping and tearing.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE POTENZA G 009 - 50,000 MILE LIMITED WARRANTY</b>									
P195/65R15	91H	BW	024-710	22	6.0	11	TBA	25	50,000
P205/65R15	94H	BW	024-727	24	6.0	11	TBA	25.5	50,000
P195/60R15	91H	BW	024-761	21	6.0	11	TBA	24.2	50,000
P205/60R15	91H	BW	024-778	24	6.0	11	TBA	24.7	50,000
P215/60R15	94H	BW	024-795	25	6.5	11	TBA	25.2	50,000
P205/60R16	92H	BW	025-220	27	6.0	11	TBA	25.7	50,000
P215/60R16	95H	BW	024-982	27	6.5	11	TBA	26.1	50,000
P225/60R16	98H	BW	024-999	27	6.5	11	TBA	26.6	50,000
P205/55R16	91H	BW	025-016	23	6.5	11	TBA	24.9	50,000
P215/55R16	93H	BW	025-101	25	7.0	11	TBA	25.3	50,000



## DUELER HP SPORT™

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Silica improves traction in wet conditions by increasing flexibility of tread compound.
- Computer optimized component system maximizes tire performance.
- O-bead improves uniformity and ride comfort.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE DUELER HP SPORT</b>									
P235/65R17	108V	BW	056-721	34	7.0	10	9.5	29.1	
P275/60R17	110V	BW	048-918	38	8.0	11	11.0	30.0	
P265/60R18	109V	BW	048-952	38	8.0	11	10.7	30.5	
P285/60R18	116V	BW	048-969	42	8.5	11	11.5	31.5	
P275/55R17	109W	BW	048-935	39	8.5	11	11.2	28.9	
P255/55R18	109Y	BW	067-890	38	8.0	11	10.4	28.8	
P285/50R18	109W	BW	049-003	42	9.0	11	11.7	29.3	
P235/50R19	99V	BW	131-317	31	7.5	11	9.7	28.1	
P255/50R19	103V	BW	049-020	35	8.0	11	10.4	29.1	
P255/50R19	107V	BW	090-075	44	8.0	10	10.4	29.2	
P255/50R19	107W	BW	058-285	44	8.0	10	10.4	29.2	
P255/45R19	100V	BW	132-711	35	8.5	11	10.0	28.1	
P285/45R19	107V	BW	067-924	37	8.0	11	11.2	29.1	
P285/45R19	111V	BW	090-092	42	9.5	10	11.2	29.2	
P285/45R19	111W	BW	058-302	45	9.5	10	11.2	29.2	
P235/45R20	100W	BW	133-595	30	8.0	11	9.3	28.2	
P255/45R20	101W	BW	133-306	33	8.5	11	10.0	29.1	
P275/45R20	110Y	BW	089-038	39	9.0	9	10.8	29.8	
P255/40R20	101W	BW	133-561	31	8.5	11	10.2	28.1	
P275/40R20	102W	BW	095-107	37	9.5	11	10.9	28.6	
P275/40R20	106Y	BW	067-958	37	9.5	11	10.9	28.7	
P275/40R20	106W	BW	112-243	40	9.5	11	10.9	28.7	
P275/40R20	106Y	BW	112-991	40	9.5	11	10.9	28.7	
P315/35R20	106W	BW	095-124	42	TBA	11	12.6	28.6	
P315/35R20	110Y	BW	113-008	49	11.0	11	12.6	28.7	
P315/35R20	110W	BW	112-260	49	11.0	11	12.6	28.7	



## BLIZZAK DM-V1™

- Center multi-z pattern improves snow and ice traction by improving drainage.
- RC polymer improves snow and ice performance.
- 3-D sipes enhance dry performance while maintaining snow, ice and wet traction.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE BLIZZAK DM-V1</b>									
P235/75R15	108R	BL	096-892	29	6.5	14	9.3	28.9	
P225/75R16	104R	BL	096-858	29	6	14	8.8	29.3	
P235/75R16	109R	BL	124-075	36	6.5	14	9.3	29.8	
P245/75R16	109R	BL	096-909	31	7	14	9.8	30.5	
P235/75R17	108R	BL	096-875	31	6.5	14	9.3	30.9	
P245/75R17	110R	BL	096-926	32	7	14	9.8	31.5	
P215/70R15	98R	BL	096-960	28	6.5	14	8.7	26.9	
P215/70R16	100R	BL	096-977	29	6.5	14	8.7	27.9	
P225/70R16	103R	BL	097-011	28	6.5	14	9	28.4	
P235/70R16	106R	BL	097-045	29	7	14	9.5	29	
P245/70R16	107R	BL	097-062	35	7	14	9.8	29.5	
P265/70R16	112R	BL	097-130	39	8	14	10.7	30.6	
P275/70R16	114R	BL	097-181	42	8	14	11	31.2	
P215/70R17	100R	RB	140-157	30	7	14	8.7	28.9	
P245/70R17	108R	BL	097-079	31	7	14	9.8	30.6	
P255/70R17	110R	BL	097-113	31	7.5	14	10.2	31.1	
P265/70R17	115R	BL	097-164	32	8	14	10.7	31.7	
P285/70R17	117R	BL	097-198	33	8.5	14	11.5	32.8	
P255/70R18	112R	BL	122-324	42	7.5	14	10.2	32.1	
P265/70R18	114R	BL	097-147	33	8	14	10.7	32.6	
P225/65R17	102R	BL	097-215	30	6.5	13	9	28.5	
P235/65R17	108R	BL	097-232	29	7	13	9.5	29.1	
P245/65R17	105R	BL	097-249	30	7	13	9.8	29.5	
P255/65R17	108R	BL	097-266	30	7.5	14	10.2	30.1	
P265/65R17	112R	BL	097-300	39	8	14	10.7	30.6	
P235/65R18	106R	BL	122-307	29	7	13	9.5	30	
P255/65R18	109R	BL	122-358	39	7.5	14	10.2	31.1	
P265/65R18	112R	BL	109-744	40	8	14	10.7	31.5	
P275/65R18	114R	BL	097-317	42	8	14	11	32.1	
P255/60R17	106R	BL	136-264	36	7.5	14	10.4	29.1	
P235/60R18	107R	BL	097-334	29	7	13	9.5	29.1	
P245/60R18	105R	BL	140-174	34	7	13	9.8	29.6	
P265/60R18	110R	BL	097-351	31	8	14	10.7	30.5	
P275/60R18	113R	BL	097-368	31	8	14	11	31	
P285/60R18	116R	BL	097-385	44	8.5	14	11.5	31.5	
P255/60R19	108R	BL	122-375	39	7.5	13	10.2	31.1	
P245/60R20	107R	BL	136-213	37	7	13	10.2	31.6	
P275/60R20	114R	BL	109-761	43	8	14	11	33	
P235/55R18	100R	BL	097-402	30	7.5	13	9.7	28.2	
P255/55R18	109R	BL	132-048	36	8	13	10.4	29	
P235/55R19	101R	BL	097-419	29	7.5	13	9.7	29.2	
P245/55R19	103R	BL	122-290	34	8	13	10	29.7	
P275/55R20	111R	BL	097-436	32	8.5	14	11.2	31.9	
P245/50R20	102R	BL	140-191	33	8	13	10	29.7	
P265/50R20	106R	BL	097-453	38	8.5	14	10.9	30.5	
P275/45R20	110R	BL	132-065	38	9	14	10.8	29.8	
P285/45R22	110R	BL	109-778	43	9.5	14	11.2	32.1	



## BLIZZAK LM-60™

- Zigzag sipes improves snow and ice traction by increasing the number of biting edges.
- Continuous lug enhances snow traction and water evacuation.
- 3-D sipes enhance dry performance while maintaining snow, ice and wet traction.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE BLIZZAK LM-60</b>									
P225/60R18	99H	BL	103-811	29	6.5	11	9	28.6	
P195/55R16	87H	BL	131-487	26	6	11	7.9	24.4	
P235/55R17XL	103H	BL	123-939	31	7.5	11	9.7	27.2	
P235/55R18	99H	BL	141-891	37	6.5	11	9.7	28.2	
P255/55R18XL	109H	BL	131-759	46	8	11	10.4	29	
P235/50R17	96H	BL	122-188	29	7.5	11	9.7	26.3	
P225/50R18	95H	BL	104-100	28	7	11	9.2	26.9	
P235/50R18XL	101H	BL	122-205	30	6.5	11	9.7	27.3	
P255/50R19XL	107H	BL	131-402	30	8	11	10.4	29.1	
P245/50R20	102H	BL	103-794	33	8	11	10	29.7	
P205/45R17	84H	BL	131-538	24	7	11	8.1	24.3	
P215/45R17XL	91H	BL	104-236	23	7	11	8.4	24.7	
P225/45R17	91H	BL	104-134	24	7.5	11	8.9	25	
P235/45R17XL	97H	BL	104-032	25	8	11	9.3	25.4	
P215/45R18XL	93H	BL	131-436	24	7	11	8.4	25.6	
P225/45R18XL	95H	BL	104-117	26	7.5	11	8.9	25.9	
P235/45R18	94H	BL	131-385	28	8	11	9.3	26.3	
P245/45R18XL	100H	BL	122-171	30	8	11	9.6	26.7	
P255/45R18	99H	BL	103-879	28	8.5	12	10	27.1	
P225/45R19	92H	BL	131-419	26	7.5	11	8.9	27	
P245/45R19	98H	BL	103-964	30	8	11	9.6	27.7	
P245/45R20	99H	BL	123-752	36	8	11	9.6	28.7	
P255/45R20	101H	BL	123-769	30	8.5	12	10	29.1	
P245/40R17	91H	BL	122-154	26	8.5	11	9.8	24.7	
P225/40R18	88H	BL	131-827	29	8	11	9.1	25.1	
P255/40R18	95H	BL	131-844	39	9	12	10.2	26	
P265/35R18XL	97H	BL	103-862	28	9.5	12	10.7	25.3	
P255/40R18XL	99H	BL	103-913	30	9	12	10.2	26	
P245/40R19	94H	BL	103-998	28	8.5	11	9.8	26.7	
P225/40R19	89H	BL	104-168	26	8	11	9.1	26.1	
P225/40R18XL	92H	BL	140-140	30	8	11	9.1	25.1	
P245/40R18XL	97H	BL	132-201	30	8.5	11	9.8	25.7	
P255/40R19XL	100H	BL	123-837	30	9	11	10.2	27.1	
P245/40R20	95H	BL	131-453	30	8.5	11	9.8	27.7	
P275/35R18	95H	BL	124-041	26	9.5	12	10.9	25.6	
P235/35R19XL	91H	BL	122-239	24	8.5	11	9.5	25.5	
P275/35R19	96H	BL	124-007	30	9.5	12	10.9	26.6	
P255/35R19XL	96H	BL	131-368	29	9	11	10.2	26	
P265/35R19	94H	BL	103-828	30	9.5	12	10.7	26.3	
P255/35R20XL	97H	BL	122-256	36	9	11	10.2	27	



## DUELER H/L ALENZA™

65,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Enhanced dry performance while maintaining snow, ice and wet traction..
- Wide center rib improves handling and wear.
- Variable block wall angle reduces noise.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
-----------	--------------	-----------	-----------	-------------	-----------	-------------	---------------	----------	------------------

### BRIDGESTONE DUELER H/L ALENZA - 65,000 MILE LIMITED WARRANTY

P225/75R16	104T	OWL	044-158	32	6.0	12	8.8	29.2	65,000
P235/75R15	105T	OWL	044-107	33	6.5	12	9.3	28.7	65,000
P245/75R16	109T	OWL	044-192	37	7.0	12	9.8	30.3	65,000
P235/75R16	106T	OWL	044-175	34	6.5	12	9.3	29.7	65,000
P205/70R15	95T	OWL	044-294	24	6.0	12	8.2	26.2	65,000
P215/70R16	99T	OWL	044-141	29	6.5	12	8.7	27.8	65,000
P225/70R16	101T	OWL	025-373	31	6.5	12	9.0	28.3	65,000
P255/70R16	109T	OWL	044-209	39	7.5	13	10.2	29.9	65,000
P265/70R16	112T	OWL	025-458	42	8.0	12	10.7	30.6	65,000
P245/70R17	108T	OWL	098-320	39	7.0	13	9.8	30.6	65,000
P265/70R17	113T	OWL	098-354	42	8.0	13	10.7	31.7	65,000
P265/70R18	114T	OWL	068-502	44	8.0	13	10.7	32.6	65,000
P245/65R17	105T	OWL	098-405	37	7.0	12	9.8	29.5	65,000
P265/65R17	110T	OWL	098-422	40	8.0	13	10.7	30.6	65,000
P235/65R18	104T	OWL	098-371	34	7.0	12	9.5	30.0	65,000
P265/65R18	112T	OWL	098-439	42	8.0	13	10.7	31.5	65,000
P265/75R16	114H	BW	042-662	42	7.5	12	10.5	31.5	65,000
P255/75R17	113T	BW	042-628	40	7.0	13	10.0	31.9	65,000
P265/70R15	110H	BW	042-645	37	8.0	12	10.7	29.5	65,000
P235/70R16	106H	BW	042-577	33	7.0	12	9.5	28.9	65,000
P245/70R16	106H	BW	042-611	36	7.0	13	9.8	29.4	65,000
P275/70R16	114H	BW	042-696	42	8.0	12	11.0	31.0	65,000
P265/70R17	113H	BW	040-639	40	8.0	12	10.7	31.7	65,000
P255/65R16	109H	BW	040-656	35	7.5	12	10.2	29.1	65,000
P225/65R17	102H	BW	042-509	30	6.5	12	9.0	28.4	65,000
P235/65R17	104H	BW	025-475	33	7.0	12	9.5	28.8	65,000
P245/65R17	105H	BW	042-594	36	7.0	12	9.8	29.4	65,000
P275/65R18	114H	BW	056-585	41	8.0	13	11.0	32.1	65,000
P255/60R17	106H	BW	068-553	36	7.5	12	10.4	29.0	65,000
P275/60R17	110H	BW	042-679	41	8.0	13	11.0	29.9	65,000
P265/60R18	110V	BW	098-456	41	8.0	11	10.7	30.5	65,000
P275/60R18	113H	BW	098-473	43	8.0	12	11.0	30.1	65,000
P285/60R18	114H	BW	025-594	45	8.5	13	11.5	31.5	65,000
P255/60R19	108H	BW	123-089	41	7.5	13	10.2	31.1	65,000
P275/60R20	114H	BW	042-798	46	8.0	12	11.0	33.0	65,000
P275/55R17	109V	BW	073-721	40	8.5	13	11.2	28.9	65,000
P235/55R18	100V	BW	067-278	32	7.5	12	9.7	28.2	65,000
P255/55R18	109W	BW	098-490	37	8.0	11	10.4	29.0	65,000
P255/55R19	111V	BW	098-524	39	8.0	11	10.4	30.0	65,000
P255/55R20	107H	BW	127-390	38	8.0	12	10.4	31.1	65,000
P275/55R20	111H	BW	058-574	42	8.5	12	11.2	32.0	65,000
P275/55R20	111S	BW	053-967	42	8.5	12	11.2	32.0	65,000
P235/50R18	101V	BW	093-152	32	7.5	11	9.7	27.3	65,000
P235/50R19	99H	BW	107-959	31	7.5	12	9.7	28.2	65,000
P255/50R20	109V	BW	093-169	39	8.0	11	10.4	30.1	65,000
P265/50R20	106V	BW	042-747	39	8.5	13	10.9	30.5	65,000
P255/45R18	99V	BW	073-653	32	8.5	12	10.0	27.1	65,000
P245/45R19	102V	BW	098-609	32	8.0	11	9.6	27.7	65,000
P275/45R20	106V	BW	042-764	38	9.0	12	10.8	29.8	65,000
P275/45R22	112V	BW	098-694	44	9.0	12	10.8	31.8	65,000
P285/45R22	110H	BW	053-984	42	9.5	12	11.2	32.2	65,000
P275/40R20	106W	BW	098-745	38	9.5	11	10.9	28.7	65,000
P305/40R22	114W	BW	096-212	46	11	11	12.3	31.5	65,000



## DUELER H/T 684™ DUELER H/T 684II™

60,000 Mile Limited Treadwear Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Spiral wrap improves high speed capability.
- Rounded casing profile provides a smooth ride.
- Notches in grooves aid snow traction.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE DUELER H/T 684 II - 60,000 MILE LIMITED TREADWEAR WARRANTY</b>									
P235/75R15	105S	OWL	044-940	31	8.0	12	9.3	28.9	60,000
P245/75R16	109S	OWL	062-960	38	8.0	13	9.8	30.5	60,000
P265/75R16	114S	OWL	045-025	41	9.0	13	10.5	31.7	60,000
P225/70R15	100S	OWL	044-872	29	7.5	12	9	27.4	60,000
P265/70R15	110S	OWL	045-008	36	9.0	13	10.7	30.6	60,000
P235/70R16	104S	OWL	044-923	34	8.0	12	TBA	29	60,000
P245/70R16	106S	OWL	044-957	36	8.0	13	9.8	29.5	60,000
P255/70R16	109S	OWL	044-991	37	8.5	13	TBA	30.1	60,000
P235/65R16	101S	OWL	060-954	31	TBA	11	9.5	0	60,000
P245/65R17	105S	OWL	042-815	36	8.5	13	9.8	29.5	60,000
P235/65R18	104T	OWL	073-772	34	8.5	13	9.5	32.2	60,000
P235/60R17	100S	OWL	060-971	29	8.5	11	9.5	28.1	60,000
P255/55R18XL	109W	OWL	098-490	37	9.0	11	10.4	29	60,000
P305/40R22XL	114W	OWL	096-212	46	12.0	11	12.3	31.5	60,000
P275/40R20XL	106W	OWL	098-745	38	11.0	11	10.9	28.7	60,000
LT31X10.50R15	109S	OWL	191-350	41	9.0	15	10.5	30.5	60,000
LT235/75R15	104S	OWL	191-367	37	7.0	14	9.3	28.9	60,000
LT245/75R16	120R	OWL	190-806	39	8.0	15	9.8	30.5	60,000
P215/70R16	99S	BL	106-216	26	7.0	11	8.7	27.8	60,000
P235/70R16	104T	BL	058-421	30	TBA	10	9.5	TBA	60,000
P245/70R17	108S	BL	142-741	34	7.0	10	9.8	30.6	60,000
P265/70R17	113S	BL	116-816	39	9.0	11	10.7	31.7	60,000
P265/70R17	113S	BL	147-985	40	9.0	13	10.7	31.7	60,000
P255/70R18	112T	BL	055-106	39	8.5	11	10.2	32.2	60,000
P235/65R16	101S	BL	106-267	30	8.5	11	9.5	28	60,000
P265/65R17	110S	BL	030-456	38	9.5	12	10.7	30.6	60,000
P265/65R18	112S	BL	043-614	41	9.5	12	10.7	31.6	60,000
P275/65R18	114T	BL	055-089	41	9.5	11	11	32	60,000
P275/65R18	114T	BL	126-591	42	9.5	11	11	32	60,000
P235/60R17	100S	BL	001-267	28	9.0	11	9.5	28.3	60,000
P235/60R18	102H	BL	058-438	31	8.5	10	9.5	29.1	60,000
P285/60R18	114V	BL	112-889	42	10.0	10	11.5	31.5	60,000
P245/60R20	107H	BL	142-758	36	7.0	10	10.2	31.6	60,000
P275/60R20	114H	BL	149-779	44	9.5	11	11	33	60,000
P285/60R18	114H	BL	025-594	45	10	13	11.5	31.5	60,000
P265/60R18	110V	BL	098-456	41	9.5	11	10.7	30.5	60,000
P275/60R20	114H	BL	042-798	46	9.5	12	11	33	60,000
P205/55R16	89H	BL	133-255	21	7.5	10	8.4	25	60,000
P255/55R20	107H	BL	127-390	38	9.0	12	10.4	31.1	60,000
P275/55R20	111S	BL	053-967	42	9.5	12	11.2	32	60,000
P275/55R20	111H	BL	058-574	42	9.5	12	11.2	32	60,000
P275/55R20	111H	BL	126-625	42	9.5	12	11.2	32	60,000
P265/50R20	106V	BL	042-747	39	9.5	13	10.9	30.5	60,000
P275/50R22	111H	BL	149-796	44	9.5	11	11.2	32.9	60,000
P275/45R20	106V	BL	042-764	38	10	12	10.8	29.8	60,000
P285/45R22	110H	BL	053-984	42	11.0	12	11.2	32.2	60,000
P255/40R18	95W	BL	132-694	27	10	9	10.2	26.1	60,000



### DUELER H/T 684II™

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Enhanced dry performance while maintaining snow, ice and wet traction.
- Wide center rib improves handling and wear.
- Variable block wall angle reduces noise.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
-----------	--------------	-----------	-----------	-------------	-----------	-------------	---------------	----------	------------------

#### BRIDGESTONE DUELER H/T 684II

P205/70R15	95S	BW	118-028	22	6.0	9	8.2	26.2	
P235/70R16	105T	BW	105-635	33	7.0	12	9.5	28.9	
P235/70R16	104S	BW	105-163	32	7.0	11	9.5	29.1	
P215/65R16	98T	BW	057-860	24	6.5	9	8.7	26.8	
P235/65R17	104T	BW	050-771	33	7.0	13	9.5	29.2	
P275/60R18	111H	BW	000-859	41	8.0	11	11.0	31.0	



### DUELER H/T 689™

60,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Computer designed all-season tread for outstanding wet weather traction and quiet ride.
- Great selection of fitments for today's fast growing sport utility vehicles market.
- Rounded casing profile for a smooth ride.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
-----------	--------------	-----------	-----------	-------------	-----------	-------------	---------------	----------	------------------

#### BRIDGESTONE DUELER H/T 689 - 60,000 MILE LIMITED WARRANTY

P245/70R16	106S	BL	000-621	35	7.0	12	9.8	29.5	60,000
P255/70R16	109S	BL	077-690	35	7.5	12	10.2	30.0	60,000
P265/70R16	112S	BL	032-020	36	8.0	11	10.7	30.5	60,000
P265/70R16	111S	BL	092-061	38	8.0	11	10.7	30.5	60,000
P215/65R16	96H	BL	057-826	24	6.5	10	8.7	27.1	60,000
P255/65R16	106S	BL	076-554	33	7.5	12	10.2	29.3	60,000
P245/65R17	105S	BL	047-524	34	7.0	12	0.0	29.5	60,000
P245/65R17	105S	BL	092-827	31	7.0	12	9.8	29.5	60,000



### DUELER A/T REVO™

50,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Computer designed all-season tread for outstanding wet weather traction and quiet ride.
- Great selection of fitments for today's fast growing sport utility vehicles market.
- Rounded casing profile for a smooth ride.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
-----------	--------------	-----------	-----------	-------------	-----------	-------------	---------------	----------	------------------

#### BRIDGESTONE DUELER A/T REVO - 50,000 MILE LIMITED WARRANTY

P235/65R17	103T	OWL	098-201	31	7.0	11	9.5	28.5	50,000
P245/65R17	105T	OWL	098-218	36	7.0	12	9.8	29.5	50,000
P275/60R20	114T	OWL	098-235	47	8.0	11	11.0	33.0	50,000
P275/55R20	111T	OWL	098-252	46	8.5	11	11.2	31.9	50,000

# BRIDGESTONE

## DUELER A/T 693™

- Outstanding wet performance, wear, and quiet ride- all without sacrificing other performance.
- Designed to combine off-road performance with all-season highway traction, including light snow.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE DUELER A/T 693</b>									
P265/75R16	114S	OWL	105-503	41	7.5	14	10.5	31.6	
P265/70R17	113S	OWL	086-097	41	7.5	14	10.7	31.9	
P255/70R18	112S	OWL	057-945	42	7.5	14	10.2	32.1	
P265/65R18	112S	OWL	054-035	43	8	14	10.7	31.5	
P245/75R17	110S	BW	147-152	38	7.0	13	9.8	31.8	
P265/70R17	113S	BL	086-505	41	7.5	14	10.7	31.9	
P265/65R18	112S	BL	054-018	42	8	14	10.7	31.5	
P235/60R17	102H	BW	131-232	34	7.0	12	9.5	28.3	
P275/55R20	111S	BL	107-925	46	8.5	14	11.2	32.1	
P285/45R22	110H	BL	107-942	45	9.5	13	11.2	32.2	
LT285/75R16/6	116Q	BL	190-823	51	8	16	11.3	33	

# BRIDGESTONE

## DUELER A/T REVO 2™

50,000 Mile Limited Warranty

Platinum Pact Limited Warranty | Buy & Try 30 Day Guarantee

- Semi-stealth blocks promote higher tread stiffness for improved handling while enhancing water evacuation.
- Stepped inside notch & saw tooth grooves contribute to snow traction.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	SECTION WIDTH	DIAMETER	MILEAGE WARRANTY
<b>BRIDGESTONE DUELER A/T REVO 2 - 50,000 MILE LIMITED WARRANTY</b>									
P235/75R15XL	108T	OWL	081-694	33	6.5	11	9.3	28.9	50,000
P245/75R16	109T	OWL	081-405	38	7.0	11	9.8	30.5	50,000
P265/75R16	114T	OWL	081-371	42	7.5	12	10.5	31.7	50,000
P235/75R17	108T	OWL	081-456	36	6.5	11	9.3	30.9	50,000
P245/75R17	110T	OWL	081-677	40	7.0	11	9.8	31.5	50,000
P235/70R16	104T	OWL	081-354	34	7.0	11	9.5	29.0	50,000
P245/70R16	106T	OWL	081-320	37	7.0	11	9.8	29.5	50,000
P255/70R16	109T	OWL	081-524	38	7.5	12	10.2	30.1	50,000
P265/70R16	111T	OWL	081-541	40	8.0	12	10.7	30.6	50,000
P245/70R17	108T	OWL	081-626	36	7.0	11	9.8	30.6	50,000
P255/70R17	110T	OWL	081-643	40	7.5	12	10.2	31.1	50,000
P265/70R17	113T	OWL	081-303	41	8.0	12	10.7	31.7	50,000
P285/70R17	117T	OWL	081-439	48	8.5	12	11.5	32.8	50,000
P255/70R18	112T	OWL	102-196	42	7.5	12	10.2	32.1	50,000
P265/70R18	114T	OWL	081-473	44	8.0	12	10.7	32.6	50,000
P265/65R17	110T	OWL	081-592	40	8.0	11	10.7	30.6	50,000
P255/65R17	108T	OWL	081-660	37	7.5	12	10.2	30.1	50,000
P265/60R18	109T	OWL	102-230	41	8.0	11	10.7	30.5	50,000
LT235/85R16/10	120R	OWL	212-124	43	6.5	15	9.3	31.7	
LT255/75R17/6	111R	OWL	223-861	45	7.0	16	10.0	32.1	
LT245/75R16/10	120S	OWL	212-107	42	7.0	14	9.8	30.5	
LT265/75R16/10	123R	OWL	206-548	48	7.5	16	10.5	31.7	
LT285/75R16/10	126R	OWL	206-480	54	8.0	16	11.3	32.8	
LT245/75R17/10	121R	OWL	212-192	45	6.5	16	9.8	31.5	
LT265/70R17/10	121S	OWL	206-531	46	8.0	15	10.7	31.7	
LT245/70R17/10	119R	OWL	212-175	44	7.0	15	9.8	30.6	
LT285/70R17/10	121R	OWL	212-158	54	7.5	16	11.5	32.8	
LT315/70R17/10	121S	OWL	232-497	61	9.5	17	12.7	34.4	
LT275/65R20/10	126S	OWL	214-623	55	8.0	15	11.0	34.1	
LT31X10.50R15/6	109S	OWL	212-141	42	8.5	16	10.5	30.5	