



RAPTIS WR-1™

Road Hazard Warranty

- Exceptional steering response in wet and dry road conditions.
- Asymmetrical tread design results in a smooth, quiet ride.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
HERCULES RAPTIS WR-1									
P205/55ZR16	91W	BSW	59205	25	6.5	10.0	1356	8.43	24.88
P215/55ZR16XL	97W	BSW	59209	25	7.0	10.0	1609	8.90	25.28
P225/55ZR16XL	95W	BSW	59210	26	TBA	TBA	1521	TBA	TBA
P215/55ZR17XL	94W	BSW	59211	27	TBA	TBA	1477	TBA	TBA
P205/50ZR16	87W	BSW	59208	24	6.5	10.0	1201	8.43	24.09
P205/50ZR17XL	93W	BSW	59207	25	6.5	10.0	1433	8.43	25.12
P205/45ZR17XL	88W	BSW	59204	24	7.0	10.0	1235	8.11	24.25
P215/45ZR17XL	91W	BSW	59201	25	7.0	10.0	1356	8.39	24.65
P225/45ZR17XL	94W	BSW	59198	25	7.5	10.0	1477	8.86	24.96
P245/45ZR17XL	95W	BSW	59212	26	8.0	10.0	1709	9.57	25.67
P225/45ZR18XL	95W	BSW	59200	26	7.5	10.0	1521	8.86	25.95
P245/45ZR18XL	100W	BSW	59213	27	TBA	TBA	1764	TBA	TBA
P255/45ZR18XL	103W	BSW	59214	27	8.5	10.0	1929	10.04	27.05
P205/40ZR17XL	84W	BSW	59203	23	7.5	10.0	1102	8.35	23.46
P215/40ZR17XL	87W	BSW	59202	24	7.5	10.0	1201	8.58	23.78
P225/40ZR18XL	92W	BSW	59199	25	TBA	TBA	1389	TBA	TBA
P245/40ZR18XL	97W	BSW	59215	26	TBA	TBA	1609	TBA	TBA
P215/35ZR18XL	84W	BSW	59206	24	7.5	10.0	1102	8.58	23.90



HP4000™

Road Hazard Warranty

- Large slanted solid letters.
- Performance tread design for cutting edge traction in all weather conditions.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
HERCULES HP4000 - ROAD HAZARD WARRANTY									
P205/70R14	93T	RWL	02822	21	6.0	10.5	1433	8.21	25.30
P215/70R14	96T	RWL	02824	22	6.5	10.5	1565	8.66	25.76
P225/70R14	98T	RWL	02826	24	6.5	10.5	1653	8.92	26.27
P215/70R15	97T	RWL	02828	23	6.5	10.5	1609	8.71	26.71
P225/70R15	100T	RWL	02830	25	6.5	10.5	1764	8.71	27.37
P235/70R15	102T	RWL	02832	28	7.0	10.5	1874	9.46	27.90
P255/70R15	108T	RWL	02834	30	7.5	10.5	2205	10.40	28.95
P215/65R15	95T	RWL	02798	21	6.5	10.5	1521	8.38	26.00
P205/60R14	88T	RWL	02776	19	6.0	10.5	1235	8.94	23.70
P215/60R14	91T	RWL	02778	20	6.5	10.5	1356	8.42	24.16
P235/60R14	96T	RWL	02782	23	7.0	10.5	1565	9.11	25.06
P215/60R15	93T	RWL	02788	21	6.5	10.5	1433	8.44	25.16
P235/60R15	98T	RWL	02790	25	7.0	10.5	1653	9.15	26.11
P245/60R15	100T	RWL	02792	26	7.0	10.5	1764	9.47	26.55
P255/60R15	102T	RWL	02794	28	7.5	10.5	1874	9.73	27.01
P275/60R15	107T	RWL	02796	31	8.0	10.5	2149	10.70	28.06
P265/50R15	99S	RWL	02768	27	8.5	10.5	1709	10.51	25.63
P295/50R15	105S	RWL	02770	32	9.5	10.5	2039	11.77	26.80
P185/60R14	82T	RBL	02808	16	5.5	10.5	1047	7.15	22.80
P195/60R15	87T	RBL	02812	19	6.0	10.5	1201	7.60	24.30
P205/60R15	90T	RBL	02814	20	6.0	10.5	1323	7.83	24.73
P225/60R15	95T	RBL	02816	23	6.5	10.5	1521	8.63	25.67
P215/55R16	91T	RBL	02805	22	7.0	10.5	1356	8.83	25.25
P235/55R16	96T	RBL	02806	25	7.5	10.5	1565	9.65	26.15
P205/50R15	84S	RBL	02802	19	6.5	10.5	1102	8.18	23.15



CHAMPIRO 128™

Road Hazard Warranty

- Dynamic pattern with four wide straight grooves.
- Effective water drainage for superb wet performance.
- Circumferential central rib and interlocked blocks and lugs.

TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
GT RADIAL CHAMPIRO 128 - ROAD HAZARD WARRANTY									
P165/65R13	77T	BSW	100A668	TBA	5.0	10	908	6.7	21.4
P165/65R14	79T	BSW	100A369	TBA	5.0	10	963	6.7	22.4
P175/65R14	82H	BSW	100A1219	TBA	5.0	10	1047	7	23
P175/65R14	82T	BSW	100A1219	TBA	5.0	10	1047	7	23
P185/65R14	86H	BSW	100A669	TBA	5.5	10	1168	7.4	23.5
P195/65R14	89H	BSW	100A670	TBA	6.0	10	1279	7.9	24
P185/65R15	88H	BSW	100A671	TBA	5.5	10	1235	7.4	24.4
P195/65R15	91H	BSW	100A672	TBA	6.0	10	1356	7.9	25
P205/65R15	94H	BSW	100A673	TBA	6.0	11	1477	8.2	25.5
P215/65R15	96H	BSW	100A675	TBA	6.5	11	1565	8.7	26
P185/60R14	82H	BSW	100A662	TBA	5.5	10	1047	7.4	22.8
P195/60R14	86H	BSW	100A663	TBA	6.0	10	1168	7.9	23.2
P185/60R15	84H	BSW	100A1112	TBA	5.5	10	1102	7.4	23.7
P195/60R15	88H	BSW	100A126	TBA	6.0	10	1235	7.9	24.2
P205/60R15	91H	BSW	100A665	TBA	6.0	11	1356	8.2	24.7
P205/60R16	92H	BSW	100A691	TBA	6.0	11	1389	8.2	25.7
P215/60R16	95H	BSW	100A690	TBA	6.5	11	1521	8.7	26.1
P225/60R16	98H	BSW	100A666	TBA	6.5	11	1653	9	26.6
P235/60R16	100H	BSW	100A667	TBA	7.0	11	1764	9.4	27.1
P195/55R15	85H	BSW	100A274	TBA	6.0	10	1135	7.9	23.4
P195/55R15	85V	BSW	100A274	TBA	6.0	10	1135	7.9	23.4
P205/55R16	91V	BSW	100A700	TBA	6.5	10	1356	8.4	24.9
P215/55R16	93V	BSW	100A702	TBA	7.0	10	1433	8.9	25.3
P225/55R17	97V	BSW	100A413	TBA	7.0	10	1521	9.2	26.8
P205/50R16	87V	BSW	100A310	TBA	6.5	10	1202	8.4	24.1



CHAMPIRO 228™

Road Hazard Warranty

- Reduced rolling resistance and exceptional grip in wet and dry conditions.
- Efficient water evacuation and outstanding wet performance.
- Quiet and comfortable ride with a greener manufacturing process.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
-----------	--------------	-----------	-----------	-------------	-----------	-------------	----------	---------------	----------

GT RADIAL CHAMPIRO 228 - ROAD HAZARD WARRANTY

P185/65R14	86H	BSW	100A261	TBA	5.5	10	1168	7.4	23.5
P185/65R15	88H	BSW	100A262	TBA	5.5	10	1235	7.4	24.4
P195/65R15	91H	BSW	100A267	TBA	6.0	10	1356	7.9	25
P195/65R15	91V	BSW	100A267	TBA	6.0	10	1356	7.9	25
P205/65R15	94V	BSW	100A269	TBA	6.0	10	1477	8.1	25.5
P215/65R17	99H	BSW	100A231	TBA	6.5	10	1709	8.5	28
P185/60R14	82H	BSW	100A243	TBA	5.5	10	1047	7.4	22.8
P195/60R14	86H	BSW	100A245	TBA	6.0	10	1168	7.9	23.2
P185/60R15	84H	BSW	100A244	TBA	5.5	10	1102	7.4	23.7
P195/60R15	88V	BSW	100A233	TBA	6.0	10	1235	7.9	24.2
P205/60R15	91V	BSW	100A246	TBA	6.0	10	1356	8.2	24.7
P215/60R15	94H	BSW	100A247	TBA	6.5	10	1477	8.7	25.2
P205/60R16	92V	BSW	100A258	TBA	6.0	10	1389	8.1	25.7
P215/60R16	95V	BSW	100A259	TBA	6.5	11	1521	8.5	26.1
P225/60R16	98V	BSW	100A260	TBA	6.5	10	1653	8.9	26.6
P225/60R18	100V	BSW	100A228	TBA	6.5	10	1764	8.9	28.6
P185/55R14	80H	BSW	100A270	TBA	6.0	10	992	7.6	22
P185/55R15	82V	BSW	100A583	TBA	6.0	10	1047	7.6	23
P195/55R15	85V	BSW	100A238	TBA	6.0	10	1135	7.9	23.4
P195/55R16	87V	BSW	100A609	TBA	6.0	10	1356	7.7	24.4
P205/55R16	91H	BSW	100A602	TBA	6.5	10	1356	8.1	24.9
P205/55R16	91V	BSW	100A602	TBA	6.5	10	1356	8.1	24.9
P215/55R16	93V	BSW	100A241	TBA	7.0	10	1433	8.5	25.3
P225/55R16	95V	BSW	100A242	TBA	7.0	10	1521	8.9	25.7
P215/55R17	94V	BSW	100A230	TBA	7.0	10	1477	8.5	26.3
P235/55R17	99H	BSW	100A232	TBA	7.5	11	1709	9.3	27.2
P195/50R15	82V	BSW	100A234	TBA	6.0	10	1047	7.9	22.7
P205/50R16	87V	BSW	100A236	TBA	6.5	10	1202	8.1	24.1
P225/50R17	94V	BSW	100A229	TBA	7.0	10	1477	8.9	25.9
P235/50R17	96V	BSW	100A237	TBA	7.5	11	1565	9.3	26.3



CHAMPIRO 328™

Road Hazard Warranty

- Efficient water evacuation delivering outstanding wet handling performance.
- Quiet and smooth ride under high speed driving conditions.
- V-shaped tread design and two wide circumferential grooves.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
-----------	--------------	-----------	-----------	-------------	-----------	-------------	----------	---------------	----------

GT RADIAL CHAMPIRO 328 - ROAD HAZARD WARRANTY

P195/55R15	85H	BSW	100A827	TBA	6.0	10	1135	7.9	23.4
P205/55R15	88H	BSW	100A829	TBA	6.5	10	1235	8.4	23.9
P205/55R16	91H	BSW	100A831	TBA	6.5	10	1356	8.4	24.9
P225/55ZR16	99W	BSW	100A871	TBA	7.0	10	1709	9.2	25.7
P205/50R15	86H	BSW	100A823	TBA	6.5	10	1168	8.4	23.1
P195/50R16	88V	BSW	100A863	TBA	6.0	10	1235	7.9	23.7
P205/50R16	87H	BSW	100A825	TBA	6.5	10	1202	8.4	24.1
P195/45ZR15	78W	BSW	100A855	TBA	6.5	10	937	7.7	21.9
P215/45ZR17	91W	BSW	100A814	TBA	7.0	10	1356	8.4	24.6
P225/45ZR17XL	94W	BSW	100A857	TBA	7.5	10	1477	8.9	25
P235/45ZR17XL	97W	BSW	100A858	TBA	8.0	11	1609	9.3	25.4
P245/45ZR17	99W	BSW	100A861	TBA	8.0	11	1709	9.6	25.7
P245/45ZR18	100W	BSW	100A495	TBA	8.0	11	1764	9.6	26.7
P255/45ZR18	103W	BSW	100A885	TBA	8.5	11	1929	10	27
P215/40ZR16	86W	BSW	100A804	TBA	7.5	10	1168	8.6	22.8
P205/40ZR17	84W	BSW	100A799	TBA	7.5	10	1102	8.3	23.5
P215/40ZR17	87W	BSW	100A807	TBA	7.5	10	1202	8.6	23.8
P245/40ZR17	91W	BSW	100A812	TBA	8.5	11	1356	9.8	24.7
P225/40ZR18	92W	BSW	100A809	TBA	8.0	10	1389	9.1	25.1
P235/40ZR18	95W	BSW	100A854	TBA	8.5	11	1521	9.5	25.4
P245/40ZR18	97W	BSW	100A884	TBA	8.5	11	1609	9.8	25.7
P215/35ZR18	84W	BSW	100A794	TBA	7.5	10	1102	8.6	23.9
P255/35ZR18	94W	BSW	100A849	TBA	9.0	11	1477	10.2	25
P265/35ZR18	97W	BSW	100A850	TBA	9.5	11	1609	10.7	25.3
P235/35ZR19	91W	BSW	100A848	TBA	8.5	11	1356	9.5	25.5
P245/35ZR19	93W	BSW	100A873	TBA	8.5	11	1433	9.8	25.8
P245/35ZR20	95W	BSW	100A869	TBA	8.5	11	1521	9.8	26.8
P255/35ZR20	97W	BSW	100A878	TBA	9.0	11	1609	10.2	27
P265/30ZR19	93W	BSW	100A875	TBA	9.5	11	1433	10.7	25.3
P275/30ZR19	96W	BSW	100A847	TBA	9.5	11	1565	10.9	25.6



CHAMPIRO 528™

Road Hazard Warranty

- Unique and dynamic tread design with progressive elements.
- Efficient water dispersion at high speeds and wet traction.
- Comfortable and quiet performance.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
-----------	--------------	-----------	-----------	-------------	-----------	-------------	----------	---------------	----------

GT RADIAL CHAMPIRO 528 - ROAD HAZARD WARRANTY

P275/55R20	117V	BSW	100A642	TBA	8.5	11	2833	11.2	31.9
P285/50R20	116V	BSW	100A645	TBA	9.0	11	2756	11.7	31.3
P295/50R20	118V	BSW	100A092	TBA	9.5	11	2910	12.2	31.7
P275/45R20	110V	BSW	100A1220	TBA	9.0	11	2337	10.7	29.8
P285/45R22	114V	BSW	100A635	TBA	9.5	11	2601	11.2	32.1
P305/45R22	118V	BSW	100A644	TBA	10.0	11	2910	12	32.8
P305/40R22	114V	BSW	100A647	TBA	11.0	11	2601	12.3	31.6
P265/35R22	102V	BSW	100A679	TBA	9.5	11	1874	10.7	25.4

AURORA

H107™

40,000 Mile Warranty
Road Hazard Warranty

- High performance radial designed for excellent handling in wet and dry conditions.
- The H-rated tire features tread sipes and an endless center rib which offers solid all-season performance and superior steering response.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
-----------	--------------	-----------	-----------	-------------	-----------	-------------	----------	---------------	----------

AURORA H107 - 40,000 MILE WARRANTY & ROAD HAZARD WARRANTY

P195/65R15	89H	BSW	1007429	19	7.0	10.0	1279	7.90	25.00
P205/65R15	92H	BSW	1007423	21	7.5	10.0	1400	8.10	25.40
P185/60R14	82H	BSW	1007426	16	6.5	10.0	1047	7.40	22.70
P195/60R14	85H	BSW	1007424	17	7.0	10.0	1168	7.80	23.20
P195/60R15	87H	BSW	1007422	18	7.0	10.0	1190	7.80	24.20
P205/60R15	90H	BSW	1007427	20	7.5	10.0	1301	8.10	24.60
P215/60R15	93H	BSW	1007428	21	7.5	10.0	1411	8.60	25.10
P205/60R16	91H	BSW	1007430	21	7.5	10.0	1356	8.10	25.70
P215/60R16	90H	BSW	1009727	22	7.5	11.5	1477	8.60	26.20
P225/60R16	97H	BSW	1007425	25	8.0	10.0	1609	9.00	26.70
P235/60R16	99H	BSW	1007431	26	8.5	10.0	1709	9.30	27.20
P195/55R15	85H	BSW	1007272	18	7.0	10.0	1135	7.90	23.50
P205/55R16	91H	BSW	1005739	20	7.5	10.0	1356	8.40	24.90
P215/55R16	93H	BSW	1005740	21	7.5	10.0	1433	8.90	25.30
P225/55R16	95H	BSW	1005741	22	8.0	10.0	1521	9.10	25.70
P225/55R17	97H	BSW	1005747	24	8.0	10.0	1609	9.60	26.60
P215/55R17	94H	BSW	1009728	22	7.5	10.5	1477	8.90	26.30
P235/55R17	99H	BSW	1009729	26	8.5	10.5	1709	9.60	23.20
P205/50R16	87H	BSW	1005742	19	7.5	10.0	1202	8.30	24.10
P225/50R16	92H	BSW	1005743	22	8.0	10.0	1389	9.00	24.90
P245/50R16	97H	BSW	1005744	24	8.5	10.0	1609	9.80	25.70
P205/50R17XL	93H	BSW	1007308	20	7.5	10.0	1433	8.30	25.20
P215/50R17	91H	BSW	1005748	22	7.5	10.0	1356	9.30	25.30
P225/50R17XL	98H	BSW	1007309	24	8.0	10.0	1819	10.40	27.10
P205/45R16XL	87H	BSW	1006141	17	7.5	10.0	1201	8.20	23.20
P205/45R17XL	88H	BSW	1007307	18	7.5	10.0	1235	8.40	24.60
P215/45R17XL	91H	BSW	1006137	20	8.0	10.0	1356	8.40	24.60
P225/45R17XL	94H	BSW	1005943	20	8.5	10.0	1477	9.10	24.80
P235/45R17XL	97H	BSW	1006142	22	9.0	10.0	1609	9.30	25.20
P245/45R17XL	99H	BSW	1006143	25	9.0	10.0	1709	9.60	25.70
P205/40R16XL	83H	BSW	1005944	17	8.0	10.0	1074	8.40	22.40
P215/40R17XL	87H	BSW	1006144	19	8.5	10.0	1201	8.60	28.80
P275/40R17	98H	BSW	1005755	26	11.0	10.0	1653	10.90	25.60

AURORA

K109™

40,000 Mile Warranty
Road Hazard Warranty

- Delivers outstanding performance on both wet and dry roads.
- Increased rigidity in the shoulder area translates into better cornering ability.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
-----------	--------------	-----------	-----------	-------------	-----------	-------------	----------	---------------	----------

AURORA K109 - 40,000 MILE WARRANTY

P225/35ZR20XL	90W	VSB	1007844	21	9.0	10.5	1323	8.90	26.30
P245/35ZR20XL	95W	VSB	1007845	25	9.5	10.5	1521	8.70	26.80
P255/35ZR20XL	97W	VSB	1007846	27	10.0	11.0	1609	8.80	27.00
P245/40ZR20XL	99W	VSB	1007847	27	9.5	10.5	1709	8.40	27.80
P245/30ZR22XL	92W	VSB	1007875	25	9.0	11.0	1389	8.70	27.70
P255/30ZR22XL	95W	VSB	1007876	27	9.5	10.5	1521	9.10	27.90

AURORA

RH08™

Road Hazard Warranty

- High performance SUVs and high performance sport trucks.
- Aggressive tread pattern and sidewall design lend a sporty look.
- Delivers a comfortable ride, superior traction and sensitive handling.



TIRE SIZE	SPEED RATING	SIDE WALL	ITEM CODE	TIRE WEIGHT	RIM WIDTH	TREAD DEPTH	MAX LOAD	SECTION WIDTH	DIAMETER
AURORA RH08 - ROAD HAZARD WARRANTY									
P255/55R18XL	109V	VSB	1006369	20	8.0	11	2271	10.3	29
P265/60R18	110V	VSB	1007310	24	8.0	11	2998	10.7	30.5
P275/40R20XL	106V	VSB	1006372	26	9.5	11	2094	10.8	28.7
P275/45R20XL	110V	VSB	1006374	28	9.0	11	2271	10.6	29.8
P265/50R20XL	112V	VSB	1007298	29	8.5	11	2469	10.8	30.5
P285/50R20XL	116V	VSB	1006371	18	9.0	11	2756	11.2	31.3
P275/55R20XL	117V	VSB	1006367	19	8.5	11	2833	11.1	31.9
P265/35R22XL	102V	VSB	1006370	23	9.5	11	1874	10.6	29.3
P285/35R22XL	106V	VSB	1006373	25	10.0	11	2094	11.2	29.9
P305/40R22XL	114V	VSB	1006134	16	11.0	11	2601	12.2	31.6
P285/45R22XL	114V	VSB	1007299	17	9.5	11	2601	11.2	32.1
P305/45R22XL	118V	VSB	1006366	18	10.0	11	2910	11.8	32.8
P295/35R24XL	100V	VSB	1007300	25	10.5	11	2337	12	32.5
P305/35R24XL	114V	VSB	1006368	23	11.0	11	2601	12	32.5