

Firestone

2010 Base Price List

THE LITERARY DIGEST
August 10, 1917

Firestone
Super-Size
CORD TIRES

Every Drive

Firestone
Plain Tread

COUNTRY LIFE

CHOICE OF CHAMPIONS
INDIANAPOLIS RACES HAVE BEEN WON ON
Firestone

1954 130.840 M. P. H.
BILL VUKOVICH

The Only Tires Made That Are Proved On The Speedway For Your Protection On The Highway

1925 191.12 M. P. H.
PETE DE PAOLO

1920 142.82 M. P. H.
LARRY BROWN

1923 120.84 M. P. H.
TOMMY MITCHELL

1913 74.72 M. P. H.
GARY BOCK

1922 128.84 M. P. H.
JOHN HENRY

1911 74.72 M. P. H.
KAT HANCOCK

THE 5-211 Import Ltd.

IT AROUND THE WE'RE BRINGING IT

Firestone S-211
MORE FIRE FROM FIRESTONE

Developed for Your Car as a Result of 30 Consecutive

Super-Protection Against Blowouts

Super-Protection Against Punctures

Firestone
COMPLETE AUTO CARE
FirestoneCompleteAutoCare.com

Effective June 1, 2010

Firestone

CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010

Table of Contents

PASSENGER

ULTRA HIGH PERFORMANCE

Firehawk Wide Oval Indy 500	Black Wall	3
Firehawk Wide Oval	Black Wall	4
Firehawk Wide Oval RFT (Run-Flat)	Black Wall	4
Firehawk SZ50 EP RFT	Black Wall	5

HIGH PERFORMANCE

Precision Sport	Black Wall	6
Firehawk GT	Black Wall	7

TOURING

Precision Touring	Black Wall	8
Precision Touring	White Wall	8

PERFORMANCE

Firehawk INDY 500®	Raised White Letter	9
------------------------------	-------------------------------	---

MASS MARKET

FR710	Black Wall	10
FR710	White Stripe	10
FR380	White Stripe	11
FR380	Black Wall	11

WINTER

Firestone Winterforce	Black Wall	12
Firestone Winterforce LT	Black Wall	13
Firestone Winterforce-UV	Black Wall	14

POLICE PURSUIT

Firehawk GT Pursuit	Black Wall	15
Firehawk PV41	Black Wall	15

WINTER POLICE PURSUIT

Firehawk PVS	Black Wall	16
------------------------	----------------------	----

TEMPA SPARE

Tempa Spare Radial	Black Wall	17
------------------------------	----------------------	----

PASSENGER ORIGINAL EQUIPMENT

Firehawk GTA 02	Black Wall	18
---------------------------	----------------------	----

Affinity	Black Wall	18
FR710	Black Wall	18
FR690	Black Wall	18
Firehawk PV41	Black Wall	18
Firehawk GT V	Black Wall	18

LIGHT TRUCK

LIGHT TRUCK RECREATIONAL

Destination ST	Black Wall	19
Destination LE	Outline White Letter	20
Destination LE	Black Wall	21
Destination A/T P-Metric	Outline White Letter	22
Destination A/T LT	Outline White Letter	23
Destination A/T	Black Wall	23
Destination M/T	Outline White Letter	24
Destination M/T	Black Wall	24

COMMERCIAL LIGHT TRUCK

Transforce HT	Black Wall	25
Transforce HT	Outline White Letter	25
Transforce AT	Black Wall	26
Transforce AT	Outline White Letter	26

LIGHT TRUCK ORIGINAL EQUIPMENT

Wilderness LE	Outline White Letter	22
Destination LE	Black Wall	22
Destination LE	Outline White Letter	22
Destination AT	Black Wall	22
Transforce HT	Black Wall	22
Transforce AT	Black Wall	22

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FH WIDE OVAL INDY 500					Black Wall
195/55R15	85W	136-757	20	11	114.17
205/55R15	88W	136-774	21	9	118.91
205/55R16	91W	136-842	25	9	136.70
215/55R16	93W	136-876	27	9	137.70
225/55R16	95W	136-893	24	9	144.49
205/50R16	87W	136-910	21	9	140.15
225/50R16	92W	136-927	24	9	152.09
245/50R16	97W	136-944	26	10	163.95
205/45R16	83W	136-961	23	9	132.30
225/55R17	97W	136-978	26	9	164.29
235/55R17	99W	136-995	27	10	176.12
205/50R17 XL	93W	137-012	22	9	158.97
215/50R17 XL	95W	137-029	24	9	166.90
225/50R17	94W	137-046	24	9	167.52
215/45R17 XL	91W	137-063	22	9	148.95
225/45R17 XL	94W	137-080	27	9	156.72
235/45R17 XL	97W	137-097	24	10	170.01
245/45R17	95W	137-114	28	10	170.84
255/45R17	95W	137-131	26	10	184.48
205/40R17 XL	84W	137-148	20	9	129.64
245/40R17	91W	137-182	27	10	178.81
275/40R17	98W	137-216	28	10	201.76
235/50R18	97W	137-250	27	10	204.90
225/45R18	91W	137-267	24	9	196.91
245/45R18 XL	100W	137-284	27	10	231.81
255/45R18	99W	137-301	27	10	241.10
225/40R18 XL	92W	137-335	22	9	161.77
235/40R18 XL	95W	137-352	25	10	203.68
245/40R18 XL	97W	137-369	23	10	236.39
275/40R18	99W	137-386	30	10	244.66
275/35R18	95W	137-420	37	10	279.00
245/50R19 XL	105W	137-437	30	10	239.50
235/35R19 XL	91W	137-471	25	10	252.10
245/35R19 XL	93W	137-488	37	10	268.99
285/35R19	99W	137-505	31	10	312.19
245/45R20 XL	103W	137-522	30	10	225.16
255/45R20	101W	137-556	30	10	234.16
245/40R20 XL	99W	137-573	24	10	245.62
255/35R20 XL	97W	137-590	35	10	202.59
275/35R20 XL	102W	137-607	39	10	297.12



FH WIDE OVAL INDY 500

- Ultra High Performance design.
- High grip tread compound for confident dry and wet handling.
- Tread pattern center elements promote confident response and braking performance.
- Large outside shoulder blocks for better cornering performance.
- Continuous circumferential grooves and special 3D block shapes promote efficient water evacuation.
- New modern appearance including Indy 500 co-branding.
- Gold Pledge Limited Warranty.
- Buy and Try 30 Day Guarantee.
- UTQG: 320 A A
- XL = Extra Load



The prices contained in this price catalog are base prices. Dealers must establish their own prices.

Adjustment Price

The adjustment price for all passenger tires in this price catalog is the lower of:

1. The advertised price at Firestone Stores; or
2. The base price in this price catalog.

THE LISTING OF PRODUCTS HEREIN DOES NOT CONSTITUTE AN OFFER OF SALE.

ALL PRODUCTS ARE LISTED SUBJECT TO AVAILABILITY.

ULTRA HIGH PERFORMANCE

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FIREHAWK WIDE OVAL					Black Wall
265/40R17	96W	027-923	29	10	242.49
295/35R18	99W	028-025	31	10	361.09

FIREHAWK WIDE OVAL RFT (Run-Flat)					Black Wall
P245/40R18	88Y	057-333	30	10	298.97
P285/35R19	90Y	057-367	34	10	420.78

**FIREHAWK WIDE OVAL**

- Firestone Ultra High Performance.
- UNI-T Technology.
- Silica-Based Tread Compound for Excellent Wet and Dry Traction.
- Directional Tread Pattern.
- W and Y Speed Rating.
- Gold Pledge Limited Warranty.
- Buy and Try 30 Day Guarantee (except Run-Flat).
- UTQG: 320 AA A.



Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FIREHAWK SZ50 EP RFT					Black Wall
* P245/45ZR17	89Y	080-489	31	10	452.90
* P275/40ZR18	94Y	080-470	37	10	582.31



FIREHAWK SZ50 EP RFT

- Extended Performance Compound.
- Y-Speed Rated
- Specially Engineered To Travel Up To 50 Miles At 55 MPH With Complete Loss of Air.
- Gold Pledge Limited Warranty.
- UTQG: 340 AA A.



HIGH PERFORMANCE

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010

PASSENGER

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
PRECISION SPORT					Black Wall
185/60R14	82H	137-913	18	11	81.98
185/65R15	88H	137-930	21	11	90.18
195/65R15	91H	137-947	21	11	94.52
205/65R15	94H	137-964	23	11	98.31
215/65R15	96H	137-981	25	11	106.16
195/60R15	88H	137-998	21	11	90.66
205/60R15	91H	138-015	23	11	97.90
215/60R15	94H	138-032	24	11	101.28
205/60R16	92H	138-049	23	11	120.56
215/60R16	95H	138-066	24	11	123.46
225/60R16	98H	138-083	27	11	125.39
205/55R16	91H	138-100	23	11	128.76
215/55R16	93H	138-117	25	11	140.34
225/55R16	95H	138-151	27	11	148.54
205/50R16	87H	138-168	23	11	136.00
215/50R17 XL	95H	138-202	26	11	162.53
235/45R17	94H	138-219	26	11	147.09



PRECISION SPORT

- High Performance All Season design.
- Tread pattern optimized to provide traction in many weather conditions.
- Beveled center block edge shapes for added stiffness to improve handling.
- Continuous circumferential grooves promote efficient water evacuation.
- Tread slot / siping distribution designed to promote even wear while adding traction.
- 40K Mileage Warranty.
- Gold Pledge Limited Warranty.
- Buy and Try 30 Day Guarantee.
- UTQG: 400 A A
- XL = Extra Load



Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FIREHAWK GT					Black Wall
P195/60R14	85H	094-954	23	11	105.97
P185/65R15	86H	076-713	22	11	111.79
P195/65R15	89H	076-730	24	11	116.60
P205/65R15	92H	076-747	25	11	121.46
P195/60R15	87H	076-764	23	11	107.27
P205/60R15	90H	076-781	26	11	112.50
P215/60R15	93H	076-798	26	11	120.86
215/65R16	98H	076-900	29	11	123.48
P205/60R16	91H	076-866	27	11	125.20
P205/60R16	91V	076-934	26	11	149.25
P215/60R16	94V	076-985	27	11	155.33
P225/60R16	97H	076-815	31	12	133.22
205/55R16	91H	076-832	25	11	151.55
205/55R16	91V	077-002	25	11	161.23
215/55R16	93H	076-883	27	11	157.44
225/55R16	95H	076-849	29	12	164.05
205/50R16	87V	076-951	25	11	153.19
225/50R16	92V	077-019	26	12	173.26
215/55R17	94V	077-087	29	11	200.80
225/55R17	97V	077-104	30	12	209.14
P235/55R17	98W	077-427	29	11	219.62
215/50R17 XL	95W	077-444	26	11	213.59
225/50R17	94V	076-968	29	12	215.73
215/45R17 XL	91W	100-037	24	11	191.73
245/45R17	95W	077-478	27	11	216.72
P225/60R18	99H	076-917	32	12	204.97
225/50R18	95W	077-223	29	11	248.88
235/50R18	97W	077-495	30	11	259.24
245/45R18 XL	100W	077-512	31	11	251.32
245/40R19 XL	98W	121-389	31	11	298.95
245/45R20	99W	100-054	31	11	293.94
255/45R20	101W	109-693	35	11	304.84
245/40R20 XL	99W	100-088	31	11	318.02
245/35R20 XL	95W	121-372	27	11	328.80



FIREHAWK GT

- Designed for high performance cars.
- Veri-Pitch helps reduce noise.
- UNI-T technology handles wet and dry roads.
- Wider footprint improves cornering.
- Gold Pledge Limited Warranty.
- Buy & Try 30 Day Guarantee.
- H, V and W speed ratings.
- 40,000 Mile Treadwear Limited Warranty (W) Rated.
- 50,000 Mile Treadwear Limited Warranty (H) (V) Rated.
- UTQG: 460 A A (H) (V) Rated
400 AA A (W) Rated



TOURING

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010

PASSENGER

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
------	------------	----------------	------	-------------	------------

PRECISION TOURING Black Wall

P215/70R15	97S	140-684	26	11	101.88
P195/65R15	89T	140-599	20	11	100.08
P205/65R15	92T	140-633	22	11	103.48
P195/60R15	87T	140-582	20	11	101.93
P205/60R15	90T	140-616	20	11	108.77
P215/60R15	93T	140-667	22	11	115.08
215/65R16	98T	140-735	24	11	117.50
P205/60R16	91H	140-854	23	11	122.45
P215/60R16	94T	140-718	23	11	124.40
P225/60R16	97T	140-752	25	11	128.76
195/55R16	87H	140-939	25	11	143.26
P205/55R16	89T	140-701	21	11	140.78
215/55R16	93H	140-820	23	11	157.91
P225/65R17	100T	140-922	31	11	145.69
P225/60R17	98H	140-786	28	11	161.43
235/60R17	102T	140-905	30	11	156.68
P215/55R17	93T	140-888	23	11	184.30
P225/55R17	95T	140-769	25	11	194.79
P235/55R17	98H	140-803	28	11	219.40

PRECISION TOURING WHITE Wall

P205/70R15	95S	140-650	26	11	96.65
------------	-----	---------	----	----	-------



PRECISION TOURING

- Silica improves traction in wet conditions by increasing flexibility of tread compound.
- Wide Footprint for improved wear, handling and rolling resistance.
- Circumferential grooves help channel water out of the footprint area to improve resistance to hydroplaning.
- Tuned for a quiet comfortable ride.
- Long wear with 70K Mileage Warranty.
- Gold Pledge 3-year Limited Warranty.

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FIREHAWK INDY 500			Raised White Letter		
P215/70R14	96S	119-520	24	11	131.02
P225/70R14	98S	118-664	29	12	134.48
P215/70R15	97S	119-660	27	11	133.04
P225/70R15	100S	119-679	32	12	137.92
P235/70R15	102S	118-656	33	12	142.28
P255/70R15	108S	118-648	39	12	155.19
P215/65R15	95S	118-133	26	11	141.33
P235/60R15	98S	119-741	27	11	149.55
P255/60R15	102S	119-768	31	12	158.52
P275/60R15	107S	118-125	37	12	167.88
P295/50R15	105S	036-389	36	12	208.97




FIREHAWK INDY 500 (4-Rib)



FIREHAWK INDY 500 (5-Rib)

- UNI-T Technology For Enhanced Wet Performance.
- All Season Performance.
- 55,000 Mile Treadwear Limited Warranty.
- 5-Rib design on sizes P225 and larger.
- Gold Pledge Limited Warranty.
- Buy & Try 30 Day Guarantee.
- S Speed Rated.
- UTQG: 500 A B.



Indy®, Indy 500®, Indy Racing League® and Indianapolis 500® Mile Race are registered trademarks of Brickyard Trademarks, Inc., used with permission.

MASS MARKET

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010

PASSENGER

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FR710			Black Wall		
P175/65R14	81T	085-808	17	11	93.41
P185/65R14	85T	085-825	18	11	96.29
P185/65R15	86T	085-842	19	11	102.93
P195/65R15	89T	085-893	21	10	106.20
P205/65R15	92T	085-910	22	11	110.65
P215/65R15	95T	085-927	23	11	116.10
P185/60R15	84T	070-355	18	11	101.00
P195/60R15	87H	124-670	23	11	116.90
215/65R16	98T	048-136	26	11	126.50
235/65R16	103T	124-687	31	11	136.82
P205/60R16	91H	124-653	29	11	126.31
P215/60R16	94T	085-961	24	11	125.31
P215/60R16	94S	112-345	23	11	125.31
P225/60R16	97T	085-859	25	11	131.51
P235/60R16	99T	070-372	28	11	138.00
P205/55R16	89T	085-876	21	11	137.70
P205/50R16	86H	124-738	22	11	143.89
P215/65R17	98T	070-389	28	11	137.23
P225/65R17	100T	138-253	28	11	142.72
P215/60R17	95T	124-721	23	11	145.11
P225/60R17	98H	084-856	29	11	157.47
P235/60R17	100T	079-042	27	10	150.66
P215/55R17	93S	066-105	22	11	181.03
P225/55R17	95T	084-873	26	11	190.00
P235/55R17	98H	084-890	30	11	213.98
P225/50R17	93T	124-755	28	11	168.22
◇◇ P225/60R18	99T	134-037	27	11	164.57

FR710			White Stripe		
P205/70R15	95S	047-150	23	11	99.90
P215/70R15	97S	047-167	25	11	103.89



FR710

- UNI-T Technology
- Quiet, comfortable ride.
- Wide footprint for excellent traction.
- 65,000 Mile Treadwear Limited Warranty.
- UTQG: 560 A B
- Gold Pledge Limited Warranty.
- Buy & Try 30 Day Guarantee.
- H, S & T Speed Rating
- All-Season Performance.



Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FR380			White Stripe		
P155/80R13	79S	097-624	13	9	57.80
P165/80R13	83S	097-659	15	9	61.40
P175/80R13	86S	097-756	15	10	65.78
P185/80R13	90S	097-969	17	10	66.51
P185/75R14	89S	097-942	18	10	72.45
P195/75R14	92S	098-000	19	10	75.62
P205/75R14	95S	098-043	20	10	80.17
P215/75R14	98S	098-167	21	10	84.55
205/70R14	95S	148-155	19	10	84.64
P215/70R14	96S	098-078	21	10	89.75
P205/75R15	97S	098-051	21	10	83.22
P215/75R15	100S	098-329	24	10	86.90
P225/75R15	102S	098-353	28	10	90.60
P235/75R15	105S	098-361	29	10	94.80
P205/70R15	95S	098-035	25	10	85.26
P215/70R15	97S	098-116	22	10	92.32

FR380			Black Wall		
P175/70R13	82S	097-705	15	10	66.79
185/70R13	86S	148-087	16	10	69.26
P175/70R14	84S	097-713	16	10	71.15
185/70R14	88S	148-104	17	10	74.35
195/70R14	91S	148-138	18	10	78.14
175/65R14	82S	148-189	15	10	79.21
185/65R14	86S	148-206	16	10	81.75
P195/65R15	89S	061-940	20	10	89.12
P205/65R15	92S	098-019	19	11	92.35
P215/65R15	95S	061-957	22	11	96.23
215/65R16	98T	061-974	24	11	107.16
P215/60R16	94S	061-991	22	11	106.15
P225/60R16	97S	062-008	25	12	111.40



FR380

- All Season Tread Design.
- 55,000 Mile Treadwear Limited Warranty.
- UTQG: 400 A B.
- Gold Pledge Warranty.
- Buy & Try 30 Day Guarantee.
- S & T-Speed Rated.

WINTER

FIRESTONE CONFIDENTIAL BASE PRICE CATALOG EFFECTIVE JUNE 1, 2010

PASSENGER

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FIRESTONE WINTERFORCE Black Wall					
P155/80R13	79S	114-640	15	12	77.18
175/70R13	82S	113-637	17	13	82.27
P185/75R14	89S	113-433	21	13	89.34
P195/75R14	92S	113-450	21	13	92.88
P205/75R14	95S	113-467	24	13	97.97
185/70R14	88S	113-671	20	13	89.96
195/70R14	91S	113-688	22	13	94.46
205/70R14	95S	113-705	23	13	99.42
215/70R14	96S	113-722	24	13	104.22
175/65R14	82S	113-960	17	12	107.43
185/65R14	86S	113-977	20	12	112.97
185/60R14	82S	114-113	19	12	110.12
P205/75R15	97S	113-484	23	13	100.28
205/70R15	96S	113-739	24	13	100.81
215/70R15	98S	113-756	26	13	105.67
185/65R15	88S	113-994	21	12	119.89
195/65R15	91S	114-028	21	12	124.06
205/65R15	94S	114-011	23	13	127.16
215/65R15	96S	114-045	23	13	129.80
185/60R15	84S	114-130	18	12	114.73
195/60R15	88S	114-147	21	12	117.68
205/60R15	91S	114-164	22	13	123.16
215/60R15	94S	114-181	22	13	132.47
205/60R16	92S	114-198	23	13	131.49
215/60R16	95S	114-215	25	13	138.32
225/60R16	98S	114-232	27	13	152.09
205/55R16	91S	114-283	22	13	155.51
215/55R16	93S	114-300	24	13	160.36
◇ P205/50R16	86S	127-288	22	13	157.49
P225/50R16	91S	123-650	23	13	170.82
P215/65R17	98S	114-079	28	13	161.35
225/60R17	99S	114-249	29	13	167.29
215/55R17	94S	114-317	25	13	167.32
225/55R17	97S	114-334	26	13	172.50
235/55R17	99S	114-351	29	13	179.39
P225/50R17	93S	122-511	26	13	214.80
225/60R18	100S	114-266	31	13	184.04



- Features a computer-modeled "3D" unidirectional tread design that provides optimum traction with a quiet, comfortable ride.
- Two steel belts and a polyester cord body provide durability under harsh conditions.
- Pinned for #12 studs.
- Meets the severe snow service requirements of the Rubber Manufacturers Association (RMA) and the Rubber Association of Canada (RAC).



Size	Load Index	Article Number	Wgt.	Tread Depth	FET	Base Price
WINTERFORCE LT			Black Wall			
◇ LT215/85R16	115/112R	233-942	36	16		219.06
◇ LT235/85R16	120/116R	224-031	43	17		236.92
◇ LT225/75R16	115/112R	223-946	37	16		219.16
◇ LT245/75R16	120/116R	223-997	42	17		236.92
◇ LT265/75R16	123/120R	224-014	46	18		243.30
◇ LT285/75R16	126/123R	232-905	53	19		263.15
◇ LT235/80R17	120/117R	232-888	43	17		275.88
◇ LT225/75R17	116/113R	232-939	40	16		236.70
◇ LT245/75R17	121/118R	232-854	44	17		256.01
◇ LT245/70R17	119/116R	233-075	45	17		257.98
◇ LT265/70R17	121/118R	233-925	48	18		273.69
◇ LT275/70R18	125/122R	232-922	53	19	1.32	307.41
◇ LT275/65R18	123/120R	232-956	53	19		325.85



WINTERFORCE LT

- Siped, studable and designed specifically to meet the demands of today's commercial light truck and van applications.
- Latest in high-sipe density for confident snow wet and ice traction.
- Winter tread compound for confident snow, wet and ice traction.
- Pinned for #15 studs.
- Meets the severe snow service requirements of the Rubber Manufacturers Association (RMA) and the Rubber Association of Canada (RAC).



WINTER

**FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010**

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FIRESTONE WINTERFORCE - UV			Black Wall		
P215/75R15	100S	113-501	26	13	107.71
P225/75R15	102S	113-518	29	13	112.89
P235/75R15	105S	113-535	31	13	118.32
P235/75R15 XL	108S	113-552	32	13	128.34
P265/75R15	112S	124-279	38	14	134.63
225/70R15	100S	113-773	28	13	110.55
P235/70R15	102S	113-790	31	13	122.71
P225/75R16 XL	106S	113-569	31	13	130.89
P245/75R16	109S	113-586	36	13	134.02
P265/75R16	114S	113-620	39	14	144.88
P215/70R16	99S	113-807	28	13	127.97
P225/70R16	101S	113-841	30	13	128.85
P235/70R16 XL	107S	113-858	35	13	136.33
P245/70R16	106S	113-892	36	13	139.99
P255/70R16	109S	113-909	36	14	144.76
P265/70R16	111S	113-926	38	14	149.86
215/65R16	98S	114-062	27	13	141.58
P235/65R16	101S	122-460	29	13	154.93
P245/70R17	108S	122-494	33	13	153.54
P265/70R17	113S	113-943	42	14	161.73
P235/65R17	103S	122-477	31	13	176.70
245/65R17	107S	114-096	34	13	185.03


FIRESTONE WINTERFORCE - UV

- Sizing for SUV & trucks.
- Features a computer-modeled "3D" unidirectional tread design that provides optimum traction with a quiet, comfortable ride.
- Two steel belts and a polyester cord body provide durability under harsh conditions.
- Pinned for #12 studs.
- Meets the severe snow service requirements of the Rubber Manufacturers Association (RMA) and the Rubber Association of Canada (RAC).
- XL = Extra Load



Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FIREHAWK GT PURSUIT					Black Wall
P235/55R17	98W	077-325	32	11	435.87
P225/60R18	99V	077-342	32	11	479.45



FIREHAWK GT PURSUIT

- V and W-Speed Rated, All-Season Tread Design.
- Specifically Constructed and Compounded for Police Pursuit and High Speed Emergency Vehicle Use.
- UTQG: 340 AA A

FIREHAWK PV41					Black Wall
P225/70R15	100V	067-938	30	11	258.10
P225/60R16	97V	067-911	29	11	285.18



FIREHAWK PV41

- V-Speed Rated Construction, All-Season Tread Design.
- Specially Constructed and Compounded for Police Pursuit and High Speed Emergency Vehicle Use.
- 340 A A UTQG.

WINTER POLICE PURSUIT

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
FIREHAWK PVS				Black Wall	
P225/60R16	97V	098-388	30	11	313.74
P235/55R17	98V	077-359	30	12	479.45
P225/60R18	99V	077-376	31	11	563.13



FIREHAWK PVS

- V-Speed Rated.
- Specifically Constructed for Police Pursuit and High Speed Emergency Vehicle Use.
- Meets the severe snow service requirements of the Rubber Manufacturers Association (RMA) and the Rubber Association of Canada (RAC).



TEMPA SPARE

PASSENGER

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
TEMPA SPARE Radial			Black Wall		
T135/90R16	102M	088-613	13	5	382.40
T135/80R16	101M	093-441	12	5	353.31
T115/70R16	92M	090-109	9	5	306.33
T135/70R16	100M	105-988	11	5	348.76
T155/80R17	101M	126-829	19	5	391.71
T135/70R17	102M	096-484	13	5	324.21



TEMPA SPARE Radial

- Replacement for OE Radial Temporary Spare.

Size	Load Index	Article Number	Wgt.	Tread Depth	OE Fitment	Base Price
FIREHAWK GTA 02 Black Wall						
P195/55R16	86H	075-884	21	10	NISSAN SENTRA	181.34
P215/50R16	89V	061-409	23	10	MERCURY COUGAR	245.98
P265/55R17	105H	092-088	32	10	NISSAN FRONTIER	352.11
○ P215/50R17	90T	043-563	26	10	CHEVY HHR	228.26
○ P215/55R18	94T	043-495	27	10	DODGE CALIBER/JEEP COMPASS	233.66
AFFINITY Black Wall						
◇ P195/65R15	89S	061-923	19	10	TOYOTA COROLLA	144.98
◇ P215/55R16	91S	043-580	22	10	CHEVY HHR	206.89
● P215/60R17	95T	043-716	23	11	DODGE CALIBER/JEEP COMPASS/PATRIOT	178.01
FR710 Black Wall						
P215/55R17	93S	066-105	22	11	CHEVY MALIBU	181.03
P235/60R17	100T	079-042	27	10	TOYOTA SIENNA	150.66
FR690 Black Wall						
P215/65R16	96T	058-115	24	10	DODGE AVENGER/CHRYSLER SEBRING	166.86
FIREHAWK PV41 Black Wall						
P225/60R16	97V	067-911	29	11	FORD CROWN VICTORIA	285.18
◇◇ Firehawk GT V Black Wall						
245/45R20	99V	134-054	30	11	CHRYSLER CHALLENGER/CHARGER/300	279.25

○ Firehawk GTA 03 Tread Pattern
 ◇ S-4 Tread Pattern
 ● T-4 Tread Pattern
 ◇◇ Available 4th Quarter

Size	Load Index	Article Number	Wgt.	Tread Depth	LR	Base Price
DESTINATION ST				Black Wall		
225/65R17	102H	232-276	28	10		188.30
235/65R17 XL	108H	232-293	33	10		205.12
235/60R18 XL	107V	232-208	34	10		239.81
245/60R18	105H	232-225	34	10		230.09
255/60R18 XL	112V	232-259	32	10		260.21
235/55R18	100V	232-191	30	10		211.10
255/55R18 XL	109V	232-242	31	10		229.05
P255/60R19	108H	232-174	37	10		251.74
255/55R19 XL	111H	232-157	38	10		264.99
255/50R19 XL	107W	232-140	35	10		300.09
P275/55R20	111H	232-123	44	10		226.55
255/50R20 XL	109V	232-055	37	10		270.71
265/50R20	107V	232-072	40	10		272.45
275/45R20 XL	110H	232-106	40	10		229.04
275/40R20 XL	106W	232-089	38	10		265.13
275/45R22 XL	112V	232-021	42	10		313.22
P285/45R22	110H	133-782	45	11		291.88
305/40R22 XL	114W	232-038	45	11		280.68



DESTINATION ST

- All-season tread pattern.
- Asymmetric, non-directional tread design.
- Sport truck tire.
- H, V and W Speed Rated.
- Performance tuned for SUV, CUV and LT without sacrificing ride comfort.
- 40,000 Mile Treadwear Limited Warranty.
- XL = Extra Load

LIGHT TRUCK RECREATIONAL

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010

LIGHT TRUCK

Size	Load Index	Article Number	Wgt.	Tread Depth	LR	Base Price
DESTINATION LE			Outline White Letter			
P225/70R14	98S	147-543	28	12		145.23
P215/75R15	100S	146-914	28	12		140.39
P225/75R15	102S	146-931	31	12		145.79
P235/75R15	105S	146-965	34	12		150.27
P265/75R15	112S	054-341	39	13		168.93
P225/70R15	100S	146-948	32	12		150.82
P235/70R15	102S	146-982	34	12		154.30
P255/70R15	108S	146-829	34	13		157.77
P235/75R16 XL	109S	054-358	36	12		165.57
P245/75R16	109S	147-016	37	13		165.62
P265/75R16	114S	147-050	42	13		179.58
P225/70R16	101S	147-560	33	12		156.32
P235/70R16 XL	107S	054-375	35	12		166.85
P245/70R16	106S	123-838	36	13		168.82
P255/70R16	109S	147-033	37	13		178.88
P265/70R16	111S	123-846	40	13		189.53
P255/65R16	106S	040-877	36	13		198.89
P235/70R17 XL	108S	097-538	36	13		191.28
P245/70R17	108S	087-389	37	13		194.54
P265/70R17	113S	147-067	43	13		206.38
P245/65R17	105S	040-928	36	13		205.39
P255/65R17	108S	083-190	40	13		212.57
P265/70R18	114S	066-173	44	13		232.14
P235/65R18	104T	108-792	34	12		205.51
P265/65R18	112S	090-279	42	12		218.42
P265/60R18	109T	054-409	39	11		243.11
P275/60R20	114S	108-741	47	13		254.88
31X10.50R15LT	109R	158-404	41	15	C	183.54
LT235/75R15	104/101S	158-438	37	14	C	161.72
LT265/75R16	112/109S	158-710	44	15	C	209.85



DESTINATION LE

- Features UNI-T Technology for outstanding wet performance and a smooth quiet ride
- 60,000 Mile Treadwear Limited Warranty
- 480 AB UTQG
- Mud and Snow Rated
- Gold Pledge 3 Year Limited Warranty
- Buy & Try 30 Day Guarantee.
- XL = Extra Load



Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
DESTINATION LE					Black Wall
P215/70R15	97S	030-439	24	12	136.13
P225/75R16 XL	106S	040-860	34	12	154.91
P215/70R16	99S	083-224	29	12	147.11
P235/65R16	101S	065-068	30	10	169.88
225/65R17	102S	083-173	31	13	179.33
P235/65R17	103T	040-911	34	13	188.75
P265/65R17	110T	054-392	37	13	219.99
P235/60R17	100H	112-379	30	13	188.23
P275/60R17	110S	040-945	39	13	225.05
P265/65R18	112S	090-177	41	13	208.02
P245/60R18	104S	108-248	33	11	219.14
P275/55R20	111H	108-775	44	11	261.08
P265/50R20	106V	108-809	40	11	272.45



DESTINATION LE

- Features UNI-T Technology for outstanding wet performance and a smooth quiet ride
- 60,000 Mile Treadwear Limited Warranty
- 480 AB UTQG
- Mud and Snow Rated
- Gold Pledge 3 Year Limited Warranty
- Buy & Try 30 Day Guarantee.
- XL = Extra Load




LIGHT TRUCK

LIGHT TRUCK RECREATIONAL

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010

LIGHT TRUCK

Size	Load Index	Article Number	Wgt.	Tread Depth	Base Price
DESTINATION A/T P-Metric Outline White Letter					
P225/70R14	98S	026-682	27	13	154.16
P205/75R15	97S	026-495	25	12	140.20
P215/75R15	100S	026-512	28	13	145.70
P225/75R15	102S	026-546	32	13	157.53
P235/75R15	105S	026-563	32	13	165.84
P225/70R15	100S	026-699	30	13	165.97
P235/70R15	102S	026-716	31	13	169.81
P235/75R16	106S	027-379	34	13	172.89
P245/75R16	109S	026-614	46	13	182.25
P265/75R16	114S	026-648	42	13	197.03
P235/70R16	104S	026-767	33	13	174.24
P245/70R16	106S	027-430	44	13	182.43
P255/70R16	109S	026-869	38	13	193.32
P265/70R16	111S	027-481	39	13	204.82
P235/75R17	108S	054-239	38	12	200.75
P245/75R17	110S	077-563	40	13	208.76
P255/75R17	113S	108-860	43	13	217.12
P235/70R17 XL	108S	094-869	36	13	204.11
P245/70R17	108S	054-273	38	13	203.93
P255/70R17	110S	054-290	40	13	210.89
P265/70R17	113S	026-784	42	13	223.00
P285/70R17	117T	066-139	44	13	236.57
P235/65R17	103T	108-826	31	10	214.83
P245/65R17	105S	040-843	36	13	221.47
P255/65R17	108S	054-307	38	13	236.10
P265/65R17	110T	066-156	38	13	244.19
P255/70R18	112S	108-843	44	13	232.72
◇ P265/65R18	112S	123-310	43	13	255.66
P265/70R18	114S	077-546	44	12	242.01
P275/65R18	114T	054-324	42	10	266.31
P265/60R18	109T	108-877	39	11	259.94
P275/60R20	114S	108-894	46	11	275.09
P275/55R20	111S	108-911	45	11	284.36



- UNI-T Technology provides outstanding wet performance.
- All-Terrain Aggressive Tread Design with smooth quiet ride.
- 50,000 Mileage Warranty (P-Metric sizes only)
- UTQG: 460 A B
- Mud & Snow Rated.
- Gold Pledge 3 Year Limited Warranty.
- Buy & Try 30 Day Guarantee.



◇ AVAILABLE 3RD QUARTER 2010

Size	Load Index	Article Number	Wgt.	Tread Depth	LR	FET	Base Price
DESTINATION A/T LT Outline White Letter							
LT235/75R15	104/101R	184-278	34	14	C		179.17
LT245/75R16	108/104R	184-295	38	14	C		219.49
LT265/75R16	112/109R	184-329	43	14	C		232.50
LT285/75R16	126/123R	223-640	53	15	E		273.20
* LT315/75R16	121R	191-520	61	15	D		310.70
◇ LT315/75R16	127/124R	232-786	64	15	E		307.31
LT265/70R16	117/114R	211-512	46	14	D		242.81
LT305/70R16	124/121R	184-431	57	17	E	0.19	287.06
◇ LT255/75R17	111/108R	223-912	43	15	C		244.68
LT265/70R17	112/109R	192-285	44	13	C		268.30
LT275/70R17	114/110R	192-302	47	15	C		280.37
LT285/70R17	121/118R	232-803	60	15	E		316.47
LT315/70R17	121/118R	232-820	61	16	E		335.46
LT275/65R18	113/110S	192-336	40	16	C		305.79
30X9.50R15LT	104R	184-380	36	15	C		176.55
31X10.50R15LT	109R	184-397	42	15	C		195.36
33X12.50R15LT	108R	184-414	52	16	C		234.65

DESTINATION A/T							Black Wall
P235/75R15	XL 108S	026-580	32	13			169.12
P235/75R16	106S	112-192	34	13			164.24
LT325/65R18	127/124R	192-353	67	17	E	3.40	437.39



DESTINATION A/T

- UNI-T Technology provides outstanding wet performance.
- All-Terrain Aggressive Tread Design with smooth quiet ride.
- 50,000 Mileage Warranty (P-Metric sizes only)
- UTQG: 460 A B
- Mud & Snow Rated.
- Gold Pledge 3 Year Limited Warranty.
- Buy & Try 30 Day Guarantee.



LIGHT TRUCK

LIGHT TRUCK RECREATIONAL

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010
FET EFFECTIVE JUNE 1, 2010

LIGHT TRUCK

Size	Load Index	Article Number	Wgt.	Tread Depth	LR	FET	Base Price
DESTINATION M/T				Outline White Letter			
LT235/75R15	104/101Q	155-470	41	18	C		224.86
LT265/75R16	123/120Q	223-589	54	19	E		304.97
LT285/75R16	126/123Q	223-572	61	19	E		326.03
LT315/75R16	127/124Q	232-735	71	20	E		361.82
LT305/70R16	124/121Q	190-262	64	19	E	0.19	338.29
LT255/75R17	111/108Q	224-167	52	20	C		302.14
LT245/70R17	119/116Q	190-279	50	20	E		297.34
LT265/70R17	121/118Q	190-296	54	19	E		319.71
LT285/70R17	121/118Q	232-752	61	22	E		359.27
LT275/70R18	125/122Q	224-184	58	20	E	1.32	366.24
30X9.50R15LT	104Q	155-594	44	20	C		230.22
31X10.50R15LT	109Q	155-608	49	20	C		255.19
33X12.50R15LT	108Q	155-616	61	22	C		309.33

DESTINATION M/T				Black Wall			
LT215/85R16	115/112Q	223-606	43	18	E		249.45
LT235/85R16	120/116Q	155-586	48	18	E		268.30
LT225/75R16	115/112Q	223-623	44	18	E		253.66
LT245/75R16	120/116Q	155-543	48	18	E		290.16
LT315/70R17	121/118Q	232-769	68	20	E		398.73
LT285/65R18	125/122Q	205-171	60	20	E		444.87
LT325/65R18	127/124Q	205-188	71	21	E	3.40	468.74



DESTINATION M/T

- UNI-T Technology provides outstanding wet performance.
- Three full polyester body plies for strength and durability.
- Sidewall lug designed for pulling out of deep ruts.
- Features Rim Guard™.
- 23° Bar Angle for optimum traction and self-cleaning.
- Pinned for #15, #16, #17 studs, depending upon size.
- Gold Pledge Limited Warranty.
- Buy & Try 30 Day Guarantee.



Size	Load Index	Article Number	Wgt.	Tread Depth	LR	FET	Base Price
TRANSFORCE HT			Black Wall				
LT235/75R15	104/101R	189-837	32	15	C		175.48
LT215/85R16	115/112R	189-701	38	14	E		192.48
LT235/85R16	120/116R	189-718	40	15	E		201.50
LT225/75R16	115/112R	189-752	35	14	E		201.82
LT245/75R16	120/116R	189-769	39	14	E		204.73
LT265/75R16	123/120R	189-786	44	15	E		215.67
8.75R16.5LT	115/111R	189-803	35	14	E		201.82
9.50R16.5LT	121/117R	189-820	40	15	E		223.57
LT235/80R17	120/117R	191-282	41	15	E		223.86
LT225/75R17	116/113R	224-133	38	14	E		217.68
LT245/75R17	121R	225-425	40	14	E		235.08
LT245/75R17	121/118R	233-007	42	14	E		247.46
LT245/70R17	119/116R	191-316	42	14	E		218.51
LT245/70R17	119/116R	232-990	41	14	E		218.51

TRANSFORCE HT			Outline White Letter				
LT265/75R16	123/120R	207-602	44	15	E		226.91
LT245/75R17	121/118R	207-483	42	14	E		247.46
LT265/70R17	121/118R	200-156	47	14	E		245.86
LT275/70R18	125/122R	207-500	51	16	E	1.32	274.80
LT275/65R18	123/120S	207-619	50	15	E		290.51



TRANSFORCE HT

- Features UNI-T Technology for Outstanding Wet Performance and a Smooth Quiet Ride.
- Commercial All-Season Highway Tread Design.
- Polyester and Steel Light Truck Construction with Full Spiral-Wrap Nylon Cap Ply.
- Continuous shoulder ribs for reduced irregular wear and increased tread life.
- Mud and Snow rated.
- Gold Pledge Limited Warranty.
- Buy & Try 30 Day Guarantee (Commercial Service Excluded)




COMMERCIAL LIGHT TRUCK

FIRESTONE
CONFIDENTIAL BASE PRICE CATALOG
EFFECTIVE JUNE 1, 2010
FET EFFECTIVE JUNE 1, 2010

LIGHT TRUCK

Size	Load Index	Article Number	Wgt.	Tread Depth	LR	FET	Base Price
TRANSFORCE AT			Black Wall				
LT235/75R15	104/101R	189-650	32	17	C		193.40
LT215/85R16	115/112R	189-565	36	16	E		215.26
LT235/85R16	120/116R	189-633	42	17	E		235.52
LT225/75R16	115/112R	189-667	36	16	E		218.70
LT245/75R16	120/116R	189-582	40	16	E		221.56
LT265/75R16	123/120R	189-599	45	18	E		232.79
LT235/80R17	120/117R	191-265	43	17	E		244.65
LT225/75R17	116/113R	224-150	38	17	E		237.90
LT245/70R17	108/104Q	192-234	40	16	C		241.28
LT245/70R17	119/116R	200-173	42	17	E		251.01

TRANSFORCE AT			Outline White Letter				
LT265/75R16	123/120R	196-858	46	18	E		244.53
LT245/75R17	121/118R	205-222	43	17	E		266.67
LT265/70R17	121/118R	200-190	48	17	E		270.44
LT275/70R18	125/122R	205-205	52	16	E	1.32	302.31
LT275/65R18	123/120S	200-207	51	17	E		320.58



TRANSFORCE AT

- Features Uni-T Technology for Outstanding Wet Performance and a Smooth Quiet Ride.
- Commercial All-Terrain Design.
- Polyester and Steel Light Truck Construction with Full Spiral-Wrap Nylon Cap Ply.
- Continuous shoulder ribs for reduced irregular wear and increased tread life.
- Mud and Snow rated.
- Gold Pledge Limited Warranty.
- Buy & Try 30 Day Guarantee. (Commercial Service Excluded).



Size	Load Index	Article Number	Wgt.	Tread Depth	OE Fitment	Base Price
WILDERNESS LE Outline White Letter						
P265/70R16	111S	074-810	40	12	TAHOE/YUKON	189.50
DESTINATION LE Black Wall						
P215/70R15	97S	030-439	24	12	TOYOTA TACOMA	136.13
P235/65R16	101S	065-068	30	10	SATURN VUE/CHEVY EQUINOX/PONTIAC TORRENT/SUZUKI XL7	169.88
P235/60R17	100H	112-379	30	13	SATURN VUE/CHEVY EQUINOX/PONTIAC TORRENT/SUZUKI XL7	188.23
P265/65R18	112S	090-177	41	13	CHEVY SILVERADO/GMC SIERRA	208.02
P245/60R18	104S	108-248	33	11	CHEVY TRAILBLAZER/GMC ENVOY	219.14
DESTINATION LE Outline White Letter						
P265/65R18	112S	090-279	42	12	CHEVY SILVERADO/GMC SIERRA	218.42
DESTINATION AT Black Wall						
P235/75R16	106S	112-192	34	13	CHEVY COLORADO/GMC CANYON	164.24
TRANSFORCE HT Black Wall						
LT245/75R17	121R	225-425	40	14	CHEVY SILVERADO HD/GMC SIERRA HD	235.08
TRANSFORCE AT BLACK WALL						
LT245/70R17	108/104Q	192-234	40	16	CHEVY SILVERADO/SUBURBAN/TAHOE	241.28

Firestone

Consumer Sales & Marketing Locations

Home Office

535 Marriott Drive
P.O. Box 140990
Nashville, TN 37214-5092
800-668-0345

Northern Region

2100 Internationale Pkwy.
Woodridge, IL 60517
800-323-9624

Southern Region

600 Gateway Pkwy, Suite 200
Roanoke, TX 76262
800-510-4715

www.firestonetire.com

This price list supersedes all previous lists and is subject to change without notice. It does not constitute an offer of sale and we reserve the right to reject any and all orders. The Federal Excise Tax Effective January 1, 2010 is shown separately and State Sales Tax, if any, is additional. All products listed are subject to availability.

